

Ajicore Backend Update Handoff

Hi team, I completed a backend contract pass for the requested frontend integrations and fixed the main payload and response mismatches in the affected modules. This document summarizes what is now supported and highlights a few implementation notes that should make the frontend wiring straightforward.

1. Twilio Onboarding

Available numbers

Endpoint: GET /api/auth/onboarding/available-numbers

- Supported query patterns: city search with type=city and city=Atlanta, and area-code search with type=area_code and area_code=404
- City lookup now uses Twilio locality search correctly
- Response shape is trimmed to the exact frontend fields

```
{
  "type": "city",
  "country": "US",
  "count": 2,
  "numbers": [
    {
      "phone_number": "+14045551234",
      "friendly_name": "(404) 555-1234",
      "locality": "Atlanta",
      "region": "GA",
      "capabilities": {
        "voice": true,
        "sms": true,
        "mms": false
      }
    }
  ]
}
```

Step 3 provisioning

Endpoint: POST /api/auth/onboarding/step3

```
{
  "phone_number": "+14045551234",
  "search_type": "city"
}
```

- The backend provisions the number through Twilio
- Twilio SID is stored on the business record
- The AI phone number is attached to the business record

Step 5 logo

Endpoint: POST /api/auth/onboarding/step5

```
{
  "logo_url": "https://storage.myajicore.com/uploads/logo-final.png"
}
```

Important: this endpoint expects only logo_url and does not handle file upload directly.

2. Customers

Endpoints: POST /api/customers and PATCH /api/customers/:id

- If customer_type is Individual, first_name is required
- If customer_type is Company, company_name is required
- Optional text fields can be empty or null without triggering the wrong validation path
- Customer list now responds in the frontend-friendly form: { "data": [...] }

3. Quotes vs Estimate Appointments

Endpoints: POST /api/quotes and PATCH /api/quotes/:id

Estimate Appointment mode

- Use line_items: []
- Set is_estimate_appointment: true
- Set status: "Appointment"
- Provide assigned_staff_id, scheduled_estimate_date, and scheduled_estimate_time
- scheduled_estimate_time must be in 24-hour HH:MM format, for example 14:30

```
{
  "business_id": "uuid-1234",

```

```
"customer_id": "uuid-cust-5678",
"assigned_staff_id": "uuid-staff-999",
"service_name": "Kitchen Sink Inspection",
"service_category": "Plumbing",
"custom_category_name": null,
"contract_type": { "warranty": false, "recurring": false, "oneTime": true },
"warranty_due": null,
"description": "Customer called regarding a leak under the sink. Needs inspection.",
"photos": ["https://storage.myajicore.com/uploads/photo1.jpg"],
"line_items": [],
"manual_subtotal": 0,
"discount_percent": 0,
"tax_percent": 0,
"deposit_percent": 0,
"total_amount": 0,
"deposit_amount": 0,
"payment_due_terms": "Upon receipt",
"scheduled_estimate_date": "2026-05-15T00:00:00.000Z",
"scheduled_estimate_time": "14:30",
"notes": "Tech should park in the driveway.",
"status": "Appointment",
"is_estimate_appointment": true
}
```

Quote mode

- Use populated line_items
- Set is_estimate_appointment: false
- assigned_staff_id can be null
- scheduled_estimate_date and scheduled_estimate_time can be null
- quantity is not required in line items

4. Price Book

Endpoints: POST /api/price-book, PATCH /api/price-book/:id, GET /api/price-book

- A compatibility alias also exists for PATCH /api/price-book when id is sent in the body
- GET now returns the exact shape { "data": [...] }
- materials, tools, visit_type, service_cost, service_call_fee, labor_time, labor_cost, and pricing metrics are preserved
- margin_percent is returned as a decimal when appropriate

5. Jobs

Endpoints: POST /api/jobs and PATCH /api/jobs/:id

- The backend now accepts estimated_time
- photo_urls and rich line-item snapshots are supported
- Job responses now include customer_address, estimated_time, and scheduled_end_time

6. AI Call Center Dashboard

New and updated endpoints are ready for the dashboard module.

- GET /api/businesses/:business_id returns { data: { id, name, ai_phone_number } }
- GET /api/ai-logs?business_id={id} returns { data: [...] }
- GET /api/ai-logs/:log_id returns a single log object
- GET /api/ai/status?business_id={id} returns { status: "active" }
- POST /api/ai/toggle-status accepts { business_id, status } where status is active or paused

7. Swagger and API Docs

Swagger has been updated to reflect these changes across Twilio onboarding, customer validation, jobs payloads, price book payloads and AI dashboard endpoints.

8. Important Frontend Notes

- Estimate appointments must use line_items: [] with is_estimate_appointment: true and status: "Appointment"
- scheduled_estimate_time must be HH:MM in 24-hour format
- Company customers should not be sent with forced first_name and last_name assumptions
- Price book list responses and AI log list responses now come back in { "data": [...] } form
- Jobs accept full line-item snapshot objects, so the frontend can send richer service snapshots directly

9. Fastest Way to Debug Anything Remaining

If any frontend flow still fails, the quickest way to isolate it is to send the exact endpoint, request payload, response status, and response body. That makes it easy to tell whether the issue is a backend contract bug or a mapping mismatch on the frontend side.

Prepared by backend for frontend handoff.