

We currently have a topology that includes a server and multiple VLANs (user PCs).

Our goal is to create a policy that allows these VLANs to access the server, including shared files and other services.

First Step :

Network >>>> Interfaces >>>> Create New

Create Interfaces for vlan from (10 to 50)

FortiGate-1

Dashboard

Network

Interfaces

DNS

Packet Capture

SD-WAN

Static Routes

Policy Routes

RIP

OSPF

BGP

Routing Objects

Multicast

Policy & Objects

Security Profiles

VPN

User & Authentication

System

Security Fabric

Log & Report

New Interface

Name: Vlan50

Alias:

Type: VLAN

VLAN protocol: 802.1Q 802.1AD

Interface: port1

VLAN ID: 50

VRF ID: 0

Role: LAN

Address

Addressing mode: Manual DHCP Auto-managed by IPAM

IP/Netmask: 192.168.50.1/24

Create address object matching subnet: ☒

Name: Vlan50 address

Destination: 192.168.50.1/24

Secondary IP address: ☐

Administrative Access

IPv4: ☒ HTTPS ☒ SSH ☐ RADIUS Accounting

☒ PING ☒ SNMP ☐ Security Fabric Connection

☒ FMG-Access ☐ FTM ☐ Speed Test

OK Cancel

FORTINET v7.0.9

Create Server_Vlan 60 >>>> subnet (192.168.60.1/24)

FortiGate-1

Dashboard

Network

Interfaces

DNS

Packet Capture

SD-WAN

Static Routes

Policy Routes

RIP

OSPF

BGP

Routing Objects

Multicast

Policy & Objects

Security Profiles

VPN

User & Authentication

System

Security Fabric

Log & Report

FORTINET

v7.0.9

New Interface

Name

Server_Vlan60

Alias

Type

VLAN

VLAN protocol

802.1Q 802.1AD

Interface

port1

VLAN ID

60

VRF ID

0

Role

LAN

Address

Addressing mode

Manual DHCP Auto-managed by IPAM

IP/Netmask

192.168.60.1/24

Create address object matching subnet

Name

Server_Vlan60 address

Destination

192.168.60.1/24

Secondary IP address

Administrative Access

IPv4

HTTPS

SSH

RADIUS Accounting

PING

SNMP

Security Fabric Connection

FMG-Access


FTM

Speed Test

OK

Cancel

Create Group (Zone) for all users (all Vlans) :




Second Step : Policy & Object >>>> Address


Assign an IP address to each interface

We find address (for every vlan we did it)in the section of interface subnet

we will create Address Group for users



then assign ip for server in its vlan (vlan 60)



FortiGate-1

Dashboard

Network

Policy & Objects

Firewall Policy

IPv4 DoS Policy

Addresses

Internet Service Database

Services

Schedules

Virtual IPs

IP Pools

Protocol Options

Traffic Shaping

Security Profiles

VPN

New Address

Name: Server_address

Color: Change

Type: Subnet


IP/Netmask: 192.168.60.10/32

Interface: Server_Vlan60

Static route configuration: ☐

Comments: Write a comment... 0/255

Third Step:
Policy & Object >>>> Firewall Policy >>>> Create new



FortiGate-1

Dashboard

Network

Policy & Objects

Firewall Policy

IPv4 DoS Policy

Addresses

Internet Service Database

Services

Schedules

Virtual IPs

IP Pools

Protocol Options

Traffic Shaping

Security Profiles

VPN

User & Authentication

System

Security Fabric

Edit Policy

Name: Users_to_Server

Incoming Interface: Users_Vlans

Outgoing Interface: Server_Vlan60

Source: all

Destination: Server_address, Server_Vlan60 address

Schedule: always

Service: ALL

Action: ☒ ACCEPT ☐ DENY


Inspection Mode: Flow-based Proxy-based

Firewall / Network Options

NAT: ☐


Protocol Options: default

disable Nat and enable all Session log in



Make sure that fortigate see server :

write execute ping 192.168.60.10 in CLI



Make sure that pcs see Server :

All rights reserved.

VPCS is free software, distributed under the terms of the "BSD" licence.
Source code and license can be found at vpcs.sf.net.
For more information, please visit wiki.freecode.com.cn.

Press '?' to get help.

Executing the startup file

PC6> dhcp

DDORA IP 192.168.30.4/24 GW 192.168.30.1

PC6> ping 192.168.60.10

84 bytes from 192.168.60.10 icmp_seq=1 ttl=127 time=14.749 ms

84 bytes from 192.168.60.10 icmp_seq=2 ttl=127 time=15.999 ms

84 bytes from 192.168.60.10 icmp_seq=3 ttl=127 time=21.539 ms

84 bytes from 192.168.60.10 icmp_seq=4 ttl=127 time=13.333 ms

84 bytes from 192.168.60.10 icmp_seq=5 ttl=127 time=12.420 ms

PC6> █