

Concept and preliminary design of a hospital system *

Alberto Paoluzzi

January 7, 2015

Contents

1	Introduction	2
2	Model planning	2
2.1	Data sources	2
2.2	Reference grid	2
2.3	Architecture of modeling process	3
3	Building units planning	3
3.1	Wire-frame input	3
3.1.1	Ground floor	3
3.1.2	Mezanine floor	5
3.1.3	First floor	7
3.1.4	Ward sections	8
3.1.5	Second floor	9
3.1.6	Third floor	11
3.1.7	Fourth floor	11
3.1.8	Fifth floor	12
3.2	Preliminary 2.5D mock-up	13
3.2.1	Building structure	13
3.2.2	Storey viewing	16
3.3	Structural frame	17
3.4	Vertical communications	17
3.5	Design review	17

*This document is part of the *Linear Algebraic Representation with CoChains* (LAR-CC) framework [CL13]. January 7, 2015

4	System semantics	17
4.1	Topological requirements	17
4.2	Geometrical requirements	17
5	Code exporting	17
A	Code utilities	18

Abstract

In this module we develop stepwise the concept and the preliminary building program of a hospital of medium size, using as source the document [AM13] of the World Health Organisation.

1 Introduction

2 Model planning

2.1 Data sources

2.2 Reference grid

Reference grid

```

⟨Reference grid 1⟩ ≡
  """ Reference grid """
  X = [0]+[7.5,9.5,7.5]+4*[8.4]+[7.5,9.5,7.5]+[0]
  Y = [0]+14*[8.4]+[0]
  xgrid = QUOTE(X[1:-1])
  ygrid = QUOTE(Y[1:-1])
  structuralGrid = PROD([xgrid,ygrid])
  ymax = SUM(Y)
  ◇

```

Macro referenced in 17a.

From array indices to grid coordinates

```

⟨From array indices to grid coordinates 2a⟩ ≡
  """ From array indices to grid coordinates """
  def index2coords(theArray):
    return CONS(AA(T([1,2]))(CAT((theArray).tolist())))
  ◇

```

Macro referenced in 17a.

2.3 Architecture of modeling process

3 Building units planning

3.1 Wire-frame input

As already said, the data input for this project was made by hand. Of course, an interactive user-interface is underway. I would like to notice that to enter apart the coordinates of the vertices of cells, as two (or three) adjacent arrays, is much faster and lesser in danger of getting errors than to enter an array of points.

The several building units contained in this storey are given in the below script, each associated to a single ordered polyline, transposed on coordinates. Let us notice the used of a capitalised variable for storage, in order to distinguish from the corresponding **Struct** object with the same name.

```
< Storey input 2b > ≡  
    """ Storey input """  
    < Ground floor 3a >  
    < Mezanine floor 4b >  
    < First floor 6b >  
    < Second floor 8b >  
    < Third floor 10b >  
    < Fourth floor 11a >  
    < Fifth floor 11d >  
  
    """ Building unit structure """  
    < Ground floor structure 4a >  
    < Mezanine floor structure 6a >  
    < First floor structure 7b >  
    < Second floor structure 10a >  
    < Third floor structure 10d >  
    < Fourth floor structure 11c >  
    < Fifth floor structure 12b >  
    ◇
```

Macro referenced in 17a.

3.1.1 Ground floor

Ground floor input

```
< Ground floor 3a > ≡  
    """ Ground floor """  
    OpenCourt10 = metric(TRANS([[3,3,4,4,6,6,6.65,6.65],[4,8,8,7.8,7.8,8,8,4]]))  
    RadioDiagnosticImaging = metric(TRANS([[7,7,9,10,10,8.7],[4,8,8,8,4,4]]))  
    ServiceCore10 = metric(TRANS([[1.15, 1.15, 1.3,2.55, 2.55,2],[2.85, 3.7,3.7,3.7,
```

```

2.85,2.85]]))
ServiceCore20 = metric(TRANS([[7,7,8.7,8.8,8.8],[2.8,3.7,3.7,3.7,2.8]]))
EmergencyDepartment = metric(TRANS([[4.7,4.7,7,7,8.8,8.8,9.65,9.65],[0,3.7,3.7,
2.8,2.8,3.7,3.7,0]]))
Endoscopy = metric(TRANS([[3,3,3.4,4.4],[0,2.5,3.7,3.7,0]]))
OutPatientDepartment10 = metric(TRANS([[4./7.5, 4./7.5,1.15,1.15,2,2,3,3],
[0,3.7,3.7,2.85,2.85,2.5,2.5,0]]))
OutPatientDepartment20 = metric(TRANS([[0,0,2.65,2.65,1.3],[4,5.85,5.85,4,4]]))
RenalDialysis = metric(TRANS([[0,0,1,2.65,2.65],[5.85,8,8,8,5.85]]))
OpenCourt20 = metric(TRANS([[2,2,2,2,4,4,4,4],[10,11,11.35,12,12,11.35,11,10]]))
ChemotherapyUnit = metric(TRANS([[0,0,4.5,4.5,4,4,2,2,1],
[11.35,14,14,11.35,11.35,12,12,11.35,11.35,]]))
Service = metric(TRANS([[0,0,1,1,2,2,2,1],[8.35,10,10,9,9,8.5, 8.35,8.35]]))
PhysicalMedicineDept = metric(TRANS([[2,2,1,1,0,0, 1,2,2,4,4,4.5,4.5,4,4],
[8.5,9,9,10,10,11,11,11,10,10,11,11,9,9,8.5]]))
MainEntrance = metric(TRANS([[4,4,4,4.5,4.75,4.75,6.65,6.65,6,6],
[8.4,8.5,9,9,9,11,11, 9,9,8.4]]))
Unknown = metric(TRANS([[7.25,7.25, 6.65,6.65,6.65,10,10,9,8.2],
[8.35,8.5,8.5,9,11,11,8.35,8.35,8.35]]))
#Mortuary = metric(TRANS([[ ]]))
Corridor0 = metric([[4.4,0],[4.4,3.7],[3,3.7],[3,2.5],[2,2.5],[2,2.85],[2.55,2.85],
[2.55,3.7],[1.3,3.7],[1.3,4],[2.65,4],[2.65,5.85],[2.65,8],[1,8],[1,8.35],
[2,8.35],[2,8.5],[4,8.5],[4,8.4],[6,8.4],[6,9],[6.65,9],[6.65,8.5],[7.25,8.5],
[7.25,8.35],[8.2,8.35],[9,8.35],[9,8],[7,8],[7,4],[8.7,4],[8.7,3.7],
[7,3.7],[4.7,3.7],[4.7,0]])
Corridor0a = metric(TRANS([[1, 1, 2, 2], [11, 11.35, 11.35, 11]]))
Corridor0b = metric(TRANS([[4.5, 4.5, 4, 4, 4.5, 4.5, 4.75,4.75, 4.75],
[9, 11, 11, 11.35, 11.35, 14,14, 11, 9]]))

```

◇

Macro referenced in [2b](#).

Ground floor's building units

⟨ Ground floor's building units 3b ⟩ ≡

```

""" Ground floor's building units """
openCourt10 = buildingUnit(OpenCourt10,"OpenCourt10")
radioDiagnosticImaging = buildingUnit(RadioDiagnosticImaging,"RadioDiagnosticImaging")
serviceCore10 = buildingUnit(ServiceCore10,"ServiceCore10")
serviceCore20 = buildingUnit(ServiceCore20,"ServiceCore20")
emergencyDepartment = buildingUnit(EmergencyDepartment,"EmergencyDepartment")
endoscopy = buildingUnit(Endoscopy,"Endoscopy")
outPatientDepartment10 = buildingUnit(OutPatientDepartment10,"OutPatientDepartment10")
outPatientDepartment20 = buildingUnit(OutPatientDepartment20,"OutPatientDepartment20")
renalDialysis = buildingUnit(RenalDialysis,"RenalDialysis")
openCourt20 = buildingUnit(OpenCourt20,"OpenCourt20")
chemotherapyUnit = buildingUnit(ChemotherapyUnit,"ChemotherapyUnit")

```

```

service = buildingUnit(Service,"Service")
physicalMedicineDept = buildingUnit(PhysicalMedicineDept,"PhysicalMedicineDept")
mainEntrance = buildingUnit(MainEntrance,"MainEntrance")
unknown = buildingUnit(Unknown,"Unknown")
#mortuary = buildingUnit(Mortuary,"Mortuary")
corridor0 = buildingUnit(Corridor0,"Corridor0")
corridor0a = buildingUnit(Corridor0a,"Corridor0a")
corridor0b = buildingUnit(Corridor0b,"Corridor0b")
◇

```

Macro referenced in 4a.

⟨Ground floor structure 4a⟩ ≡

```

""" Ground floor structure """

```

⟨Ground floor's building units 3b⟩

```

buildingUnits0 = [openCourt10,radioDiagnosticImaging,serviceCore10,serviceCore20,
    emergencyDepartment,endoscopy,outPatientDepartment10,outPatientDepartment20,
    renalDialysis,openCourt20,chemiotherapyUnit,service,physicalMedicineDept,
    mainEntrance,unknown,corridor0,corridor0a,corridor0b]

groundFloor = Struct(buildingUnits0, "groundFloor")
◇

```

Macro referenced in 2b.

3.1.2 Mezanine floor

Mezanine floor input

⟨Mezanine floor 4b⟩ ≡

```

""" Mezanine floor """
MedicalWaste = metric(TRANS([[4./7.5,4./7.5,.8,1.25,1.25],[0,1.5,1.5,1.5,0]]))
CentralStores = metric(TRANS([[1.25,1.25,.8,.8,3.7,3.7,2.55,2.55,2.2,2.2],[0,1.5,1.5,
    2.65,2.65,.35,.35,.65,.65,0]]))
StaffDining = metric(TRANS([[3.95,3.95,6.7,6.7,6.95,6.95],[0,3.7,3.7,2,2,0]]))
CSSD = metric(TRANS([[6.95,6.95,6.95,8.8,8.8,9.65,9.65],[0,2,2.65,2.65,2,2,0]]))
HouseKeeping = metric(TRANS([[8.8,8.8,8.8,8.8,9.65,9.65],[2,2.65,2.8,3.7,3.7,2]]))
CentralStaffChanging11 = metric(TRANS([[4./7.5,4./7.5,1.15,1.15],[2.85,3.7,3.7,2.85]]))
CentralStaffChanging21 = metric(TRANS([[2.55,2.55,3.7,3.7],[2.85,3.7,3.7,2.85]]))
OpenCourt11 = metric(TRANS([[3,3,7,7,7],[4,8,8,6,4]]))
Pharmacy = metric(TRANS([[0,0,2.65,2.65,1.3],[4,6.45,6.45,4,4]]))
CentralWorkshop = metric(TRANS([[0,0,1,2.65,2.65],[6.45,8,8,8,6.45]]))
Laundry = metric(TRANS([[7,7,10,10,8.7],[4,6,6,4,4]]))
AdministrationSuite11 = metric(TRANS([[7,7,9,10,10],[6,8,8,8,6]]))
MainLaboratories = metric(TRANS([[1,1,0,0,2,2,5,5,4,4,4],[8.3,8.4,8.4,11,11,10,10,9,
    9,8.4,8.3]]))

```

```

MedicalLibrary = metric(TRANS([[6.7,6.7,8,8,7.75],[9.7,11,11,9.7,9.7]]))
MedicalRecords = metric(TRANS([[8,8,8,8.85,8.85,8.85],[8.3,9.7,11,11,9.75,8.3]]))
AdministrationSuite21 = metric(TRANS([[8.85,8.85,10,10,9,9],[8.3,9.75,9.75,8.4,8.4,8.3]]))
MeetingRooms = metric(TRANS([[6,6,6,6.7,6.7,7.75,7.75,7.45,7,7],[8.3,8.4,9,9,9.7,9.7,
8.7,8.7,8.7,8.3]]))
DataCenter = metric(TRANS([[7,7,7.45,7.45],[8.3,8.7,8.7,8.3]]))
ServerRoom = metric(TRANS([[7.45,7.45,7.75,7.75],[8.3,8.7,8.7,8.3]]))
PublicCore = metric(TRANS([[4,4,5,6,6],[8.4,9,9,9,8.4]]))
ServiceCore11 = metric(TRANS([[1.15,1.15,1.3,2.55,2.55],[2.85,3.7,3.7,3.7,2.85]]))
ServiceCore21 = metric(TRANS([[7,7,8.7,8.8,8.8],[2.8,3.7,3.7,3.7,2.8]]))
Corridor1 = metric([[2.2,0],[2.2,0.65],[2.55,0.65],[2.55,0.35],[3.7,0.35],[3.7,2.65],
[0.8,2.65],[0.8,1.5],[0.5333,1.5],[0.5333,2.85],[1.15,2.85],[2.55,2.85],[3.7,
2.85],[3.7,3.7],[2.55,3.7],[1.3,3.7],[1.3,4],[2.65,4],[2.65,6.45],[2.65,
8],[1,8],[1,8.3],[4,8.3],[4,8.4],[6,8.4],[6,8.3],[7,8.3],[7.45,8.3],
[7.75,8.3],[7.75,8.7],[7.75,9.7],[8,9.7],[8,8.3],[8.85,8.3],[9,8.3],[9,8],
[7,8],[3,8],[3,4],[7,4],[8.7,4],[8.7,3.7],[7,3.7],[7,2.8],[8.8,2.8],
[8.8,2.65],[6.95,2.65],[6.95,2],[6.7,2],[6.7,3.7],[3.95,3.7],[3.95,0]])
GroundRoof = metric(TRANS([[4,4,2,2,1,1,0,0,4.75,4.75],[10,12,12,11,11,11.35,11.35,14,
14,10]]))

```

◇

Macro referenced in [2b](#).

Mezzanine floor's building units

⟨ Mezzanine floor's building units 5 ⟩ ≡

```

""" Mezzanine floor's building units """
medicalWaste = buildingUnit(MedicalWaste,"MedicalWaste")
centralStores = buildingUnit(CentralStores,"CentralStores")
staffDining = buildingUnit(StaffDining,"StaffDining")
cSSD = buildingUnit(CSSD,"CSSD")
houseKeeping = buildingUnit(HouseKeeping,"HouseKeeping")
centralStaffChanging11 = buildingUnit(CentralStaffChanging11,"CentralStaffChanging1")
centralStaffChanging21 = buildingUnit(CentralStaffChanging21,"CentralStaffChanging2")
pharmacy = buildingUnit(Pharmacy,"Pharmacy")
centralWorkshop = buildingUnit(CentralWorkshop,"CentralWorkshop")
laundry = buildingUnit(Laundry,"Laundry")
administrationSuite11 = buildingUnit(AdministrationSuite11,"AdministrationSuite11")
mainLaboratories = buildingUnit(MainLaboratories,"MainLaboratories")
medicalLibrary = buildingUnit(MedicalLibrary,"MedicalLibrary")
medicalRecords = buildingUnit(MedicalRecords,"MedicalRecords")
administrationSuite21 = buildingUnit(AdministrationSuite21,"AdministrationSuite21")
meetingRooms = buildingUnit(MeetingRooms,"MeetingRooms")
dataCenter = buildingUnit(DataCenter,"DataCenter")
serverRoom = buildingUnit(ServerRoom,"ServerRoom")
publicCore = buildingUnit(PublicCore,"PublicCore")
serviceCore11 = buildingUnit(ServiceCore11,"ServiceCore11")

```

```

serviceCore21 = buildingUnit(ServiceCore21,"ServiceCore21")
corridor1 = buildingUnit(Corridor1,"Corridor1")
groundRoof = buildingUnit(GroundRoof,"GroundRoof")
◇

```

Macro referenced in 6a.

```

⟨Mezanine floor structure 6a⟩ ≡
    """ Mezanine floor structure """

```

```

⟨Mezanine floor's building units 5⟩

```

```

buildingUnits1 = [medicalWaste, centralStores, staffDining, cSSD, houseKeeping,
    centralStaffChanging11, centralStaffChanging21, pharmacy, centralWorkshop, laundry,
    administrationSuite11, mainLaboratories, medicalLibrary, medicalRecords,
    administrationSuite21, meetingRooms, dataCenter, serverRoom, publicCore,
    serviceCore11, serviceCore21, corridor1, groundRoof]

```

```

mezanineFloor = Struct(buildingUnits1, "mezanineFloor")
◇

```

Macro referenced in 2b.

3.1.3 First floor

First floor

```

⟨First floor 6b⟩ ≡

```

```

    """ First floor """
    OpenCourt3 = metric(TRANS([[3.,3.,7.,7.],[4.,8.,8.,4.])))
    Surgery = metric(TRANS([[4.15,4.15,7.,7.,8.8,8.8,9.65,9.65],[0,3.7,3.7, 2.8,2.8, 3.7,3.7,0]]))
    CatheterizationLab = metric(TRANS([[3,3,4.15,4.15],[0,3.7,3.7,0]]))
    ServiceCore32 = metric(TRANS([[7.,7.,8.7,8.8,8.8],[2.8,3.7,3.7,3.7,2.8]]))
    CoronaryCareUnit = metric(TRANS([[7.,7.,8.3,9.,10.,10.,8.7],[4.,8.,8.,8.,4.,4.])))
    DeliveryAndNicu = metric(TRANS([[0,0, 1.7,2.65,2.65,1.3],[4.,8.,8.,8.,4.,4.])))
    ServiceCore31 = metric(TRANS([[1.15, 1.15, 1.3,2.65, 2.65], [2.85, 3.7,3.7, 3.7, 2.85]]))
    IntensiveCareUnit = metric(TRANS([[4./7.5, 4./7.5,1.15,1.15,2.65, 2.65,1.95,1.95],
        [0.,3.7,3.7,2.85,2.85,.6,.6,0.])))
    ServiceCore33 = metric(TRANS([[1.95,1.95,2.65, 2.65],[0,.6,.6,0]]))
    PublicCore3 = metric(TRANS([[1.7,1.7,4.,4.,6.,6.,8.3,8.3,7,3,2.65],
        [8,8.4,8.4,9,9,8.4,8.4,8,8,8]]))
    Corridor3 = metric(TRANS([[2.65,2.65,2.65,2.65,1.3,1.3,2.65,2.65,3.0,3.0,7.0,8.7,8.7,
        7.0,4.15,3.0,3.0],[0.0,0.6,2.85,3.7,3.7,4.0,4.0,8.0,8.0,4.0,4.0,3.7,
        3.7,3.7,3.7,0.0]]))
    MezanineRoof = metric(TRANS([[1,1,0,0,2,2,4.75,4.75,10,10,9,9,8.3,8.3, 6,6,4,4 ,1.7,1.7],
        [8,8.4,8.4,11,11,10,10,11,11,8.4,8.4,8,8,8.4,8.4,9,9,8.4,8.4,8]]))
◇

```

Macro referenced in 2b.

First floor's building units

⟨First floor's building units 7a⟩ ≡

```
""" First floor's building units """
openCourt3 = buildingUnit(OpenCourt3,"OpenCourt3")
surgery = buildingUnit(Surgery,"Surgery")
catheterizationLab = buildingUnit(CatheterizationLab,"CatheterizationLab")
serviceCore32 = buildingUnit(ServiceCore32,"ServiceCore32")
coronaryCareUnit = buildingUnit(CoronaryCareUnit,"CoronaryCareUnit")
deliveryAndNicu = buildingUnit(DeliveryAndNicu,"DeliveryAndNicu")
serviceCore31 = buildingUnit(ServiceCore31,"ServiceCore31")
intensiveCareUnit = buildingUnit(IntensiveCareUnit,"IntensiveCareUnit")
serviceCore33 = buildingUnit(ServiceCore33,"ServiceCore33")
publicCore3 = buildingUnit(PublicCore3,"PublicCore3")
corridor3 = buildingUnit(Corridor3,"Corridor3")
mezanineRoof = buildingUnit(MezanineRoof,"MezanineRoof")
◇
```

Macro referenced in 7b.

⟨First floor structure 7b⟩ ≡

```
""" First floor structure """

⟨First floor's building units 7a⟩

buildingUnits2 = [surgery,catheterizationLab,serviceCore32,coronaryCareUnit,
    deliveryAndNicu,serviceCore31,intensiveCareUnit,serviceCore33,publicCore3,
    corridor3,mezanineRoof]

firstFloor = Struct(buildingUnits2, "firstFloor")
◇
```

Macro referenced in 2b.

3.1.4 Ward sections

Ward sections Here input by polylines and structure modeling are freely mixed. Just notice that the affine maps included in structures are given in grid coordinates. This fact does not permit an immediate transformation in Cartesian coordinates using the `metric` function.

⟨Ward sections 8a⟩ ≡

```
""" Ward sections """
room = TRANS([[0,0,1,1,2./3,2./3],[0,0.5,0.5,0.25,0.25,0]])
restRoom = TRANS([[2./3,2./3,1,1],[0,0.25,0.25,0]])
nursing1 = TRANS([[0,0,.2,.2],[0,.4,.4,.0]])
nursing2 = TRANS([[.2,.2,.4,.4],[0,.4,.4,.0]])
```



```

nursing3 = TRANS([[0,0,.4,.4],[.4,.8,.8,.4]])
nursing4 = TRANS([[0,0,.4,.4],[.8,1.1,1.1,.8]])
nursing5 = TRANS([[0,0,.4,.4],[1.1,1.4,1.4,1.1]])

service2 = Struct([polyline2lar([nursing1,nursing2,nursing3,nursing4,nursing5])])
service1 = Struct([t(0,1.4),s(1,-1),service2])
wardServices = Struct([t(1.3,.3),service1,t(0,2),service2])
HospitalRoom = Struct([polyline2lar([room,restRoom])], "Room")
DounbleRoom = Struct([HospitalRoom,t(0,1),s(1,-1),HospitalRoom])
HalfWard = Struct(4*[DounbleRoom,t(0,1)])
Ward = Struct([HalfWard, wardServices, t(3,0),s(-1,1), HalfWard])
V,FV,EV = struct2lar(Ward)
theWard = lar2lines((V,FV))
◇

```

Macro referenced in 8b.

3.1.5 Second floor

Second floor

⟨Second floor 8b⟩ ≡

⟨Ward sections 8a⟩

```

"""" Second floor """"
PublicCore4 = metric(TRANS([[1.7,1.7,4,4,6,6,8.3,8.3, 8,7+2./3, 7, 3, 2+1./3,2],
[8,8.4,8.4,9,9,8.4,8.4,8,8,8,8,8]])
ObstetricGinecologicWard = AA(metric)((AA(larTranslate([0,4]))(theWard)))
SurgicalWard1 = AA(metric)((AA(larTranslate([7,4]))(theWard)))
Filter1 = metric(TRANS([[1,1,1.35,1.35,1.15],[3.7,4,4,3.7,3.7]]))
Filter2 = metric(TRANS([[8.65,8.65,9,9,8.8],[3.7,4,4,3.7,3.7]]))
ServiceCore14 = metric(TRANS([[1.15, 1.15, 1.35,2.55, 2.55], [2.8, 3.7,3.7, 3.7, 2.8]]))
ServiceCore24 = metric(TRANS([[7,7,8.65,8.8,8.8],[2.8,3.7,3.7,3.7,2.8]]))
FirstRoof = metric(TRANS([[4./7.5, 4./7.5,1.15,1.15,2.55,2.55,7,7,8.8,8.8,9.65,9.65],
[0,3.7,3.7,2.8,2.8,3.7,3.7,2.8,2.8,3.7,3.7,0]]))
Corridor4a = metric([[1.35,3.7],[1.35,4],[2,4],[2.3333,4],[3,4],[7,4],[7.6667,4],[8,4],
[8.65,4],[8.65,3.7],[7,3.7],[2.55,3.7]])
Corridor4b = metric([[1,4.0],[1,4.25],[1,4.5],[1,4.75],[1,5.0],[1,5.25],[1,5.5],
[1,5.75],[1,6.0],[1,6.25],[1,6.5],[1,6.75],[1,7.0],[1,7.25],[1,7.5],
[1,7.75],[1,8.0],[2,8.0],[2,7.75],[2,7.5],[2,7.25],[2,7.0],[2,6.75],
[2,6.5],[2,6.25],[2,6.0],[2,5.75],[2,5.5],[2,5.25],[2,5.0],[2,4.75],
[2,4.5],[2,4.25],[2,4.0],[1.35,4.0]])
Corridor4b1 = metric([[1.3,4.3],[1.3,4.6],[1.3,4.9],[1.3,5.3],[1.3,5.7],[1.5,5.7],[1.7,5.7],
[1.7,5.3],[1.7,4.9],[1.7,4.6],[1.7,4.3]])
Corridor4b2 = metric([[1.3,6.3],[1.3,6.7],[1.3,7.1],[1.3,7.4],[1.3,7.7],[1.7,7.7],[1.7,7.4],
[1.7,7.1],[1.7,6.7],[1.7,6.3],[1.5,6.3]])

```

```

Corridor4c = metric([[8,4.0],[8,4.25],[8,4.5],[8,4.75],[8,5.0],[8,5.25],[8,5.5],
[8,5.75],[8,6.0],[8,6.25],[8,6.5],[8,6.75],[8,7.0],[8,7.25],[8,7.5],
[8,7.75],[8,8.0],[8.3,8.0],[9,8.0],[9,7.75],[9,7.5],[9,7.25],[9,7.0],
[9,6.75],[9,6.5],[9,6.25],[9,6.0],[9,5.75],[9,5.5],[9,5.25],[9,5.0],
[9,4.75],[9,4.5],[9,4.25],[9,4.0],[8.65,4.0]])
Corridor4c1 = metric([[8.3,4.3],[8.3,4.6],[8.3,4.9],[8.3,5.3],[8.3,5.7],[8.5,5.7],[8.7,5.7],
[8.7,5.3],[8.7,4.9],[8.7,4.6],[8.7,4.3]])
Corridor4c2 = metric([[8.3,6.3],[8.3,6.7],[8.3,7.1],[8.3,7.4],[8.3,7.7],[8.7,7.7],[8.7,7.4],
[8.7,7.1],[8.7,6.7],[8.7,6.3],[8.5,6.3]])

```

◇

Macro referenced in [2b](#).

Second floor's building units

⟨Second floor's building units 9⟩ ≡

```

""" Second floor's building units """
publicCore4 = buildingUnit(PublicCore4,'PublicCore4')
obstetricGinecologicWard = buildingUnit(ObstetricGinecologicWard,'ObstetricGinecologicWard')
surgicalWard1 = buildingUnit(SurgicalWard1,'SurgicalWard1')
filter1 = buildingUnit(Filter1,'Filter1')
filter2 = buildingUnit(Filter2,'Filter2')
serviceCore14 = buildingUnit(ServiceCore14,'ServiceCore14')
serviceCore24 = buildingUnit(ServiceCore24,'ServiceCore24')
firstRoof = buildingUnit(FirstRoof,'FirstRoof')
serviceCore11 = buildingUnit(ServiceCore11,'ServiceCore11')
serviceCore21 = buildingUnit(ServiceCore21,'ServiceCore21')
corridor4a = buildingUnit(Corridor4a,'Corridor4a')
corridor4b = buildingUnit(Corridor4b,'Corridor4b')
corridor4b1 = buildingUnit(Corridor4b1,'Corridor4b1')
corridor4b2 = buildingUnit(Corridor4b2,'Corridor4b2')
corridor4c = buildingUnit(Corridor4c,'Corridor4c')
corridor4c1 = buildingUnit(Corridor4c1,'Corridor4c1')
corridor4c2 = buildingUnit(Corridor4c2,'Corridor4c2')

```

◇

Macro referenced in [10a](#).

⟨Second floor structure 10a⟩ ≡

```

""" Second floor structure """

```

⟨Second floor's building units [9](#)⟩

```

buildingUnits3 = [publicCore4,obstetricGinecologicWard,surgicalWard1,filter1,filter2,
serviceCore14,serviceCore24,firstRoof,corridor4a,
corridor4b,corridor4b1,corridor4b2,corridor4c,corridor4c1,corridor4c2]

```

```

secondFloor = Struct(buildingUnits3, "secondFloor")

```

◇

Macro referenced in 2b.

3.1.6 Third floor

Third floor

```
⟨Third floor 10b⟩ ≡  
    """ Third floor floor """  
    GeneralWard1 = AA(metric)(AA(larTranslate([0,4]))(theWard))  
    SurgicalWard2 = AA(metric)(AA(larTranslate([7,4]))(theWard))  
    ◇
```

Macro referenced in 2b.

Third floor's building units

```
⟨Third floor's building units 10c⟩ ≡  
    """ Third floor's building units """  
    generalWard1 = buildingUnit(GeneralWard1,'GeneralWard1')  
    surgicalWard2 = buildingUnit(SurgicalWard2,'SurgicalWard2')  
    ◇
```

Macro referenced in 10d.

```
⟨Third floor structure 10d⟩ ≡  
    """ Third floor structure """  
  
    ⟨Third floor's building units 10c⟩  
  
    buildingUnits4 = [generalWard1,surgicalWard2,publicCore4,serviceCore14,serviceCore24,  
        filter1,filter2,corridor4a,corridor4b,corridor4b1,corridor4b2,corridor4c,  
        corridor4c1,corridor4c2]  
  
    thirdFloor = Struct(buildingUnits4, "thirdFloor")  
    ◇
```

Macro referenced in 2b.

3.1.7 Fourth floor

Fourth floor

```
⟨Fourth floor 11a⟩ ≡  
    """ Fourth floor floor """  
    PediatricWard1 = AA(metric)(AA(larTranslate([0,4]))(theWard))  
    PediatricWard2 = AA(metric)(AA(larTranslate([7,4]))(theWard))  
    ◇
```

Macro referenced in 2b.

Fourth floor's building units

⟨Fourth floor's building units 11b⟩ ≡

```
""" Fourth floor's building units """
pediatricWard1 = buildingUnit(PediatricWard1,'PediatricWard1')
pediatricWard2 = buildingUnit(PediatricWard2,'PediatricWard2')
◇
```

Macro referenced in 11c.

⟨Fourth floor structure 11c⟩ ≡

```
""" Fourth floor structure """
```

⟨Fourth floor's building units 11b⟩

```
buildingUnits5 = [pediatricWard1,pediatricWard2,publicCore4,serviceCore14,serviceCore24,
                  filter1,filter2,corridor4a,corridor4b,corridor4b1,corridor4b2,corridor4c,
                  corridor4c1,corridor4c2]
```

```
fourthFloor = Struct(buildingUnits5, "fourthFloor")
```

◇

Macro referenced in 2b.

3.1.8 Fifth floor

Fifth floor

⟨Fifth floor 11d⟩ ≡

```
""" Fifth floor floor """
GeneralWard2 = AA(metric)(AA(larTranslate([0,4]))(theWard))
GeneralWard3 = AA(metric)(AA(larTranslate([7,4]))(theWard))
◇
```

Macro referenced in 2b.

Fifth floor's building units

⟨Fifth floor's building units 12a⟩ ≡

```
""" Fifth floor's building units """
generalWard2 = buildingUnit(GeneralWard2,'GeneralWard2')
generalWard3 = buildingUnit(GeneralWard3,'GeneralWard3')
◇
```

Macro referenced in 12b.

⟨Fifth floor structure 12b⟩ ≡

```
""" Fifth floor structure """
```

⟨Fifth floor's building units 12a⟩

```
buildingUnits6 = [generalWard2,generalWard3,publicCore4,serviceCore14,serviceCore24,
                  filter1,filter2,corridor4a,corridor4b,corridor4b1,corridor4b2,corridor4c,
                  corridor4c1,corridor4c2]

fifthFloor = Struct(buildingUnits6, "fifthFloor")
◇
```

Macro referenced in 2b.

3.2 Preliminary 2.5D mock-up

3.2.1 Building structure

Column locations on grid

⟨Column locations on grid 12c⟩ ≡

```
""" Column locations on grid """
SecondPillars = [(4,5),(1,10)),((3,4),(1,4)),((3,4),(7,10)),((4,8),(0,4)),((4,8),(7,11)),((8,9),(0,11)),((9,10),(4,7))]
FirstPillars = [(0,5),(1,10)),((4,8),(0,4)),((4,8),(7,11)),((8,9),(0,11)),((9,10),(4,7))]
FrontPillars = [(8,10),(0,11)),((10,11),(0,6)),((10,11),(7,11)),((11,12),(0,3)),((11,12),(4,1))]
MezaninePillars = FirstPillars + FrontPillars
BottomPillars = [(12,15),(0,5))]
◇
```

Macro referenced in 17a.

Generation of beams and structural chains

⟨Generation of beams and structural chains 12d⟩ ≡

```
""" Generation of beams and structural chains """
def ManhattanTest(nodes,nDict,i,j):
    hi,ki = nodes[i]
    hj,kj = nodes[j]
    return nDict.setdefault((hi,kj),-1)!=-1 and nDict.setdefault((hj,ki),-1)!=-1

def structureGrid(loci):
    nodes = AA(tuple)(CAT([CART([range(*I), range(*J)]) for (I,J) in loci]))
    nDict = dict([(node,k) for k,node in enumerate(nodes)])
    arcs = CAT([[nDict[(i,j)], nDict.setdefault((i,j+1),-1)),
                (nDict[(i,j)], nDict.setdefault((i,j-1),-1)),
                (nDict[(i,j)], nDict.setdefault((i+1,j),-1)),
                (nDict[(i,j)], nDict.setdefault((i-1,j),-1))] for (i,j) in nodes])
    arcs1 = list(set(AA(tuple)([sorted(arc) for arc in arcs if arc[1]!=-1])))
    arcs = CAT([[nDict[(i,j)], nDict.setdefault((i+1,j+1),-1)),
```

```

        (nDict[(i,j)], nDict.setdefault((i+1,j-1),-1)),
        (nDict[(i,j)], nDict.setdefault((i-1,j-1),-1)),
        (nDict[(i,j)], nDict.setdefault((i-1,j+1),-1))] for (i,j) in nodes])
arcs2 = list(set(AA(tuple)([sorted(arc) for arc in arcs if arc[1]!=-1])))
arcs2 = [[i,j] for i,j in arcs2 if ManhattanTest(nodes,nDict,i,j)]
nodes = metric([[j,i] for i,j in nodes])
return nodes, arcs1,arcs2

```

◇

Macro referenced in 17a.

Instanting of 3D structure frame

```

⟨Instanting of 3D structure frame 13a⟩ ≡
    """ Instanting of 3D structure frame """
    nodes0, arcs10,arcs20 = structureGrid(MezaninePillars+BottomPillars)
    nodes1, arcs11,arcs21 = structureGrid(MezaninePillars)
    nodes2, arcs12,arcs22 = structureGrid(FirstPillars)
    nodes3, arcs13,arcs23 = structureGrid(SecondPillars)
    nodes4, arcs14,arcs24 = structureGrid(SecondPillars)
    nodes5, arcs15,arcs25 = structureGrid(SecondPillars)
    nodes6, arcs16,arcs26 = structureGrid(SecondPillars)
    VIEW(STRUCT(MKPOLS((nodes0, arcs10+arcs20)) ))

```

◇

Macro referenced in 17a.

Assembling 3D structure frame

```

⟨Assembling 3D structure frame 13b⟩ ≡
    """ Assembling 3D structure frame """
    Nodes0 = AA(lambda v: list(v)+[4-.3])(nodes0)
    Nodes1 = AA(lambda v: list(v)+[8-.3])(nodes1)
    Nodes2 = AA(lambda v: list(v)+[12-.3])(nodes2)
    Nodes3 = AA(lambda v: list(v)+[16-.3])(nodes3)
    Nodes4 = AA(lambda v: list(v)+[20-.3])(nodes4)
    Nodes5 = AA(lambda v: list(v)+[24-.3])(nodes5)
    Nodes6 = AA(lambda v: list(v)+[28-.3])(nodes6)

    Frame0 = STRUCT(MKPOLS((Nodes0, arcs10))+MKPOLs((Nodes1, arcs11))+
        MKPOLs((Nodes2, arcs12))+MKPOLs((Nodes3, arcs13))+
        MKPOLs((Nodes4, arcs14))+MKPOLs((Nodes5, arcs15))+
        MKPOLs((Nodes6, arcs16)) + \
        CONS(AA(T([1,2,3]))(Nodes0+Nodes1+Nodes2+Nodes3+Nodes4+Nodes5+Nodes6)) (
        POLYLINE([ [0,0,0], [0,0,-4]] ) ))

    Frame1 = STRUCT(MKPOLS((Nodes0, arcs20))+MKPOLs((Nodes1, arcs21))+

```

```

    MKPOLs((Nodes2, arcs22))+MKPOLs((Nodes3, arcs23))+
    MKPOLs((Nodes4, arcs24))+MKPOLs((Nodes5, arcs25))+
    MKPOLs((Nodes6, arcs26)) )
SteelFrame = OFFSET([.2,.2,.3])(STRUCT([Frame0,Frame1]))
"""
ConcreteFrame = OFFSET([.4,.4,.8])(Frame0)
"""
VIEW(Frame0)
VIEW(STRUCT([Frame0,Frame1]))
◇

```

Macro referenced in 17a.

2.5D building assembly

⟨2.5D building assembly 14a⟩ ≡

```

""" 2.5D building assembly """
def embedBuildingUnitsIn3D(floors):
    for floor in floors:
        for buildingUnit in floor.body:
            buildingUnit = larEmbed(1)(buildingUnit)
    return floors

floors = [groundFloor,mezanineFloor,firstFloor,
          secondFloor,thirdFloor,fourthFloor,fifthFloor]
floors3D = AA(COMP([Struct,AA(larEmbed(1)),evalStruct]))(floors)
building = evalStruct(Struct(CAT(DISTR([floors3D,t(0,0,4)]))))
storeys = STRUCT(CAT(DISTR([ground,mezanine,first,second,third,fourth,fifth],T(3)(4)])))

VIEW(STRUCT([storeys,SteelFrame] + CAT(AA(MKPOLs)(AA(CONS([S1,S3]))(building)))) )
◇

```

Macro referenced in 17a.

⟨test 14b⟩ ≡

```

""" 2.5D building assembly """
floors = Struct([groundFloor,mezanineFloor,firstFloor,
                 secondFloor,thirdFloor,fourthFloor,fifthFloor,fifthFloor],"building")

floors3D = embedStruct(1)(floors)
building = Struct(CAT(DISTR([floors3D.body,t(0,0,4)])))
models = AA(CONS([S1,S3]))(building)
VIEW(STRUCT(CAT(AA(MKPOLs)(models))))
◇

```

Macro never referenced.

3.2.2 Storey viewing

Storey viewing

⟨Storey generation 15a⟩ ≡

```

""" Storey generation """
def structDraw(color,scaling):
    def structDraw0(obj): return obj.draw(color,scaling)
    return structDraw0

ground,W,EV = floor(X,Y)(groundFloor)
ground2D = STRUCT([ground, COLOR(RED)(STRUCT(MKPOLS((W,EV))))] + \
    AA(structDraw(RED,10))(buildingUnits0))
mezanine,W,EV = floor(X,Y)(mezanineFloor)
mezanine2D = STRUCT([mezanine, COLOR(RED)(STRUCT(MKPOLS((W,EV))))] + \
    AA(structDraw(RED,10))(buildingUnits1))
first,W,EV = floor(X,Y)(firstFloor)
first2D = STRUCT([first, COLOR(RED)(STRUCT(MKPOLS((W,EV))))] + \
    AA(structDraw(RED,10))(buildingUnits2))
second,W,EV = floor(X,Y)(secondFloor)
second2D = STRUCT([second, COLOR(RED)(STRUCT(MKPOLS((W,EV))))] + \
    AA(structDraw(RED,10))(buildingUnits3))
third,W,EV = floor(X,Y)(thirdFloor)
third2D = STRUCT([third, COLOR(RED)(STRUCT(MKPOLS((W,EV))))] + \
    AA(structDraw(RED,10))(buildingUnits4))
fourth,W,EV = floor(X,Y)(fourthFloor)
fourth2D = STRUCT([fourth, COLOR(RED)(STRUCT(MKPOLS((W,EV))))] + \
    AA(structDraw(RED,10))(buildingUnits5))
fifth,W,EV = floor(X,Y)(fifthFloor)
fifth2D = STRUCT([fifth, COLOR(RED)(STRUCT(MKPOLS((W,EV))))] + \
    AA(structDraw(RED,10))(buildingUnits6))

```

◇

Macro referenced in 17a.

⟨Storey viewing 15b⟩ ≡

```

""" Storey viewing """
VIEW(ground2D)
VIEW(mezanine2D)
VIEW(first2D)
VIEW(second2D)
VIEW(third2D)
VIEW(fourth2D)
VIEW(fifth2D)

```

◇

Macro referenced in 17a.

aaaa

$\langle \text{aaaa } 16a \rangle \equiv$
 `""" aaaa """`

◇

Macro defined by **16abc**.
Macro never referenced.

3.3 Structural frame

Complex of columns, and beams, girders, spandrels, and trusses connected to one another and to the columns anchored in a foundation, as well as other components or members necessary for the stability of a structure. Floors and roof panels, not connected to the columns (and called secondary members) are not considered part of the structural frame.

aaaa

$\langle \text{aaaa } 16b \rangle \equiv$
 `""" aaaa """`

◇

Macro defined by **16abc**.
Macro never referenced.

3.4 Vertical communications

aaaa

$\langle \text{aaaa } 16c \rangle \equiv$
 `""" aaaa """`

◇

Macro defined by **16abc**.
Macro never referenced.

3.5 Design review

4 System semantics

4.1 Topological requirements

4.2 Geometrical requirements

5 Code exporting

The Hospital.py module

```

"lib/py/hospital.py" 17a ≡
    """ The 'Hospital' module """

    from pyplasm import *

    """ import modules from larcc/lib """
    sys.path.insert(0, 'lib/py/')
    from architectural import *
    from iot3d import *
    DEBUG = True

    ⟨Reference grid 1⟩
    ⟨Coding utilities 17b⟩
    ⟨From array indices to grid coordinates 2a⟩
    ⟨Storey input 2b⟩
    ⟨Storey generation 15a⟩
    ⟨Storey viewing 15b⟩
    ⟨Column locations on grid 12c⟩
    ⟨Generation of beams and structural chains 12d⟩
    ⟨Instanting of 3D structure frame 13a⟩
    ⟨Assembling 3D structure frame 13b⟩
    ⟨2.5D building assembly 14a⟩
    ◇

```

A Code utilities

Coding utilities

```

⟨Coding utilities 17b⟩ ≡
    """ Coding utilities """
    ⟨From grid to metric coordinates 18a⟩
    ⟨Mapping a grid frame to a Cartesian one 18b⟩
    ⟨Solidify the boundary of polyline-like building units 19a⟩
    ⟨Make a struct object from a 2D polyline 19b, ... ⟩
    ◇

```

Macro referenced in 17a.

From grid to metric coordinates

```

⟨From grid to metric coordinates 18a⟩ ≡
    """ From grid to metric coordinates """
    def grid2coords(X,Y):
        xMeasures = list(cumsum(X))
        yMeasures = list(cumsum(Y))
        def grid2coords0(point):

```

```

        x,y = point[0:2]
        xint,yint = int(x), int(y)
        xdec,ydec = float(x-xint), float(y-yint)
        xcoord = xMeasures[xint] + xdec*X[xint+1]
        ycoord = yMeasures[yint] + ydec*Y[yint+1]
        if len(point)==2: return [xcoord, ycoord]
        else: return [xcoord, ycoord, point[2]]
    return grid2coords0

def coordMaps(ymax):
    def coordMaps0(polyline):
        polyline = AA(grid2coords(X,Y))(polyline)
        polyline = vmap(ymax)(polyline)
        return [eval(vcode(point)) for point in polyline]
    return coordMaps0

metric = coordMaps(ymax)
◇

```

Macro referenced in 17b.

Mapping the grid frame to a Cartesian right-hand frame

```

⟨ Mapping a grid frame to a Cartesian one 18b ⟩ ≡
    """ Mapping the grid frame to a Cartesian right-hand frame """
    def vmap(ymax):
        def vmap0(V):
            if len(V[0])==3: W = [[x,ymax-y,z] for x,y,z in V]
            else: W = [[x,ymax-y] for x,y in V]
            return W
        return vmap0

    def embed(z):
        def embed0(p):
            return p+[z]
        return embed0
    ◇

```

Macro referenced in 17b.

Solidify the boundary of polyline-like building units

```

⟨ Solidify the boundary of polyline-like building units 19a ⟩ ≡
    """ Solidify the boundary of polyline-like building units """
    def floor(X,Y):
        def floor0(structure2D):
            V,FV,EV = struct2lar(structure2D)

```

```

        BE = [EV[e] for e in boundaryCells(FV,EV)]
        theFloor = SOLIDIFY(STRUCT([POLYLINE([V[v],V[w]]) for v,w in BE]))
        return theFloor,V,EV
    return floor0

```

◇

Macro referenced in 17b.

Make a struct object from a 2D polyline

```

⟨ Make a struct object from a 2D polyline 19b ⟩ ≡
    """ Make a struct object from a 2D polyline """
    isPolyline = ISSEQOF(ISSEQOF(ISNUM))
    isPolylineSet = ISSEQOF(ISSEQOF(ISSEQOF(ISNUM)))

    def buildingUnit(polyline,string):
        if ISSEQOF(ISSEQOF(ISNUM))(polyline): model = polyline2lar([polyline])
        else: model = polyline2lar(polyline)
        return Struct([model],str(string))

```

◇

Macro defined by 19bc.

Macro referenced in 17b.

Extract 1-cells from the lar of a polylineSet

```

⟨ Make a struct object from a 2D polyline 19c ⟩ ≡
    """ Make a struct object from a 2D polyline """
    def lineSet(polylineSet):
        EV = []
        for polyline in polylineSet:
            EV += [(v,w) if v<w else (w,v) for v,w in zip(polyline,polyline[1:]+[polyline[0]])]
        return AA(list)(EV)

```

◇

Macro defined by 19bc.

Macro referenced in 17b.

The 2.5D mock-up

```

"test/py/hospital/mock-up.py" 19d ≡
    """ The 2.5D mock-up of an hospital building """

```

◇

References

- [AM13] Adham R. Ismail Abdel-Moneim, *Hospital planning and medical equipment design*, Future Healthcare – The opportunities of new technology (Oslo, Norway), 38th World Hospital Congress, 18–20 June 2013.
- [CL13] CVD-Lab, *Linear algebraic representation*, Tech. Report 13-00, Roma Tre University, October 2013.