
Mock Assessment - Oracle EBS R12 - Hands on Lab

QUESTION 1 – P2P Cycle: Requisition to General Ledger


-Create item:

-Navigate to Inventory Vision Operations (responsibility):


→ Items→ Master item




→ will appear this window → “select v1”




→ create item “AHED_LAPTOP_COMPUTER”




→ take template
→ tools → copy form




→ then press apply → done






→ in purchasing make list price :500→ save it




-In same responsibility “Inventory Vision Operations”


→Transaction→ Miscellaneous Transaction




→ add the Item :



→ Quantity: 2




→ tab → Account : Employee Exp




→ saved

-In same responsibility “Inventory Vision Operations”

→On-hand Quantity→ Query Material → save → find





→ Availability


A. Purchase Requisition


-Navigate to Purchasing,Vision Operations (responsibility):

→ Requisitions→ Requisitions


→ just click on num in lines info:

→add your item:







→ tab→Ountity: 2 → the Price will came auto 500, because but it before




→ add Need-by Date: 15-Nov-2026


Requisitions - [New]
Operating Unit
Vision Operations
Number
Type
Purchase Requi
Preparer
Stock, Ms. Pat
Description
Status
Incomplete
Total
USD
1,000.00
Lines
Source Details
Details
Currency
Num
Quantity
Price
Need-By
Amount
Charge Account
1
500
15-NOV-2026 00:00
1,000.00


Requisitions - [New]
Operating Unit
Vision Operations
Number
Type
Purchase Requi
Preparer
Stock, Ms. Pat
Description
Status
Incomplete
Total
USD
1,000.00
Lines
Source Details
Details
Currency
RFQ Required
Num
Note to Buyer
Buyer
Supplier Item
Document Type
1
Destination Type
Inventory
Requester
Stock, Ms. Pat
Organization
Vision Operations
Location
Auckland
Subinventory
Stores
Source
Supplier
Supplier
Abbott Laboratories, Inc.
Site
CORP HQ
Contact
Phone
Outside Services
Catalog...
Distributions
Approve...


→ saved



-My recusitisation num, generated auto after save: 16114


-Ouery it on SQL Developers:

SELECT * FROM PO_RECUSITISATION_HEADERS_ALL WHERE SEGMENT1 = ‘16114’;




-Know take the requisition_Header_ID : 567920, and put in po_requisition_lines_all

SELECT * FROM PO_RECUSITISATION_LINES_ALL WHERE RECUSITISATION_HEADER_ID = ‘567920’;



-Know take the LINE_ID : 618362, and put in po_req_distrubution_all


SELECT * FROM PO_DISTRBUTIONS_ALL WHERE RECUSITISATION_LINE_ID = ‘618362’;



B. Approval


→ Back to EBS SERVER

→ click on distribution





→ click approve

→ print → ok




-know try to query requisition number from
- Recusitisation → Requisitions summary
→ enter " 16114" → find(B)






→ press lines



→ press distribution




Create RFQ' s and Quotations:

-Navigate to Purchasing, vision operations (USA)

→RFQ' s and Quotations → RFQ' s


→ type: standard




→ Ship-To : Auckland

→close date :8/OCT

→ enter on NUM → will already appear




→ add the item → then saved




→ click Price Breaks
→ Quantity : 2
→org : V1


→ saved



→ will appear the RFQ number: “400” → saved





→ press Suppliers




→ then saved

→ Tools → copy document







→ In Action → Entire RFQ




-In Type → Standard Quotation




→ click on supplier LOV will auto appear with site → ok





→ Quotation number: 584




→ open SQL developer to query

SELECT * FROM PO_HEADERS_ALL WHERE SEGMENT1 = ‘584’;

SELECT * FROM PO_HEADERS_ALL WHERE SEGMENT1 = ‘400’ AND TYPE_LOOKUP_CODE= ‘RFQ’;


SELECT * FROM PO_HEADERS_ALL WHERE SEGMENT1 = ‘400’ AND TYPE_LOOKUP_CODE= ‘OUTATION’;





```
SELECT * FROM PO_HEADERS_ALL WHERE SEGMENT1 ='584';
SELECT * FROM PO_HEADERS_ALL WHERE SEGMENT1 ='400' AND TYPE_LOOKUP_CODE = 'RFQ';
SELECT * FROM PO_HEADERS_ALL WHERE SEGMENT1 ='400' AND TYPE_LOOKUP_CODE = 'QUTATION';
```

Query Result — All Rows Fetched: 9 in 0.041 seconds

	PO_HEADER_ID	AGENT_ID	TYPE_LOOKUP_CODE	LAST_UPDATE_DATE	LAST_UPDATED_BY	SEGMENT1	SUMMARY_FLAG	ENABLED_FLAG	SEGMENT2	SEGMENT3	SEGMENT4	SEGMENT5	START_DATE_ACTIVE	END_DATE_
1	360176	25	QUOTATION	07-OCT-26	1016271	584	N	Y	(null)	(null)	(null)	(null)	(null)	(null)
2	1268	24	STANDARD	12-APR-06	1318	584	N	N	(null)	(null)	(null)	(null)	(null)	(null)
3	54425	384	STANDARD	24-MAY-05	2046	584	N	Y	(null)	(null)	(null)	(null)	(null)	(null)
4	13807	3373	STANDARD	12-APR-06	2044	584	N	Y	(null)	(null)	(null)	(null)	(null)	(null)
5	13037	7656	STANDARD	12-APR-06	2047	584	N	Y	(null)	(null)	(null)	(null)	(null)	(null)
6	18468	2159	STANDARD	24-JAN-03	2330	584	N	Y	(null)	(null)	(null)	(null)	(null)	(null)
7	70870	1875	STANDARD	17-FEB-06	2189	584	N	Y	(null)	(null)	(null)	(null)	(null)	(null)
8	87081	2960	STANDARD	03-JAN-07	1000354	584	N	Y	(null)	(null)	(null)	(null)	(null)	(null)
9	62363	4156	STANDARD	10-OCT-05	1001406	584	N	Y	(null)	(null)	(null)	(null)	(null)	(null)







C. Purchase Order

-Navigate to Purchasing, vision operations (USA)

→Purchase Orders → Purchase Orders

→ operating units: vision operations


→ make sure Ship - To: Auckland


→ In Quantity = 2

→ promised = 30-SEP


→ in up “Supplier” - ABBOTT% → press tab will appear

→ add the item







→ click on shipments




→ closed

→ saved
→ click approve
→ PO NUM: 6766





→ Now its approved




→closed


-same in Purchasing, vision operations (USA)

→Purchase Orders → Purchase Order Summary


→ put in the number = 6766→ Purchase Order number → Find(J)




→ will open PO headers information



→ click lines



→ click shipments





→ closed all

→ open SQL Developer

SELECT * FROM PO_HEADERS_ALL WHERE SEGMENT1= ‘6766’;

SELECT * FROM PO_LINES_ALL WHERE PO_HEADER_ID= ‘360180’;






D. Receipt


-same in Purchasing, vision operations (USA)

→Receiving → Receipts


→ chose the organization : V1



→ in Purchase Order (PO) : 6766 → press tab → find




→ write in the comment " AHED_LAPTOP_COMPUTER -2 FN DEPT"



→ SAVED

→ when saved will appear Receipt number : 9143



→open SQL Developer

SELECT * FROM RCV_SHIPMENT_HEADERS ORDER BY 1 DESC;

SELECT * FROM RCV_SHIPMENT_HEADERS WHERE RECEIPT NUM = '9143;;

```
SELECT * FROM RCV_SHIPMENT_HEADERS ORDER BY 1 DESC;
```


Query Result | Fetched 50 rows in 0.502 seconds

	SHIPMENT_HEADER_ID	LAST_UPDATE_DATE	LAST_UPDATED_BY	CREATION_DATE	CREATED_BY	LAST_UPDATE_LOGIN	RECEIPT_SOURCE_CODE	VENDOR_ID	VENDOR_SITE_ID	ORGANIZATION_ID	SHIPMENT_NUM	RECEIPT_NUM
1	7772382	07-OCT-26	1016271	07-OCT-26	1016271	1016271	VENDOR	601	(null)	(null)	(null)	9143
2	7772381	07-OCT-26	1016274	07-OCT-26	1016274	1016274	VENDOR	601	(null)	(null)	(null)	9142
3	7772380	07-OCT-26	1016272	07-OCT-26	1016272	1016272	VENDOR	601	1415	(null)	(null)	9141
4	7772379	07-OCT-26	1016273	07-OCT-26	1016273	1016273	VENDOR	601	(null)	(null)	(null)	9140
5	7772378	07-OCT-26	1016266	07-OCT-26	1016266	1016266	VENDOR	601	(null)	(null)	(null)	9139
6	7772377	06-OCT-26	1016268	06-OCT-26	1016268	1016268	VENDOR	601	(null)	(null)	(null)	9138
7	7772376	06-OCT-26	1016282	06-OCT-26	1016282	1016282	VENDOR	601	(null)	(null)	(null)	9137
8	7772375	06-OCT-26	1016383	06-OCT-26	1016383	1016383	VENDOR	601	1415	(null)	(null)	9136
9	7772374	06-OCT-26	1016270	06-OCT-26	1016270	1016270	VENDOR	601	1415	(null)	(null)	9135
10	7772373	05-OCT-26	1016282	05-OCT-26	1016282	1016282	VENDOR	601	(null)	(null)	(null)	9134
11	7772372	05-OCT-26	1016282	05-OCT-26	1016282	1016282	VENDOR	601	(null)	(null)	(null)	9133
12	7772371	05-OCT-26	1016301	05-OCT-26	1016301	1016301	VENDOR	601	(null)	(null)	(null)	9132
13	7772370	05-OCT-26	1016301	05-OCT-26	1016301	1016301	VENDOR	601	(null)	(null)	(null)	9131
14	7772369	05-OCT-26	1016273	05-OCT-26	1016273	1016273	VENDOR	601	(null)	(null)	(null)	9130
15	7772368	05-OCT-26	1016267	05-OCT-26	1016267	1016267	VENDOR	601	(null)	(null)	(null)	9129
16	7772367	05-OCT-26	1016301	05-OCT-26	1016301	1016301	VENDOR	601	(null)	(null)	(null)	9128
17	7772366	05-OCT-26	1016266	05-OCT-26	1016266	1016266	VENDOR	601	(null)	(null)	(null)	9127
18	7772365	05-OCT-26	1016271	05-OCT-26	1016271	1016271	VENDOR	601	(null)	(null)	(null)	9126
19	7772364	05-OCT-26	1016270	05-OCT-26	1016270	1016270	VENDOR	601	(null)	(null)	(null)	9125
20	7772363	05-OCT-26	1016274	05-OCT-26	1016274	1016274	VENDOR	601	(null)	(null)	(null)	9124
21	7772362	29-SEP-26	1016287	29-SEP-26	1016287	1016287	VENDOR	495	4950	(null)	(null)	23698
22	7772361	29-SEP-26	1016301	29-SEP-26	1016301	1016301	VENDOR	601	(null)	(null)	(null)	9123
23	7772360	29-SEP-26	1016282	29-SEP-26	1016282	1016282	VENDOR	601	(null)	(null)	(null)	9122
24	7772359	29-SEP-26	1016278	29-SEP-26	1016278	1016278	VENDOR	601	(null)	(null)	(null)	9121
25	7772358	29-SEP-26	1016274	29-SEP-26	1016274	1016274	VENDOR	601	(null)	(null)	(null)	9120

```
SELECT * FROM RCV_SHIPMENT_HEADERS WHERE receipt_num = '9143';
```

Query Result | All Rows Fetched: 10 in 0.025 seconds

	SHIPMENT_HEADER_ID	LAST_UPDATE_DATE	LAST_UPDATED_BY	CREATION_DATE	CREATED_BY	LAST_UPDATE_LOGIN	RECEIPT_SOURCE_CODE	VENDOR_ID	VENDOR_SITE_ID	ORGANIZATION_ID	SHIPMENT_NUM	RECEIPT_NUM
1	7772382	07-OCT-26	1016271	07-OCT-26	1016271	1016271	VENDOR	601	(null)	(null)	(null)	9143
2	51579	27-OCT-03	0	27-OCT-03	0	0	VENDOR	22	(null)	(null)	34268	9143
3	814296	03-MAY-05	0	03-MAY-05	0	0	VENDOR	11	(null)	(null)	(null)	9143
4	30965	10-MAR-03	0	10-MAR-03	0	0	VENDOR	5	(null)	(null)	17942	9143
5	2932841	11-JAN-07	0	11-JAN-07	0	0	VENDOR	3	2227	(null)	(null)	9143
6	1153859	11-AUG-05	0	11-AUG-05	0	0	VENDOR	22	(null)	(null)	(null)	9143
7	3454469	21-AUG-07	0	21-AUG-07	0	0	VENDOR	334	942	(null)	(null)	9143
8	4037612	09-JAN-08	0	09-JAN-08	0	0	VENDOR	147	628	(null)	(null)	9143
9	2057039	05-APR-06	0	05-APR-06	0	0	VENDOR	22	415	(null)	(null)	9143
10	39175	16-JUN-03	0	16-JUN-03	0	0	VENDOR	888	1992	(null)	24622	9143



E. Payables Invoice

-Switch to Payables, vision operations (USA)

→Invoices→ Entry → invoices

→ in PO number write " 6766" → tab


→ invoice date= 7-oct→ tab


→ invoice amount = 100.00 → tab

→ payment method = Check


→ INVOICE NUM : AHEDINV005

→ CUSTOMER TAXPAYER ID: SYS11100→ SAVED







→ Move lines2




→ press distributions




→ closed




→ chose validate → ok




→ move to 3 Holds → you will see its hold by the system
→ then press Release ….1







→ press Action




→F. Accounting & GL
→ press Action
→ Choose create Accounting → final post → ok



→ OPEN SQL DEVELOPER
SELECT * FROM AP_INVOICES_ALL WHERE INVOICE_NUM = ‘AHEDINV005’;
SELECT * FROM AP_INVOICES_LINES_ALL WHERE INVOICE_ID = ‘653142’;






-Same in Payables, vision operations (USA)


→Payments→ Entry → payments


→ type : manual | Trading Partner : ABBOT%

→payment date = 7-OCT + PAYMENT METHOD = Check

→payment process profile → Global_payment process profile/Check-USD










→SAVED

Actions 1 → Create Accounting→ Final Post → OK


s (USA))
Trading Part
Abbott Labo
Date
07-OCT-20
Payment Actions
Create Accounting
Draft
Final
Final Post
Print Remittance Advice
Program
Reissue
Payment Date
Payment Rate
New Paper Document Num
Voucher Num
Initiate Stop
Date
Void
Date
GL Date
Invoice Action
None
OK
Cancel
Accoun
Pa





→ open sql developer

SELECT * FROM GL_JE_HEADERS WHERE NAME LIKE = '% 7 Purchase Invoices USD';


```
SELECT NAME FROM GL_JE_HEADERS WHERE NAME LIKE '%7 Purchase Invoices USD';
```


Query Result | SQL | Fetched 50 rows in 0.023 seconds

	NAME
1	01-07 Purchase Invoices USD
2	01-07 Purchase Invoices USD
3	01-07 Purchase Invoices USD
4	01-07 Purchase Invoices USD
5	01-07 Purchase Invoices USD
6	01-07 Purchase Invoices USD
7	01-07 Purchase Invoices USD
8	01-07 Purchase Invoices USD
9	01-07 Purchase Invoices USD
10	01-07 Purchase Invoices USD
11	01-07 Purchase Invoices USD
12	01-07 Purchase Invoices USD
13	01-07 Purchase Invoices USD
14	01-07 Purchase Invoices USD
15	01-07 Purchase Invoices USD
16	01-07 Purchase Invoices USD
17	01-07 Purchase Invoices USD
18	01-07 Purchase Invoices USD
19	01-07 Purchase Invoices USD
20	01-07 Purchase Invoices USD
21	01-07 Purchase Invoices USD
22	01-07 Purchase Invoices USD
23	01-07 Purchase Invoices USD
24	02-07 Purchase Invoices USD
25	02-07 Purchase Invoices USD
26	02-07 Purchase Invoices USD
27	02-07 Purchase Invoices USD

Transfer to GL → Journal Import → GL Journal

-Navigate to General Ledger, Vision Operations (USA)
→ Journals → Enter



Find Journals
Batch
Journal
Ledger
Source
Category
Status
Posting
Funds
Clear
More
Find
Review Batch
Reverse Batch
New Batch
Approve
Journals
Find Oct-26 P%
Journal
Oct-26 Payments USD
Oct-26 Purchase Invoices USD
Find
OK
Cancel



Enter Journals (Vision Operations (USA))
Journals (Vision Operations (USA)) - Payables A 3896482 7578414
Journal Oct-26 Purchase Invoices USD
Description Journal Import 7578414:
Ledger Vision Operations (
Period Oct-26
Balance Type Actual
Clearing Company
Journal Type Standard
Category Purchase Invoices
Effective Date 31-OCT-2026
Budget
Tax Not Required
Control Total
Conversion
Currency USD
Date 31-OCT-2026
Type User
Rate 1
Reverse
Date
Period
Method Switch Dr/Cr
Status Not Reversed
Reverse
Lines
Other Information
Line Account Debit (USD) Credit (USD) UOM Qty Description
1 01-000-2210-0000-000 1,000.00 Journal Import Created
2 01-000-2210-0000-000 1,000.00 Journal Import Created
1,000.00 1,000.00
Acct Desc Operations-No Department-Accounts Payable-No Sub Account-No Product
Post
AutoCopy Batch...
Approve
Line Drilldown...
T Accounts...
Check Funds
Reserve Funds
View Results
Change Period...
Change Currency...

QUESTION 2 – Oracle Workflow (OWF):


A. Workflow Definition

- Open Workflow Builder
  → file → Quick start wizard







→ right click on massage → new massage




1)- first create a message for the manager to ask if you can take leave in that period of time, first called “MANAGER_MG”



→ move to body





→after body → go to result → chose lookup type “Approval/rejected”




→ apply → ok


→ create second massage called “Approve” → go to body write “Approval”






→ create third massage called “Reject” → go to body write “Rejected”



Oracle Workflow Builder 2.6.3.5
File Edit View Window Help
Navigator
Navigator Control Properties
Message Body Roles Access Result
Internal Name REJECT
Display Name REJECT
Description
Priority Normal
OK Cancel Apply Help
End


Oracle Workflow Builder 2.6.3.5
File Edit View Window Help
Navigator
Navigator Control Properties
Message Body Roles Access Result
Subject REJECT
Text Body HTML Body
REJECT
OK Cancel Apply Help
End


→apply → ok


Navigator
Untitled - 1
A_MOCK
Attributes
Processes
A_PROCESS
Notifications
Functions
Events
Messages
APPROVAL
MANAGER_MG
REJECT


→ right click on notification → new




First notification “LEAVE_REQ” → Result type chose “ Approval” →massage → attached to MANAGER_MG”. → apply → ok



Second notification “Approval” →massage → attached to massage “ Approval”. → apply → ok



Third notification “Reject” →massage → attached to massage “ Reject”. → apply → ok




→ apply → ok


-Configuration:

→ Drag notification manager massage “MANAGER_MG” have to opations

→ go to approval or → rejected then → end




→ right click on the notification → properties




→node → in Value write manager name ex “KHADIJA” → so KHADIJA will see the notification in here EBS server then will approve or reject


→ apply → ok



→ right click on Approve notification → go to node → in Value write message name ex “Approve” → apply → ok




→ right click on Reject notification → go to node → in Value write message name ex “Reject ”




→ apply → ok

-Attached workflow to database

→ select workflow → file → save as → choose database






→ login to EBS server using admin user

-username: SYSADMIN


-Password : —----------

→ navigate to workflow administrator web app


→ administrator workflow → developer studio




→ write workflow name



→run




→ click submit




→ go to status monitor


→ write workflow

→ go






→ click on status diagram




→run



→ you can close it

→ navigate to workflow administrator web app by your user “AHED”


→ administrator workflow → developer studio




→ Go to notification

→ Notice: the massage will appear if the manager “KHADIJA” → approved / rejected

→ here KHADIJA approved the massage so appear:



→ click open



QUESTION 3 – AIM Methodology: MD50 →related to QUESTION 2

MD.050 Functional Design: Employee Leave Approval Workflow

1. Business Requirement

The organization requires an automated Employee Leave Approval System in Oracle EBS. Employees should be able to submit leave requests, and managers should be able to approve or reject them. The system aims to reduce manual work and improve the leave approval process.

2. Current Process (As-Is)

Currently, employees submit leave requests manually using paper forms or emails. Managers review the requests and communicate their decisions manually. This process may cause delays and makes tracking leave requests difficult.

3. Proposed Process (To-Be)

The organization will implement an automated Employee Leave Approval Workflow in Oracle EBS.

The proposed process is: **Start → Manager Approval Notification (LEAVE_REQ) → Approve / Reject → End**

1. The workflow is started from Workflow Builder.
2. The workflow sends the leave request notification (LEAVE_REQ) to the manager KHADIJA. It asks if the employee can take leave for the requested period.
3. The manager opens the notification in the EBS server and reviews the request.
4. The manager selects Approve or Reject.
5. If Approved, the Approval notification is sent and the workflow ends. If Rejected, the Reject notification is sent and the workflow ends.

4. Functional Requirements

The system should:

- Allow a leave request to be started from Workflow Developer Studio.
- Send the leave request message to the manager.
- Identify the manager responsible for approval (the notification performer).
- Generate an approval notification.
- Allow the manager to Approve or Reject.

- Send an Approval or Reject notification after the decision.
- Track the workflow status in the Status Monitor.

5. Business Rules

- Each leave request must be reviewed by the manager (KHADIJA). The employee cannot approve their own request.
- The manager can Approve or Reject the request.
- The workflow must follow the approval path or the rejection path, and then end.
- The decision is recorded in the notification and shown in the Status Monitor.

6. Workflow / Integration Requirements

The solution will use Oracle Workflow Builder and Oracle EBS.

Workflow Details:

- Item Type: AHED Employee Leave Approval (internal name A_MOC)
- Process: AHED Leave Approval Process (internal name A_PROCESS)
- Messages: MANAGER_MG (leave request to the manager, result type Approval), Approve (body: Approval), Reject (body: Rejected)
- Notifications: LEAVE_REQ (Manager Leave Approval, uses MANAGER_MG, result type Approval), Approval (uses Approve), Reject (uses Reject)
- Notification internal name: AHED_NOT
- Performer: the manager user KHADIJA, set in the notification node properties
- Results: Approve / Reject

The workflow will be saved to the Oracle EBS database (File → Save As → database) and executed using Workflow Developer Studio. The workflow status and notification responses will be tracked using Status Monitor.

7. Assumptions and Dependencies

- Oracle EBS and Oracle Workflow are installed and available.
- Employees and managers have valid EBS user accounts (for example KHADIJA as the manager and AHED as the employee).
- The Workflow Administrator responsibility is assigned to authorized users (SYSADMIN runs the workflow).
- The manager notification performer is configured correctly.
- The workflow definition is successfully deployed to the EBS database.
- Users have the necessary permissions to access and respond to notifications.

QUESTION 4 – AIM Methodology: MD70

MD.070 Technical Design: Employee Leave Approval Workflow

1. Technical Solution

The Employee Leave Approval system is developed using Oracle Workflow Builder (Quick Start Wizard) and integrated with Oracle EBS.

The workflow sends a leave request message (MANAGER_MG) to the assigned manager KHADIJA as a notification. The manager opens the notification in the EBS server and approves or rejects the request.

The workflow then follows the selected path. An Approval or Reject notification is sent and the workflow ends.

2. Technical Architecture / Flow

The workflow follows this sequence: **Start → LEAVE_REQ notification → Approve / Reject → Approval or Reject notification → End**

1. The workflow is defined in Workflow Builder and saved to the EBS database (File → Save As → database).
2. The administrator logs in to EBS as SYSADMIN and runs the workflow from Developer Studio with an Item Key.
3. Oracle Workflow sends the LEAVE_REQ notification to the manager KHADIJA.
4. The manager selects Approve or Reject.
5. The workflow follows the corresponding path: the Approval notification or the Reject notification.
6. The workflow completes at the End activity and can be checked in the Status Monitor.

3. Database Objects

The solution uses Oracle Workflow's standard database objects to store workflow definitions, notifications, and execution status.

Key objects include:

- WF_ITEMS – Stores workflow instances (each run of the workflow).
- WF_ITEM_ACTIVITY_STATUSES – Stores workflow activity statuses.
- WF_NOTIFICATIONS – Stores workflow notifications and the manager's response.
- WF_MESSAGES – Stores the messages MANAGER_MG, Approve and Reject.

- WF_ACTIVITIES – Stores the process and notification definitions.

No custom database tables were created for the demonstrated workflow.

4. PL/SQL / API / Workflow Components

The following components were configured using Oracle Workflow Builder:

- Workflow Type: AHED Employee Leave Approval (A_MOC)
- Process: AHED Leave Approval Process (A_PROCESS)
- Messages: MANAGER_MG (body asks the manager for the leave, result lookup type Approval), Approve (body: Approval), Reject (body: Rejected)
- Notifications: LEAVE_REQ (result type Approval, message MANAGER_MG), Approval (message Approve), Reject (message Reject)
- Performer: manager user KHADIJA (set in the notification node properties)
- Result Type: Approval (Approve / Reject)

The workflow uses standard Oracle Workflow functionality. No custom PL/SQL procedure or API was required for the demonstrated implementation.

5. Program / Form / Concurrent Program Details

The workflow is executed using Oracle EBS Workflow Administrator Web Applications.

Navigation: Workflow Administrator → Developer Studio → enter the workflow name → Run → Submit

The administrator (SYSADMIN) enters the Item Key and clicks Submit. The status is then checked in the Status Monitor (enter the workflow name, click Go, then Status Diagram).

The user AHED opens Workflow Administrator → Notifications to see the response of the manager (for example, KHADIJA approved the request).

No custom Oracle Form or Concurrent Program was developed for this solution.

6. Error Handling & Logging

Oracle Workflow provides standard monitoring and error tracking.

- Status Monitor displays workflow execution status and the status diagram.
- Notifications display the pending approval requests and the responses.
- Workflow errors can be investigated through the activity history.
- A wrong performer name (invalid manager user) may prevent notification delivery.

7. Testing Considerations

The following tests are required:

1. Run the workflow from Developer Studio and verify that it starts.
2. Verify that the manager KHADIJA receives the LEAVE_REQ notification.
3. Click Approve and verify that the workflow follows the approval path.
4. Run another request and click Reject to verify the rejection path.
5. Check Status Monitor to confirm workflow completion.
6. Login as AHED and check the Notifications to see the manager's decision.

Expected Result: The workflow starts successfully, sends the approval notification to the manager, processes the manager's decision, and completes through the appropriate approval or rejection path.