



Syed Alyan Ali Hashmi

**ARTIFICIAL INTELLIGENCE (MACHINE LEARNING & DEEP
LEARNING)**

NAVTTC PMYSDP

LECTURE No 07

SIR SUHAIL IMRAN

✓ Sets

```
A = {1, 2, 3, 4}
B = {4, 3, 2, 1}
```

```
C = {5, 5, 3, 1, 2}
C
```

```
{1, 2, 3, 5}
```

```
A.union(B)
```

```
{1, 2, 3, 4}
```

```
A | C
```

```
{1, 2, 3, 4, 5}
```

```
A & B
```

```
{1, 2, 3, 4}
```

```
A.intersection(B)
```

```
{1, 2, 3, 4}
```

```
C - A
```

```
{5}
```

```
A.difference(C)
```

```
{4}
```

```
A.symmetric_difference(C)
```

```
{4, 5}
```

```
A ^ C
```

```
{4, 5}
```

```
C.remove(5)
```

```
C
```

```
{1, 2, 3}
```

```
U = {1,2,3,4,5,6,7,8,9,10}
A = {1,3,5,7,9}
B = {2,4,6,8,10}
```

```
B.issubset(U)
```

```
True
```

```
U.issuperset(A)
```

```
True
```

```
B.add(12)
B.remove(10)
B
```

```
{2, 4, 6, 8, 12}
```

```
B.issubset(U)
```

False

```
E = {1, 2, 3}
F = {4,5,6}
G = {1,2,3}
H = {1,2,3,4}
I = {1,2}
```

E == F

False

E == G

True

H > E # > check si H superset of

True

I < E

True

E > H

False

E < H # < symbol Check is E subset of H

True

```
S = {7, 2, 6, 10, 1, 6}
for i in S:
    print(i)
```

```
1
2
6
7
10
```

```
S.pop()
S
```

```
{2, 6, 7, 10}
```

```
T = frozenset(S)
T
```

```
frozenset({2, 6, 7, 10})
```

```
set(['tree','house','electronic'])
```

```
{'electronic', 'house', 'tree'}
```

```
A = [1, 2, 2, 1]
B = set([1, 2, 2, 1])
print("the sum of A is:", sum(A))
print("the sum of B is:", sum(B))
```

```
the sum of A is: 6
the sum of B is: 3
```

Start coding or [generate](#) with AI.

