



Syed Alyan Ali Hashmi

**ARTIFICIAL INTELLIGENCE (MACHINE LEARNING & DEEP
LEARNING)**

NAVTTC PMYSDP

LECTURE No 08

SIR SUHAIL IMRAN

▼ Tuples

```
t = (1,2,3)
t
```

```
(1, 2, 3)
```

```
t[0]
```

```
1
```

```
for i in t:
    print(i)
```

```
1
2
3
```

```
t = 1,2,3
t
```

```
(1, 2, 3)
```

```
t = ("one", 1) # can store multiple datatypes
t
```

```
('one', 1)
```

```
t.count("one")
```

```
1
```

```
(a, b) = 4, 7
```

```
(a,b) = "4,7".split(",")
print((a,b))
```

```
('4', '7')
```

```
b
```

```
'7'
```

```
type(a)
```

```
str
```

```
def Calc(a,b):
    sm = a + b
    dif = a - b
    m = a * b
    div = a / b
    p = a ** b
    return sm, dif, m, div, p
```

```
print(Calc(6,3))
```

```
(9, 3, 18, 2.0, 216)
```

```
z = Calc(6,3)[3]
z
```

```
2.0
```

```
s, df, m, dv, pw = Calc(6,3)
```

```
print(s)
print(df)
```

```
print(m)
print(dv)
print(pw)
```

```
9
3
18
2.0
216
```

```
t1 = 1,2,3 # by deffault takes as tuples
print(t1)
print(sum(t1))
```

```
(1, 2, 3)
6
```

```
Lst4 = list(Calc(6,3))
Lst4
```

```
[9, 3, 18, 2.0, 216]
```

Start coding or [generate](#) with AI.