Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03

Table controle - Copie.vi








Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03



Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03



Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03

Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03





Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03



VISA Xsens In

Puissance de repos roulis (en %)

U plateau 1

U alt

U roulis

U plateau 2

U pitch

U yaw

U alt 2

U roll

U alt 3

Roll (°)

Pitch (°)

Yaw (°)

Erreur finale

<B>error out</B> contains error information. This output provides standard error out functionality.

status

<B>status</B> is TRUE (X) if an error occurred or FALSE (checkmark) to indicate a warning or that no error occurred.

code

<B>code</B> is the error or warning code.




Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03





Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03



source
<B>source</B> describes the origin of the error or warning and is, in most cases, the name of the node that produced the error or warning.

Altitude (m)

Mesure latérale (m)

Angle Hall 1

Angle Hall 2

Erreur fermeture Xsens
<B>error out</B> passes error or warning information out of a VI to be used by other VIs.

Right-click the <B>error out</B> control on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

status
<B>status</B> is TRUE (X) if an error occurred or FALSE (checkmark) to indicate a warning or that no error occurred.

Right-click the <B>error out</B> control on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

code
<B>code</B> is the error or warning code.

Right-click the <B>error out</B> control on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

source
<B>source</B> describes the origin of the error or warning.

Right-click the <B>error out</B> control on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

error out[Erreur fermeture Lidar]
<B>error out</B> passes error or warning information out of a VI to be used by other VIs.

Right-click the <B>error out</B> indicator on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

status

code

source



Erreur capteurs Hall
<B>error in</B> can accept error information wired from VIs previously called. Use this information to decide if any functionality should be bypassed in the event of errors from other VIs.

Right-click the <B>error in</B> control on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

status
<B>status</B> is TRUE (X) if an error occurred or FALSE (checkmark) to indicate a warning or that no error occurred.

Right-click the <B>error in</B> control on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

code
<B>code</B> is the error or warning code.

Right-click the <B>error in</B> control on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

source
<B>source</B> describes the origin of the error or warning.

Right-click the <B>error in</B> control on the front panel and select <B>Explain Error</B> or <B>Explain Warning</B> from the shortcut menu for more information about the error.

Accélération Libre

Mesure latérale (m) 2

Altitude (m) 2

Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03




Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03




Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03





Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03



LabVIEW™ Evaluation Software

Table controle - Copie.vi
E:\CNES\Stage été 2025 v2\Code principal\Table controle - Copie.vi
Last modified on 01/04/2025 at 14:10
Printed on 20/10/2026 at 15:03

