

UPDATE
DELETE
CREATE TABLE
CREATE VIEW
CREATE INDEX
DROP
ALTER
UNION
LEFT JOIN
NULL

Tools
What links here
Related changes
Special pages
Printable version
Permanent link
Page information

GRE | Greece | Fernando Santos
...

1. You want to find the stadium where player 'Dimitris Salpingidis' scored. Select the JOIN condition to use:

eteam JOIN game ON (id=team1)

eteam JOIN game ON (id=team2)

eteam JOIN goal ON (teamid=id)

game JOIN goal ON (id=matchid)

game JOIN goal ON (team1=teamid OR team2=teamid)

2. You JOIN the tables **goal** and **eteam** in an SQL statement. Indicate the list of column names that may be used in the SELECT line:

gtime, mdate, stadium, matchid

game JOIN goal ON (team1=teamid OR team2=teamid)

2. You JOIN the tables **goal** and **eteam** in an SQL statement. Indicate the list of column names that may be used in the SELECT line:

gtime, mdate, stadium, matchid

mdate, stadium, id

matchid, teamid, player, gtime, id, teamname, coach

matchid, teamid, player, gtime, mdate, stadium, team1

stadium, team1, team2

3. Select the code which shows players, their team and the amount of goals they scored against Greece(GRE).

SELECT player, teamid, COUNT(*)

sqlzoo.net

stadium, team1, team2

3. Select the code which shows players, their team and the amount of goals they scored against Greece(GRE).

```
SELECT player, teamid, COUNT(*)
FROM game JOIN goal ON matchid = id
WHERE (team1 = "GRE" OR team2 = "GRE")
AND teamid != 'GRE'
GROUP BY player, teamid
```

```
SELECT player, teamid, COUNT(*)
FROM game JOIN goal ON matchid = id
WHERE (team1 = "GRE") AND teamid != 'GRE'
GROUP BY player, teamid
```

```
SELECT player, teamid, COUNT(*)
FROM game JOIN goal ON matchid = id
WHERE (team1 = "POL" OR team2 = "POL")
AND teamid != 'POL'
GROUP BY player, teamid
```

```
SELECT player, teamid, COUNT(*)
FROM game JOIN goal WITH matchid = id
WHERE (team1 = "GRE" OR team2 = "GRE")
AND teamid != 'GRE'
GROUP BY player, teamid
```

4. Select the result that would be obtained from this code:

```
SELECT DISTINCT teamid, mdate
FROM goal JOIN game ON (matchid=id)
WHERE mdate = '9 June 2012'
```

☒ DEN 9 June 2012
GER 9 June 2012

☐ DEN
GER

☐ DEN 9 June 2012
DEN 9 June 2012
POL 9 June 2012
RUS 9 June 2012

☐ GRE
CZE
POL
RUS

☐ RUS 9 June 2012
GRE 9 June 2012
RUS 9 June 2012
CZE 9 June 2012

5. Select the code which would show the player and their team for those who have scored against Poland(POL) in National Stadium, Warsaw.

```
SELECT DISTINCT player, teamid
```

5. Select the code which would show the player and their team for those who have scored against Poland(POL) in National Stadium, Warsaw.

```
SELECT DISTINCT player, teamid
FROM game JOIN goal ON matchid = id
WHERE stadium = 'National Stadium, Warsaw'
AND (team1 = 'GER' OR team2 = 'GER')
AND teamid != 'GER'
```

☒

```
SELECT DISTINCT player, teamid
FROM game JOIN goal ON matchid = id
WHERE stadium = 'National Stadium, Warsaw'
AND (team1 = 'POL' OR team2 = 'POL')
AND teamid != 'POL'
```

```
SELECT DISTINCT player, teamid
FROM game JOIN goal ON matchid = id
WHERE stadium = 'National Stadium, Warsaw' AND teamid != 'POL'
```

```
SELECT DISTINCT player, teamid
FROM game JOIN goal ON matchid = id
WHERE stadium = 'Stadion Miejski (Wrocław)'
AND (team1 = 'POL' OR team2 = 'POL')
AND teamid != 'POL'
```

```
SELECT DISTINCT stadium, mdate
FROM game JOIN goal ON matchid = id
WHERE stadium = 'National Stadium, Warsaw'
```

6. Select the code which shows the player, their team and the time they scored, for players who have played in Stadion Miejski (Wroclaw) but not against Italy(ITA).

```
SELECT DISTINCT player, teamid, gtime
FROM game JOIN goal ON matchid = id
WHERE stadium = 'National Stadium, Warsaw'
AND (( teamid = team2 AND team1 != 'ITA') OR ( teamid = team1 AND team2 != 'ITA'))
```

```
SELECT DISTINCT player, teamid, gtime
FROM game JOIN goal ON matchid = id
WHERE stadium = 'Stadion Miejski (Wroclaw)'
AND (( teamid = team2 AND team1 != 'ESP') OR ( teamid = team1 AND team2 != 'ESP'))
```

☒

```
SELECT DISTINCT player, teamid, gtime
FROM game JOIN goal ON matchid = id
WHERE stadium = 'Stadion Miejski (Wroclaw)'
AND (( teamid = team2 AND team1 != 'ITA') OR ( teamid = team1 AND team2 != 'ITA'))
```

```
SELECT DISTINCT teamid, gtime
FROM game JOIN goal ON matchid = id
WHERE stadium = 'Stadion Miejski (Wroclaw)'
AND (( teamid = team2 AND team1 != 'ITA') OR ( teamid = team1 AND team2 != 'ITA'))
```

```
SELECT DISTINCT player, teamid, gtime
FROM game JOIN goal ON matchid = id
WHERE team1 != 'ITA' AND team2 != 'ITA'
```

7. Select the result that would be obtained from this code:

```
SELECT teamname, COUNT(*)
FROM eteam JOIN goal ON teamid = id
GROUP BY teamname
HAVING COUNT(*) < 3
```

2

2

1

2

Netherlands	2
Poland	2
Republic of Ireland	1
Ukraine	2

Netherlands
Poland
Republic of Ireland
Ukraine

Poland	76
--------	----

Republic of Ireland	1
---------------------	---

Score the test

Your score is: 7 out of 7

Cateogories: [Pages using deprecated source tags](#) | [Quizzes](#)