

ASP.NET Core Basics

- Introduction to ASP.NET Core Framework
- ASP.NET Core Environment Setup
- Creating ASP.NET Core Web Application
- ASP.NET Core Project File
- ASP.NET Core Main Method
- ASP.NET Core InProcess Hosting
- Kestrel Web Server in ASP.NET Core
- ASP.NET Core OutOfProcess Hosting
- ASP.NET Core launchSettings.json file
- ASP.NET Core Startup Class
- ASP.NET Core appsettings.json file
- ASP.NET Core Middleware Components
- ASP.NET Core Request Processing Pipeline
- wwwroot folder in ASP.NET Core
- Static Files Middleware in ASP.NET Core
- Configuring Default Page in ASP.NET Core
- Developer Exception Page Middleware in ASP.NET Core
- ASP.NET Core Command Line Interface

ASP.NET Core MVC


- Introduction to ASP.NET Core MVC Framework
- How to Set up MVC in ASP.NET
- AddController vs AddMvc vs AddControllersWithViews vs AddRazorPages
- Models in ASP.NET Core MVC
- ASP.NET Core Dependency Injection
- Controllers in ASP.NET CoreMVC

- Strongly Typed View in ASP.NET Core MVC
- ViewModel in ASP.NET Core MVC
- Routing in ASP.NET Core MVC
- Custom Routing in ASP.NET Core
 MVC
- Attribute Routing in ASP.NET Core MVC
- ASP.NET Core Attribute Routing using Tokens
- Layout View in ASP.NET Core MVC
- Sections in Layout Page in ASP.NET Core MVC
- ✓ ViewStart in ASP.NET Core MVC

https://dotnettutorials.net/lesson/kestrel-web-server-asp-net-core/

Kestrel Web Server in ASP.NET Core

Back to: ASP.NET Core Tutorials For Beginners and Professionals



Kestrel Web Server in ASP.NET Core Application


In this article, I am going to discuss the **Kestrel Web Server in ASP.NET Core** Application. Please read our previous article before proceeding to this article where we discussed <u>ASP.NET Core InProcess Hosting</u> Model. At the end of our previous article, we discussed that with the OutOfProcess hosting model, there are 2 web servers i.e. one internal web server and one external web server. The internal web server is called Kestrel and the external web server can be IIS, Apache, or Nginx. As part of this article, we are going to discuss the following two important concepts in detail.

- 1. What is a Kestrel Web Server?
- 2. How to Configure Kestrel Web Server?
- 3. How to run a .NET Core application using Kestrel Web Server?
- 4. How to run a .NET Core Application using .NET Core CLI.

What is a Kestrel Web Server?

As we already discussed ASP.NET Core is a cross-platform framework. It means it supports to develop and run applications on different types of operating systems such as Windows, Linux, or Mac.

The Kestrel is the cross-platform web server for the ASP.NET Core application. That means this Server supports all the platforms and versions that the ASP.NET Core supports. By default, it is included as the internal web server in the .NET Core application.



The Kestrel Web Server generally used as an edge server i.e. the internet-facing web server which directly processes the incoming HTTP request from the client. In the case of the Kestrel web server, the process name that is used to host and run the ASP.NET Core application is the project name.

As of now, we are using visual studio to run the ASP.NET Core application. By default, the visual studio uses **IIS Express** to host and run the ASP.NET Core application. So, the process name is **IIS Express** that we already discussed in our previous article.

How to run the application using Kestrel Web Server?

Before using the Kestrel server to run our application, let us first open the <u>launchSettings.json</u> file which is present inside the Properties folder of your application. Once you open the launchSettings.json file you will find the following code by default.

- ViewImports in ASP.NET Core MVC
- How to Install Bootstrap in ASP.NET Core MVC
- How to Use Bootstrap in ASP.NET Core MVC
- Tag Helpers in ASP.NET Core MVC
- ✓ Image Tag Helper in ASP.NET
 Core
- Environment Tag Helper in ASP.NET Core
- Navigation Menus in ASP.NET
- Form Tag Helpers in ASP.NET Core

Entity Framework Core


- Introduction to Entity Framework

 Core
- How to Install Entity Framework
 Core
- DbContext in Entity FrameworkCore



```
"iisSettings": {
  "windowsAuthentication": false,
                                                    IIS Server (i.e. IISExpress) will use the
  "anonymous Authentication": true,
                                                    below URL to run your application
  "iisExpress": {
                                                    http://localhost:60211
    "applicationUrl": "http://localhost:60211",
    "sslPort": 0
  }
 },
 "profiles": {
   "IIS Express": {
                                                           This Profile Settings for IISExpress
   "commandName": "IISExpress",
    "launchBrowser": true,
   "environmentVariables": {
     "ASPNETCORE_ENVIRONMENT": "Development"
   }
  "FirstCoreWebApplication": {
   "commandName": "Project",
                                                            This profile is used by Kestrel Server
    "launchBrowser": true,
                                                            and it will use the below URL
    "environmentVariables": {
                                                            http://localhost:5000
     "ASPNETCORE_ENVIRONMENT": "Development"
    "applicationUrl": "http://localhost:5000"
  }
}
}
```


In our upcoming article, we will discuss <u>launchSettings.json</u> in detail. But for now, just have a look at the Profiles section. Here, you can see, we have two sections. One is for IIS Express (IIS Server) and the other one is for the Kestrel server. In visual studio, you can find the above two profiles (IIS Express and FirstCoreWebApplication) as shown below.



If you select IIS Express then it will use the IIS server and if you select FirstCoreWebApplication, then it will use Kestrel Server.

Running the application using IIS Express:

If you run the application using IIS Express, then it will use the URL and port number mentioned in the iisSettings of your launchSettings.json file. To prove this run the application using IIS Express and see the output as shown below.



Running the application using Kestrel Server:

In order to use the Kestrel server to run your application in Visual Studio, first, you need to select the FirstCoreWebApplication profile as shown below.



Once you select the FirstCoreWebApplication, now run the application. Here, we need to observe two things. First, it will launch the command prompt and host the application using the Kestrel server as shown below. Here, you need to focus on the URL and port number and it should be the URL and port number mentioned in your FirstCoreWebApplication profile of launchSettings.json file.

```
D:\Projects\Core\FirstCoreWebApplication\FirstCoreWebApplication\bin\Debug\netcoreapp3.1\FirstCoreWebApplication.exe

info: Microsoft.Hosting.Lifetime[0]
    Now listening on: http://localhost:5000

info: Microsoft.Hosting.Lifetime[0]
    Application started. Press Ctrl+C to shut down.

info: Microsoft.Hosting.Lifetime[0]
    Hosting environment: Development

info: Microsoft.Hosting.Lifetime[0]
    Content root path: D:\Projects\Core\FirstCoreWebApplication\FirstCoreWebApplication
```

Secondly, it opens the default browser and listening to that URL and Port Number as shown below.



Note: In our example, for IIS Express the port number is 60211, and worker process is iisexpress while for Kestrel server the port number is 5000 and the worker process name is FirstCoreWebApplication (It is nothing but your application name).

How to run .NET Core application using .NET Core CLI?

We can also run the ASP.NET Core application from the command line using the .NET Core CLI. The CLI stands for Command Line Interface.

When we run an ASP.NET Core application using the .NET Core CLI, then the .NET Core runtime uses Kestrel as the webserver. We will discuss the .NET Core CLI in detail in our upcoming article. Now, let us see how to run a dot net core application using .NET Core CLI Command.

First. open the command prompt and type "dotnet —" and press enter as shown below.

```
C:\Users\HP>dotnet --
```

Once you type the "dotnet —" and click on the enter button then you will find lots of commands as shown below.

```
Command Prompt
SDK commands:
                   Add a package or reference to a .NET project.
 add
 build
                   Build a .NET project.
                    Interact with servers started by a build.
 build-server
 clean
                   Clean build outputs of a .NET project.
                    Show command line help.
 help
                   List project references of a .NET project.
 list
 msbuild
                   Run Microsoft Build Engine (MSBuild) commands.
 new
                   Create a new .NET project or file.
                    Provides additional NuGet commands.
 nuget
 pack
                   Create a NuGet package.
                   Publish a .NET project for deployment.
 publish
 remove
                    Remove a package or reference from a .NET project.
                   Restore dependencies specified in a .NET project.
 restore
                   Build and run a .NET project output.
 run
                   Modify Visual Studio solution files.
 sln
                   Store the specified assemblies in the runtime package store.
 store
 test
                   Run unit tests using the test runner specified in a .NET project.
                    Install or manage tools that extend the .NET experience.
 tool
 vstest
                   Run Microsoft Test Engine (VSTest) commands.
Additional commands from bundled tools:
 dev-certs
                   Create and manage development certificates.
 fsi
                   Start F# Interactive / execute F# scripts.
                   SQL Server cache command-line tools.
 sql-cache
 user-secrets
                   Manage development user secrets.
                   Start a file watcher that runs a command when files change.
 watch
Run 'dotnet [command] --help' for more information on a command.
```


Using the CLI (above commands)

You can create a new project using the **new** command, you can also build the project using the **build** command, or you can publish the project using the **publish** command. It is possible to restore the dependencies and tools which are required for a .net core project using the CLI.

Running .NET Core application using .NET Core CLI

Let's see how to run a .NET Core application using .NET Core CLI command. To do so please follow the below steps

First, open the Windows Command Prompt. To do so, open the run window and then type cmd and click on the enter button which will open the command prompt. Then you need to change the directory to the folder which contains your asp.net core application. My project is present in the "D:\Projects\Core\FirstCoreWebApplication\FirstCoreWebApplication" folder so I change the current directory to my project file by using the following command.



Once you change the directory to your project folder, then execute the "dotnet run" command as shown in the below image.

```
Command Prompt - dotnet run

D:\Projects\Core\FirstCoreWebApplication\FirstCoreWebApplication>dotnet run
```

Once you type the **dotnet run** command, press the enter key, then the .NET Core CLI builds and runs the application. It also shows the URL and you can use this URL to access your application as shown in the below image.

```
D:\Projects\Core\FirstCoreWebApplication\FirstCoreWebApplication>
dotnet run

info: Microsoft.Hosting Lifetime[0]
    Now listening on: http://localhost:5000

info: Microsoft.Hosting.Lifetime[0]
    Application started. Press Ctrl+C to shut down.

info: Microsoft.Hosting.Lifetime[0]
    Hosting environment: Development

info: Microsoft.Hosting.Lifetime[0]
    Content root path: D:\Projects\Core\FirstCoreWebApplication\FirstCoreWebApplication
```

.Here, in my case, the application is available at http://localhost:5000. If you remember this port is configured in the launchSettings.json file of your application inside the FirstCoreWebApplication profile which is nothing but the profile for the Kestrel server. Now open the browser and navigate to the http://localhost:5000 URL and It should display the worker process name as dotnet as shown below.



Changing the Port Number:

If you want then you can also change the Port number for Kestrel Server. To do so open the launchSettings.json file and give any available Port number as shown below. Here, I am changing the Port number to 60222.

```
"iisSettings": {
   "windowsAuthentication": false,
  "anonymous Authentication": true,
   "iisExpress": {
   "applicationUrl": "http://localhost:60211",
    "sslPort": 0
  }
  "profiles": {
   "IIS Express": {
   "commandName": "IISExpress",
   "launchBrowser": true,
    "environmentVariables": {
     "ASPNETCORE_ENVIRONMENT": "Development"
   }
  },
   "FirstCoreWebApplication": {
    "commandName": "Project",
    "launchBrowser": true,
    "environmentVariables": {
     "ASPNETCORE_ENVIRONMENT": "Development"
    "applicationUrl": "http://localhost:60222"
 }
}
```

Now, save the changes and run the application using Kestrel Server and you should see the changed port number in the URL.

In the next article, we will discuss the OutOfProcess hosting in the ASP.NET Core application. Here, in this article, I try to explain the Kestrel Web Server in ASP.NET Core application in detail. I hope this article will help you to understand the Kestrel Web Server in ASP.NET Core Application.

(i)

Learn Python in 3 weeks - Python one-on- Web Application one course

Creating ASP.NET Core

ASP.NET Video Course - ASP.NET Core ASP.NET, C# and Visual appsettings.json **Studio**

Ad learnnearn.com.au

dotnettutorials.net

Ad aspnetcentral.com

dotnettutorials.net

Instant quote? Almost there

ASP.NET Core Framework Introduction Method in Detail

ASP.NET Core Main

C# Interview C and Answers

Ad Hapag-Lloyd

dotnettutorials.net

dotnettutorials.net

dotnettutorials.net

3 thoughts on "Kestrel Web Server in ASP.NET Core"



JAMES

AUGUST 11, 2019 AT 12:02 PM

Nice article

<u>Reply</u>



JAMSHED

NOVEMBER 7, 2019 AT 12:51 PM

Good Article

<u>Reply</u>



MALIKA

AUGUST 18, 2020 AT 6:50 AM

When I tried the same, I get the result as FirstCoreApplication instead of dotnet in worker process name. I did everything exactly the same. Could you please confirm where is the gap.

<u>Reply</u>

Your email address will not be published. Required fields are marked *					
omment					

About Privacy Policy Contact ADO.NET Tutorial Angular Tutorials ASP.NET Core Blazor Tuturials ASP.NET Core Tutorials ASP.NET MVC Tutorials

ASP.NET Web API Tutorials C Tutorials C#.NET Programs Tutorials C#.NET Tutorials Cloud Computing Tutorials Data Structures and Algorithms Tutorials

Design Patterns Tutorials DotNet Interview Questions and Answers Core Java Tutorials Entity Framework Tutorials JavaScript Tutorials LINQ Tutorials Python Tutorials

SOLID Principles Tutorials SQL Server Tutorials Trading Tutorials JDBC Tutorials Java Servlets Tutorials Java Struts Tutorials C++ Tutorials



© Dot Net Tutorials | Website Design by <u>Sunrise Pixel</u>