(G+ المزيد المدونة الإلكترونية التالية»

### Sql server, .net and c# video tutorial

Free C#, .Net and Sql server video tutorial for beginners and intermediate programmers.

Support us .Net Basics C# SQL ASP.NET ADO.NET MVC Slides C# Programs Subscribe Buy DVD

Cross-origin resource sharing ASP.NET Web API

#### **Suggested Videos**

Part 12 - FromBody and FromUri in Web API

Part 13 - Call ASP.NET Web API from jQuery

Part 14 - Calling ASP.NET Web API service in a cross domain using jQuery ajax

In this video we will discuss how to call an ASP.NET Web API service in a cross domain using jQuery ajax. In our previous video we discussed how to do this using JSONP. In this video we will discuss how to **enable CORS** (Cross Origin Resource Sharing) which allows cross domain ajax calls. CORS support is released with ASP.NET Web API 2.

This is continuation to Part 14. Please watch Part 14 from ASP.NET Web API tutorial before proceeding with this video.

Comment the following 2 lines of code in **Register**() method of **WebApiConfig** class in **WebApiConfig.cs** file in **App\_Start folder**. We added these lines in our previous video to make ASP.NET Web API Service return JSONP formatted data //var jsonpFormatter = new JsonpMediaTypeFormatter(config.Formatters.JsonFormatter); //config.Formatters.Insert(0, jsonpFormatter);

#### To allow cross domain ajax calls by enabling CORS

Step 1: Install Microsoft.AspNet.WebApi.Cors package. Execute the following command using NuGet Package Manager Console. Make sure to select "EmployeeService" project from "Default project" dropdown.

Install-Package Microsoft.AspNet.WebApi.Cors



Step 2 : Include the following 2 lines of code in Register() method of WebApiConfig class in WebApiConfig.cs file in App Start folder

EnableCorsAttribute cors = new EnableCorsAttribute("\*", "\*", "\*"); config.EnableCors();

Step 3: In the ClientApplication, set the dataType option of the jQuery ajax function to json

dataType: 'json'



#### Angular CRUD

Angular Project Setup | Text | Slides

Reading data | Text | Slides

Routing & Navigation | Text | Slides

Angular base href | Text | Slides

Angular forms tutorial | Text | Slides

Radio buttons in Angular | Text | Slides

#### **SOLID Principles**

SOLID Introduction | Text | Slides

Single Responsibility | Text | Slides

#### Important Videos

The Gift of Education

Web application for your business

#### Parameters of EnableCorsAttribute

Parameters of EnableCorsAttribute	
Pa	
ra	
m	Description
et	
er	
ori gin s	Comma-separated list of origins that are allowed to access the resource. For example "http://www.pragimtech.com,http://www.mywebsite.com" will only allow ajax calls from these 2 websites. All the others will be blocked. Use "*" to allow all
he ad er s	Comma-separated list of headers that are supported by the resource. For example "accept,content-type,origin" will only allow these 3 headers. Use "*" to allow all. Use null or empty string to allow none
m et ho ds	Comma-separated list of methods that are supported by the resource. For example "GET,POST" only allows Get and Post and blocks the rest of the methods. Use "*" to allow all. Use null or empty string to allow none

The following 2 lines of code in Register() method of WebApiConfig.cs file in App\_Start folder, enables CORS globally for the entire application i.e for all controllers and action methods

EnableCorsAttribute cors = new EnableCorsAttribute("\*", "\*"); config.EnableCors();

EnableCors attribute can be applied on a specific controller or controller method.

If applied at a controller level then it is applicable for all methods in the controller. To apply it at the controller level

1. There is no need to create an instance of EnableCorsAttribute in Register() method of WebApiConfig.cs file. Call the EnableCors() method without any parameter values.

#### config.EnableCors();

```
2. Apply the EnableCorsAttribute on the controller class [EnableCorsAttribute("*", "*", "*")] public class EmployeesController : ApiController { }
```

In the same manner, you can also apply it at a method level if you wish to do so.

To disable CORS for a specific action apply [DisableCors] on that specific action

When CORS is enabled, the browser sets the **origin** header of the request to the domain of the site making the request. The server sets **Access-Control-Allow-Origin** header in the response to either \* or the origin that made the request. \* indicates any site is allowed to make the request.

How to become .NET developer

Resources available to help you

#### **Dot Net Video Tutorials-**

Angular CLI Tutorial

Angular 2 Tutorial

**Design Patterns** 

ASP.NET Web API

Bootstrap

AngularJS Tutorial

jQuery Tutorial

JavaScript with ASP.NET Tutorial

JavaScript Tutorial

**Charts Tutorial** 

LINQ

LINQ to SQL

LINQ to XML

**Entity Framework** 

WCF

ASP.NET Web Services

**Dot Net Basics** 

C#

SQL Server

ADO.NET

ASP.NET

GridView

ASP.NET MVC

Visual Studio Tips and Tricks

**Dot Net Interview Questions** 

#### Slides-

**Entity Framework** 

WCF

ASP.NET Web Services

**Dot Net Basics** 

C#

SQL Server

## **WWW.PRAGIMTECH.COM CLICK HERE FOR THE FULL** ASP. NET WEB API TUTORIAL PLAYLIST HTTP://FACEBOOK.COM/PRAGIMTECH G+ 1 comment: Anonymous March 29, 2017 at 3:59 AM EnableCorsAttribute cors = new EnableCorsAttribute("\*", "\*", "\*"); config.EnableCors(cors); Reply Enter your comment... Comment as: Unknown (Goo ▼ Sign out Publish Preview Notify me If you like this website, please share with your friends on facebook and Google+ and recommend us on google using the g+1 button on the top right hand corner. Links to this post Create a Link

ADO.NET

ASP.NET

GridView

ASP.NET MVC

Visual Studio Tips and Tricks

#### Java Video Tutorials

Part 1 : Video | Text | Slides

Part 2 : Video | Text | Slides

Part 3 : Video | Text | Slides

# -Interview Questions — C# SQL Server

Written Test

#### **CBSE Class 9 Maths**

Number Systems

#### **CPT Tutorial**-

Part 1 : Video | Text | Slides

Newer Post Home Older Post

Subscribe to: Post Comments (Atom)

Powered by Blogger.