

Insertion

Insertion in AVL tree is performed in the same way as it is performed in a binary search tree. The new node is added into AVL tree as the leaf node. However, it may lead to violation in the AVL tree property and therefore the tree may need balancing.

The tree can be balanced by applying rotations. Rotation is required only if, the balance factor of any node is disturbed upon inserting the new node, otherwise the rotation is not required.

Depending upon the type of insertion, the Rotations are categorized into four categories.

SN	Rotation	Description
----	----------	-------------



1	LL Rotation	The new node is inserted to the left sub-tree of left sub-tree of critical node.
2	RR Rotation	The new node is inserted to the right sub-tree of the right sub-tree of the critical node.
3	LR Rotation	The new node is inserted to the right sub-tree of the left sub-tree of the critical node.
4	RL Rotation	The new node is inserted to the left sub-tree of the right sub-tree of the critical node.

Q. Construct an AVL tree by inserting the following elements in the given order.


63, 9, 19, 27, 18, 108, 99, 81

The process of constructing an AVL tree from the given set of elements is shown in the following figure.

At each step, we must calculate the balance factor for every node, if it is found to be more than 2 or less than -2, then we need a rotation to rebalance the tree. The type of rotation will be estimated by the location of the inserted element with respect to the critical node.

All the elements are inserted in order to maintain the order of binary search tree.





← prev

next →

Help Others, Please Share





Over 1,300 marketplaces are
built with Multi-Vendor
worldwide



Find Out Why



Learn Latest Tutorials



UML



ANN



ES6



Flutter



Selenium Py



Firebase



Cobol



Ansible





Mockito



Talend



Azure



SharePoint

Preparation



Aptitude



Reasoning



Verbal A.



Interview



Company

Trending Technologies

Artificial
Intelligence
Tutorial

AI

AWS
Tutorial

AWS





Selenium
tutorial

Selenium

















Cloud
tutorial

Cloud

Hadoop
tutorialReactJS
TutorialData Science
TutorialAngular 7
Tutorial


Hadoop	ReactJS	D. Science	Angular 7
 Blockchain Tutorial Blockchain	 Git Tutorial Git	 Machine Learning Tutorial ML	 DevOps Tutorial DevOps

B.Tech / MCA

 DBMS tutorial DBMS	 Data Structures tutorial DS	 DAA tutorial DAA	 Operating System tutorial OS
 Computer Network tutorial C. Network	 Compiler Design tutorial Compiler D.	 Computer Organization and Architecture COA	 Discrete Mathematics Tutorial D. Math.
 Ethical Hacking Tutorial E. Hacking	 Computer Graphics Tutorial C. Graphics	 Software Engineering Tutorial Software E.	 html tutorial Web Tech.
 Cyber Security tutorial	 Automata Tutorial Automata	 C Language tutorial C	 C++ tutorial C++



Cyber Sec.



Java tutorial

Java



.Net
Framework
tutorial

.Net



Python
tutorial

Python



List of
Programs

Programs



Control
Systems
tutorial

Control S.



Data Mining
Tutorial

Data Mining