















Download Free .NET & IAVA Files API Try Free File Format APIs for Word/Excel/PDF

Mutable and immutable are English words that mean "can change" and "cannot change" respectively. The meaning of these words is the same in C# programming language; that means the mutable types are those whose data members can be changed after the instance is created but Immutable types are those whose data members can not be changed after the instance is created.

When we change the value of mutable objects, value is changed in same memory. But in immutable type, the new memory is created and the modified value is stored in new memory.

Let's start with examples of predefined classes (String and StringBuilder).

String

Strings are immutable, which means we are creating new memory everytime instead of working on existing memory.

So, whenever we are modifying a value of the existing string, i.e., we are creating a new object which refers to that modified string and the old one becomes unreferenced. Hence, if we are modifying the existing string continuously, then numbers of the





Example

In the code given above, string str will update 1000 times inside the loop and every time it will create new instance so all old values will be collected by garbage collector after some time.

It is not a good approach for this solution so, it's better to go for mutable type. So in C#, we have StringBuilder which is a mutable type. We have some advantages of immutable classes like immutable objects are simpler to construct, test, and use. immutable objects are always thread-safe and etc.

StringBuilder

StringBuilder is a mutable type, that means we are using the same memory location and keep on appending/modifying the stuff to one instance. It will not create any further instances hence it will not decrease the performance of the application.

Example

In the code given above, It has the huge impact of allocated memory because it will not create instance each time.

We have many methods for modifying the StringBuilder String as below,





- Insert Inserts a string or object into the specified index of the current StringBuilder.
- Remove Removes a specified number of characters from the current StringBuilder.

Creating an Immutable Class

For creating an immutable class, we have to think about their properties or variables which will never change the value(s) after assigning the first time. So, we are going to follow some simple steps for creating the immutable class in C#.

Step 1

Make the variables read-only so we can not modify the variable after assigning the first time.

```
01. class MyClass
02. {
03.    private readonly string myStr;
04. }
```

Step 2

Use parameterized constructor for assigning the myStr value for the class while creating the object of the class as below

Step 3

Use properties for getting the variables of the class and remove the setters of the property, use only getters as below.

In this easy way, we can create the immutable class in C#.

It is purely based on our project requirement which says it is better to use Mutable or Immutable class.

Brought to you by: JavaScript SDK for Bold BI dashboard and analytics embedding. Free trial.

Next Recommended Article

String is Immutable in C#

Mutable And Immutable Class In C#



Vivek Kumar 70P 500

Microsoft Certified Professional | C# Corner MVP | Dzone MVB | Author | Speaker

ø https://vivekkumar.com











19







Post ▼

Ask Question



Dharmendra Kumar

• 1282 • 636 • 3.4k

Feb 08, 2020 ♦ 0 ≪Reply



Then what is the difference between immutable class and a singleton class?

Type your comment here and press Enter Key (Minimum To characters)

amit jain

• 1888 • 6 • 0

UJul 18, 2019





In Singleton we can still update properties if they are public

Ruchi Jaiswal

(L) Jan 31, 2020

1 0

• 1884 • 10 • 0



It took me a while to figure advantage use immutable over mutable. Thread-safe is one of you noticed. Thank you!

Adam Schachabov

(S) Apr 25, 2019

• 1817 • 77 • 0

♦ 0 ≪Reply



Nice read... Thanks for sharing.

Rohanjoy Bhattacharya

• 1664 • 230 • 59.9k

Mar 31, 2017

♠ 1 ≪ Reply



Thank you Rohanjoy:)

Vivek Kumar

• 177 • 11.4k • 2.3m

Mar 31, 2017

1 0



Thanks for sharing sir

Manav Pandya

• 99 • 19.9k • 1.2m

Mar 30, 2017

♠ 1
♠ Reply



Thank you Manav ...

Vivek Kumar

• 177 • 11.4k • 2.3m

Mar 30, 2017







Thank you Daiach far your valuable comment N



• 1// • 11.4k • 2.3m





The below line is confusing me.."When we change the value of mutable objects, the new memory is created and the new value is stored in new memory. But in immutable type, value is changed in same memory."

Rajesh Kadam

• 1819 • 75 • 0







Thank you Rajesh kadam for your time. It was typo. I updated it. Vivek Kumar

• 177 • 11.4k • 2.3m









FEATURED ARTICLES

Handling Errors in TypeScript

Recognizing Faces By Capturing them Using Python



ecome a member | I

Insert Data Into Azure Table Storage Using ASP.NET Core Application





TRENDING UP

- 01 Agile Or Scrum Which One To Choose And Why?
- 02 Introduction to Network Virtualization
- **03** What is Docker?
- 04 Build A FAQ Chatbot With Power Virtual Agents
- 05 Build a Microsoft Bot Application With Power Virtual Agents
- 06 What is Software-Defined Networking and Virtual Networks in Physical Networks
- 07 Customize the Bot Conversation Message With Power Virtual Agent





09 Insert Data Into Azure Table Storage Using ASP.NET Core Application



