

EXERCISES ▼





SQL INNER JOIN Keyword

Previous


Next >

SQL INNER JOIN Keyword

The INNER JOIN keyword selects records that have matching values in both tables.

INNER JOIN Syntax

```
SELECT column_name(s)
FROM table1
INNER JOIN table2
ON table1.column_name = table2.column_name;
```



Demo Database





HTML CSS MORE ▼







Below is a selection from the "Orders" table:

| OrderID | CustomerID | EmployeeID | OrderDate | ShipperID |
|---------|------------|------------|------------|-----------|
| 10308 | 2 | 7 | 1996-09-18 | 3 |
| 10309 | 37 | 3 | 1996-09-19 | 1 |
| 10310 | 77 | 8 | 1996-09-20 | 2 |

And a selection from the "Customers" table:

| CustomerID | CustomerName | ContactName | Address | City | PostalCode |
|------------|--|-------------------|-------------------------------------|----------------|------------|
| 1 | Alfreds Futterkiste | Maria Anders | Obere Str. 57 | Berlin | 12209 |
| 2 | Ana Trujillo Emparedados y helados | Ana Trujillo | Avda. de la Constitución 2222 | México D.F. | 05021 |
| 3 | Antonio Moreno Taquería | Antonio Moreno | Mataderos 2312 | México D.F. | 05023 |

ADVERTISEMENT



→ HTML CSS MORE ▼



SQL IIVINEK JOIN Example

The following SQL statement selects all orders with customer information:

Example

```
SELECT Orders.OrderID, Customers.CustomerName
FROM Orders
INNER JOIN Customers ON Orders.CustomerID = Customers.CustomerID;
```

Try it Yourself »

Note: The INNER JOIN keyword selects all rows from both tables as long as there is a match between the columns. If there are records in the "Orders" table that do not have matches in "Customers", these orders will not be shown!

JOIN Three Tables

The following SQL statement selects all orders with customer and shipper information:

Example

```
SELECT Orders.OrderID, Customers.CustomerName, Shippers.ShipperName
FROM ((Orders
INNER JOIN Customers ON Orders.CustomerID = Customers.CustomerID)
INNER JOIN Shippers ON Orders.ShipperID = Shippers.ShipperID);
```

Try it Yourself »





HTML CSS MORE ▼







Test Yourself With Exercises

Exercise:

Choose the correct JOIN clause to select all records from the two tables where there is a match in both tables.

SELECT *

FROM Orders

ON Orders.CustomerID=Customers.CustomerID;

Submit Answer »

Start the Exercise

Previous

Next >

ADVERTISEMENT





CSS MORE ▼







COLOR PICKER



LIKE US







Get your certification today!





L CSS

MORE ▼










HOW TO

Tabs Dropdowns Accordions Side Navigation Top Navigation **Modal Boxes Progress Bars** Parallax Login Form **HTML Includes** Google Maps Range Sliders **Tooltips** Slideshow Filter List Sort List

Certificates

| HTML |
|------------|
| CSS |
| JavaScript |
| Python |
| SQL |
| PHP |
| And more |



Top Tutorials

HTML Tutorial CSS Tutorial JavaScript Tutorial How To Tutorial





CSS

MORE ▼

EXERCISES ▼



0

พว.บออ านเบาสา

Bootstrap Tutorial

PHP Tutorial

Java Tutorial

C++ Tutorial

jQuery Tutorial

Top References

HTML Reference

CSS Reference

JavaScript Reference

SQL Reference

Python Reference

W3.CSS Reference

Bootstrap Reference

PHP Reference

HTML Colors

Java Reference

Angular Reference

jQuery Reference

Top Examples

HTML Examples

CSS Examples

JavaScript Examples

How To Examples

SQL Examples

Python Examples

W3.CSS Examples

Bootstrap Examples

PHP Examples

Java Examples

XML Examples

jQuery Examples

Web Certificates

HTML Certificate

CSS Certificate

JavaScript Certificate

SQL Certificate

Python Certificate

PHP Certificate

Bootstrap Certificate

XML Certificate

jQuery Certificate

Get Certified »





CSS MORE ▼







Tull correctiless of all content. Wrille using woochools, you agree to have read and accepted our terms of use, cookie and privacy policy.

> Copyright 1999-2021 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

