

Transaction Isolation Levels in DBMS

Difficulty Level : Medium • Last Updated : 01 Apr, 2019

Prerequisite – [Concurrency control in DBMS](#), [ACID Properties in DBMS](#)

As we know that, in order to maintain consistency in a database, it follows ACID properties. Among these four properties (Atomicity, Consistency, Isolation and Durability) Isolation determines how transaction integrity is visible to other users and systems. It means that a transaction should take place in a system in such a way that it is the only transaction that is accessing the resources in a database system.

Isolation levels define the degree to which a transaction must be isolated from the data modifications made by any other transaction in the database system. A transaction isolation level is defined by the following phenomena –

- **Dirty Read** – A Dirty read is the situation when a transaction reads a data that has not yet been committed. For example, Let's say transaction 1 updates a row and leaves it uncommitted, meanwhile, Transaction 2 reads the updated row. If transaction 1 rolls back the change, transaction 2 will have read data that is considered never to have existed.
- **Non Repeatable read** – Non Repeatable read occurs when a transaction reads same row twice, and get a different value each time. For example, suppose transaction T1 reads data. Due to concurrency, another transaction T2 updates the same data and commit, Now if transaction T1 rereads the same data, it will retrieve a different value.
- **Phantom Read** – Phantom Read occurs when two same queries are executed, but the rows retrieved by the two, are different. For example, suppose transaction T1 retrieves a set of rows that satisfy some search criteria. Now, Transaction T2 generates some new rows that match the search criteria for transaction T1. If transaction T1 re-executes the statement that reads the rows, it gets a different set of rows this time.



Related Articles

allowing dirty reads. In this level, transactions are not isolated from each other.

2. **Read Committed** – This isolation level guarantees that any data read is committed at the moment it is read. Thus it does not allow dirty read. The transaction holds a read or write lock on the current row, and thus prevents other transactions from reading, updating or deleting it.
3. **Repeatable Read** – This is the most restrictive isolation level. The transaction holds read locks on all rows it references and writes locks on all rows it inserts, updates, or deletes. Since other transactions cannot read, update or delete these rows, consequently it avoids non-repeatable read.
4. **Serializable** – This is the highest isolation level. A *serializable* execution is guaranteed to be serializable. Serializable execution is defined to be an execution of operations in which concurrently executing transactions appear to be serially executing.

The table is given below clearly depicts the relationship between isolation levels, read phenomena and locks :

Isolation Level	Dirty reads	Non-repeatable reads	Phantoms
Read Uncommitted	May occur	May occur	May occur
Read Committed	Don't occur	May occur	May occur
Repeatable Read	Don't occur	Don't occur	May occur
Serializable	Don't occur	Don't occur	Don't occur

Anomaly Serializable is not the same as Serializable. That is, it is necessary, but not sufficient that a Serializable schedule should be free of all three phenomena types.



References –

[Isolation – Wikipedia](#)

[Transaction Isolation Levels – docs.microsoft](#)

Attention reader! Don't stop learning now. Practice GATE exam well before the actual exam with the subject-wise and overall quizzes available in [GATE Test Series Course](#).

Learn all [GATE CS concepts with Free Live Classes](#) on our youtube channel.

Like

Previous

Next

RECOMMENDED ARTICLES

Page :



Article Contributed By :





Smitha Dinesh Semwal

@Smitha Dinesh Semwal

Vote for difficulty

Current difficulty : [Medium](#)

Easy

Normal

Medium

Hard

Expert

Improved By : [SaurabhKushwaha](#), [shyam.patil55555](#)

Article Tags : [DBMS](#), [GATE CS](#)

Practice Tags : [DBMS](#)

Report Issue

Writing code in comment? Please use ide.geeksforgeeks.org, generate link and share the link here.

Load Comments



5th Floor, A-118,
Sector-136, Noida, Uttar Pradesh - 201305

feedback@geeksforgeeks.org



Company

[About Us](#)

[Careers](#)

Learn

[Algorithms](#)

[Data Structures](#)

[Privacy Policy](#)

[Languages](#)

[Contact Us](#)

[CS Subjects](#)

[Copyright Policy](#)

[Video Tutorials](#)

Web Development

Contribute

[Web Tutorials](#)

[Write an Article](#)

[HTML](#)

[Write Interview Experience](#)

[CSS](#)

[Internships](#)

[JavaScript](#)

[Videos](#)

[Bootstrap](#)

@geeksforgeeks , Some rights reserved

