



HTML

CSS

MORE ▾



Python List extend() Method

[< List Methods](#)

Example

Add the elements of `cars` to the `fruits` list:

```
fruits = ['apple', 'banana', 'cherry']  
  
cars = ['Ford', 'BMW', 'Volvo']  
  
fruits.extend(cars)
```

[Run example »](#)

Definition and Usage

The `extend()` method adds the specified list elements (or any iterable) to the end of the current list.

Syntax

```
List.extend(iterable)
```

Parameter Values

Parameter	Description
<i>iterable</i>	Required. Any iterable (list, set, tuple, etc.)

More Examples

Example

Add a tuple to the `fruits` list:

```
fruits = ['apple', 'banana', 'cherry']  
  
points = (1, 4, 5, 9)  
  
fruits.extend(points)
```

[Run example »](#)

[< List Methods](#)



COLOR PICKER



HOW TO

Tabs
Dropdowns
Accordions
Convert Weights
Animated Buttons
Side Navigation

Top Navigation

Modal Boxes

Progress Bars

Parallax

Login Form

HTML Includes

Google Maps

Range Sliders

Tooltips

Slideshow

Filter List

Sort List

SHARE



CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

[Read More »](#)



Make your survey data work
harder for you

UPGRADE NOW



[REPORT ERROR](#)
[PRINT PAGE](#)
[FORUM](#)
[ABOUT](#)

Top 10 Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[SQL Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Angular Tutorial](#)

Top 10 References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[SQL Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[AngularJS Reference](#)

Top 10 Examples

[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[jQuery Examples](#)[Angular Examples](#)[XML Examples](#)

Web Certificates

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[jQuery Certificate](#)[PHP Certificate](#)[Bootstrap Certificate](#)[XML Certificate](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2018 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

