



HTML

CSS

MORE ▾



Nessus Vulnerability Scanner

90K+ plugins. 450+ compliance templates.
#1 scanner in the world.

[GET FREE TRIAL](#)

Python Tuples

[< Previous](#)[Next >](#)

Tuple

A tuple is a collection which is ordered and unchangeable. In Python tuples are written with round brackets.

Example

Create a Tuple:

```
thistuple = ("apple", "banana", "cherry")  
print(thistuple)
```

[Run example >>](#)

Example

Return the item in position 1:

```
thistuple = ("apple", "banana", "cherry")  
print(thistuple[1])
```

[Run example »](#)

Example

You cannot change values in a tuple:

```
thistuple = ("apple", "banana", "cherry")
thistuple[1] = "blackcurrant" # test changeability
print(thistuple)
```

[Run example »](#)[JOIN NOW](#)

Losses can exceed deposit

The tuple() Constructor

It is also possible to use the `tuple()` constructor to make a tuple. The `len()` function returns the length of the tuple.

Example

Using the `tuple()` method to make a tuple:

```
thistuple = tuple(("apple", "banana", "cherry")) # note the double round-
brackets
print(thistuple)
```

[Run example »](#)

Example

The len() method returns the number of items in a tuple:

```
thistuple = tuple(("apple", "banana", "cherry"))  
print(len(thistuple))
```

[Run example »](#)

Note: You cannot remove items in a tuple.

[< Previous](#)

[Next >](#)



COLOR PICKER



HOW TO

Tabs
Dropdowns
Accordions
Convert Weights
Animated Buttons
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List


SHARE



CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

[Read More »](#)



The advertisement features the XM logo on the left and the USAIN BOLT logo on the right, with the text "OFFICIAL SPONSOR" below it. A green banner in the center contains the Arabic text "اقرأ المزيد" (Read more). Below the banner, there is a disclaimer in Arabic: "تطبيق الشروط والأحكام. قد يؤدي تداول الفوركس وعقود الفروقات إلى مخاطر عالية ويمكن أن يتسبب في خسارة كل رأس المال المستثمر." (Application of terms and conditions. Trading Forex and difference contracts can lead to high risks and can result in the loss of all invested capital.)



[REPORT ERROR](#)
[PRINT PAGE](#)
[FORUM](#)
[ABOUT](#)

Top 10 Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[SQL Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Angular Tutorial](#)

Top 10 References

- HTML Reference
- CSS Reference
- JavaScript Reference
- W3.CSS Reference
- Bootstrap Reference
- SQL Reference
- PHP Reference
- HTML Colors
- jQuery Reference
- AngularJS Reference

Top 10 Examples

- HTML Examples
- CSS Examples
- JavaScript Examples
- How To Examples
- W3.CSS Examples
- Bootstrap Examples
- PHP Examples
- jQuery Examples
- Angular Examples
- XML Examples

Web Certificates

- HTML Certificate
- CSS Certificate
- JavaScript Certificate
- jQuery Certificate
- PHP Certificate
- Bootstrap Certificate
- XML Certificate

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2018 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

