

Custom Search	
Courses	Login

Suggest an Article

0

Null object Design Pattern

The Null object pattern is a design pattern that simplifies the use of dependencies that can be undefined. This is achieved by using instances of a concrete class that implements a known interface, instead of null references.

We create an abstract class specifying various operations to be done, concrete classes extending this class and a null object class providing do nothing implemention of this class and will be used seemlessly where we need to check null value.

UML Diagram for Null object Design pattern

Design components

- **Client :** This class has a dependency that may or may not be required. Where no functionality is required in the dependency, it will execute the methods of a null object.
- **DependencyBase**: This abstract class is the base class for the various available dependencies that the Client may use. This is also the base class for the null object class. Where the base class provides no shared functionality, it may be replaced with an interface.
- **Dependency**: This class is a functional dependency that may be used by the Client.
- **NullObject**: This is the null object class that can be used as a dependency by the Client. It contains no functionality but implements all of the members defined by the DependencyBase abstract class.

Let's see an example of Null object design pattern.





Thinking about uni?

```
// Java program to illustrate Null
// Object Design Pattern
abstract class Emp
    protected String name;
    public abstract boolean isNull();
    public abstract String getName();
}
class Coder extends Emp
    public Coder(String name)
        this.name = name;
   @Override
    public String getName()
        return name;
    @Override
    public boolean isNull()
        return false;
class NoClient extends Emp
    @Override
    public String getName()
        return "Not Available";
```



```
@Override
    public boolean isNull()
        return true;
}
class EmpData
    public static final String[] names = {"Lokesh", "Kushagra", "Vikram"};
    public static Emp getClient(String name)
        for (int i = 0; i < names.length; i++)</pre>
            if (names[i].equalsIgnoreCase(name))
                return new Coder(name);
        return new NoClient();
    }
}
public class Main
    public static void main(String[] args)
        Emp emp1 = EmpData.getClient("Lokesh");
        Emp emp2 = EmpData.getClient("Kushagra");
        Emp emp3 = EmpData.getClient("Vikram");
        Emp emp4 = EmpData.getClient("Rishabh");
        System.out.println(emp1.getName());
        System.out.println(emp2.getName());
        System.out.println(emp3.getName());
        System.out.println(emp4.getName());
    }
}
```



Output:

Lokesh Kushagra Vikram Not Available

Advantages:

- It defines class hierarchies consisting of real objects and null objects. Null objects can be used in place of real objects when the object is expected to do nothing. Whenever client code expects a real object, it can also take a null object.
- Also makes the client code simple. Clients can treat real collaborators and null collaborators uniformly. Clients normally don't know whether they're dealing with a real or a null collaborator. This simplifies client code, because it avoids having to write testing code which handles the null collaborator specially.

Disadvantages:

- Can be difficult to implement if various clients do not agree on how the null object should do nothing as when your AbstractObject interface is not well defined.
- Can necessitate creating a new NullObject class for every new AbstractObject class.

This article is contributed by **Saket Kumar**. If you like GeeksforGeeks and would like to contribute, you can also write an article using contribute.geeksforgeeks.org or mail your article to contribute@geeksforgeeks.org. See your article appearing on the GeeksforGeeks main page and help other Geeks.

Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above.



lack

Recommended Posts:

Design Patterns | Set 1 (Introduction)

Design Patterns | Set 2 (Factory Method)

Command Pattern

Observer Pattern | Set 1 (Introduction)

Observer Pattern | Set 2 (Implementation)

Singleton Design Pattern | Implementation

Decorator Pattern | Set 1 (Background)

The Decorator Pattern | Set 2 (Introduction and Design)

Decorator Pattern | Set 3 (Coding the Design)

Strategy Pattern | Set 1 (Introduction)

Strategy Pattern | Set 2 (Implementation)

Adapter Pattern

Iterator Pattern

Curiously recurring template pattern (CRTP)

Flyweight Design Pattern

The world is taking note WI Ar The Motley Fool Canada

Article Tags: Design Pattern





1/20/2019	Null object Design F	Pattern - GeeksforGeeks	
To-do Done			3
		В	ased on 1 vote(s)
	Feedback/ Suggest Improvement Add	d Notes Improve Article	
	Please write to us at contribute@geeksforgeeks.org to	o report any issue with the above content.	
Writing code in comment? Please u	se ide.geeksforgeeks.org, generate link and share the lin	ık here.	
Load Com	nments	Share this nost!	



A computer science portal for geeks

5th Floor, A-118, Sector-136, Noida, Uttar Pradesh - 201305 feedback@geeksforgeeks.org

COMPANY

About Us Careers Privacy Policy Contact Us

PRACTICE

Company-wise Topic-wise Contests Subjective Questions

LEARN

Algorithms
Data Structures
Languages
CS Subjects
Video Tutorials

CONTRIBUTE

Write an Article
Write Interview Experience
Internships
Videos

@geeksforgeeks, Some rights reserved

