



FILLER, THREAD, TOXINS

• DERMAL FILLERS •

e.p.t.q.

Product	S 100	S 300	S 500	S 100 Lidocaine	S300 Lidocaine	S500 Lidocaine
Composition	HA 24mg/ml	HA 24mg/ml	HA 24mg/ml	HA 24mg/ml Lidocaine 0.3%	HA 24mg/ml Lidocaine 0.3%	HA 24mg/ml Lidocaine 0.3%
Depth of Injection	Superficial/ Mid dermis	Mid/Deep Dermis	Subcutaneous/ Supraperiosteal areas	Superficial/ Mid dermis	Mid/Deep Dermis	Subcutaneous/ Supraperiosteal areas
Syringes	1.0ml	1.0ml	1.0ml	1.1ml	1.1ml	1.1ml
Needle	27G	27G	27G	27G	27G	27G



VOM dermal fillers



- Multi Layered Phasic
- R² Technology (Rotation & Revolution)
- HA: 20mg/ml
- Needle: 27G½ / 30G ½
- Purpose: Fine Wrinkle Correction
- Injection Depth: Mid Dermis



- Multi Layered Phasic
- R² Technology (Rotation & Revolution)
- HA: 20mg/ml
- Needle: 27G 1½ (2ea)
- Purpose: Deep Wrinkle Correction
- Injection Depth: Deep Dermis




- Multi Layered Phasic
- R² Technology (Rotation & Revolution)
- HA: 20mg/ml
- Needle: 25G 1½ (2ea)
- Purpose: Volumizing & contouring
- Injection Depth: Sub-Q Layer



MONALISA

Specification of MONALISA Lidocaine

Product	SOFT	MILD	HARD	ULTRA
Form	No impurities, transparent and colorless gel			
Components	Cross-linked hyaluronic acid, 0.3% Lidocaine			
HA Concentration	24 mg/mL			
Particle Size	200 µm	400 µm	600 µm	900 µm
Volume	1.0 ml			
Application	Superficial dermis	Superficial dermis / Middle layer of subcutis	Middle to deep layer of subcutis	Deep to very deep layer of subcutis
Needle size	30 GTW*	27 GTW*	27 GTW*	25 GTW*
Storage Temperature	2~25 °C			



Botulinum Toxins

Botulax®

		
Active ingredient	Clostridium Botulinum Toxin Type A	
Complex Size	900kDa	
Appearance	Freeze-dried	
Potency	KFDA / In-House 40-62 / 45-55	KFDA / In-House 80-125 / 95-115
Protein (ng/ Vial)	< 2.5	< 5
Endotoxin Level (EU/ Vial)	KFDA / In-House <0.5 / <0.175	KFDA / In-House <1.0 / 0.175
PH	6.5±0.5	
Moisture	Less than 3%	
Storage	2~8°C	
Expiration	24 months from the date of manufacture	

INNOTOX®

Characteristics	Innotox 50U	Innotox 100U
Active ingredient	Clostridium botulinum toxin type A (Hall strain)	Clostridium botulinum toxin type A (Hall strain)
Description	colorless transparent liquid-filled injection in a colorless transparent vial	colorless transparent liquid-filled injection in a colorless transparent vial
Storage	Store at 2 ~ 8° C in a refrigerator, in hermetic container	Store at 2 ~ 8° C in a refrigerator, in hermetic container
Expiry	36 months from the manufacturing date	36 months from the manufacturing date
indications	To temporarily improve moderate to severe glabellar wrinkles related to eyebrow wrinkle muscle (corrugator muscle) and/or procerus muscle activity in adults	To temporarily improve moderate to severe glabellar wrinkles related to eyebrow wrinkle muscle (corrugator muscle) and/or procerus muscle activity in adults



PDO Threads

Cyto Threads



CYTO Threads is a premium lifting thread made of PDO(Polydioxanone) which is absorbed after proliferating collagen by stimulating fibroblast. Any of you can experience overall face contouring and skin elasticity. After simple and safe treatment, it brings a natural and dramatic effect to the face and body. The superior quality of the Ultra-Thin Wall needle allows the Treatment easy, traumatic, and painless. The Medisign Company has developed PDO(Polydioxanone), PLLA (Poly-L-lactic acid), and PCL(Poly-caprolactone)

Remedelift threads

Cog threads: A30g/25mm

