

nopCommerce Automation Testing Report

Jul 18, 2024, 2:27:30 PM

Start : Jul 18, 2:24:27.348 PM

End : Jul 18, 2:27:27.923 PM

Duration : 3 m 0.575 s

Features







PASSED - 4
FAILED - 4
SKIPPED - 0

Scenarios

PASSED - 31
FAILED - 6
SKIPPED - 0

Steps


PASSED - 121
FAILED - 6
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>F01_Register Users could register with new accounts</u>	49.693 s	1	1	0	0	8	8	0	0
<u>F02_Login Users could use login functionality to use their accounts</u>	5.671 s	2	2	0	0	8	8	0	0
<u>F03_currencies Users could change the currency to get the new price by the changed currency</u>	6.780 s	2	2	0	0	6	6	0	0
<u>F04_Search User could search about any product</u>	17.262 s	6	5	1	0	27	26	1	0
<u>F05_hoverCategories User could click on sub categories using top menu hover</u>	45.439 s	16	16	0	0	48	48	0	0
<u>F06_homeSlider User could click on each item in the slider</u>	10.049 s	2	0	2	0	6	4	2	0
<u>F07_followUs Users could open followUs links</u>	29.456 s	4	3	1	0	12	11	1	0
<u>F08_Wishlist Users add items to their wishlist</u>	16.142 s	4	2	2	0	12	10	2	0

#	Feature Name	Scenario Name
1	<u>F04_Search User could search about any product</u>	<u>Guest user could search using product name ("book")</u>
2	<u>F06_homeSlider User could click on each item in the slider</u>	<u>Guest user could click on item ("nokia-lumia-1020") in the slider</u>
3		<u>Guest user could click on item ("iphone-6") in the slider</u>
4	<u>F07_followUs Users could open followUs links</u>	<u>User opens ("rss") link</u>
5	<u>F08_Wishlist Users add items to their wishlist</u>	<u>User add any item ("Apple MacBook Pro 13-inch") to his wishlist</u>
6		<u>User add any item ("\$25 Virtual Gift Card") to his wishlist</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@smoke		37	31	6	0	8	4	4	0




#	Feature Name	T	P	F	S	Duration
1	<u>F01_Register Users could register with new accounts</u>	1	1	0	0	49.693 s
2	<u>F02_Login Users could use login functionality to use their accounts</u>	2	2	0	0	5.671 s
3	<u>F03_currencies Users could change the currency to get the new price by the changed currency</u>	2	2	0	0	6.780 s
4	<u>F04_Search User could search about any product</u>	6	5	1	0	17.262 s
5	<u>F05_hoverCategories User could click on sub categories using top menu hover</u>	16	16	0	0	45.439 s
6	<u>F06_homeSlider User could click on each item in the slider</u>	2	0	2	0	10.049 s
7	<u>F07_followUs Users could open followUs links</u>	4	3	1	0	29.456 s
8	<u>F08_Wishlist Users add items to their wishlist</u>	4	2	2	0	16.142 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>F01_Register Users could register with new accounts</u>	<u>Guest user could register with valid data successfully</u>	8	8	0	0	49.689 s
2	<u>F02_Login Users could use login functionality to use their accounts</u>	<u>User could login with valid email and password</u>	4	4	0	0	3.764 s
3		<u>User could login with invalid email and password</u>	4	4	0	0	1.899 s
4	<u>F03_currencies Users could change the currency to get the new price by *</u>	<u>Guest user could change the currency ("Euro") successfully</u>	3	3	0	0	2.688 s
5	<u>F04_Search User could search about any product</u>	<u>Guest user could change the currency ("US Dollar") successfully</u>	3	3	0	0	4.079 s
6		<u>Guest user could search using product name ("book")</u>	4	3	1	0	2.709 s
7		<u>Guest user could search using product name ("laptop")</u>	4	4	0	0	2.518 s
8		<u>Guest user could search using product name ("nike")</u>	4	4	0	0	2.431 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
9		<u>Guest user could search using product sku "SCI_FAITH"</u>	5	5	0	0	3.550 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>F04_Search User could search about any product</u>	<u>Guest user could search using product sku "APPLE_CAM"</u>	5	5	0	0	2.954 s
11		<u>Guest user could search using product sku "SF_PRO_11"</u>	5	5	0	0	3.058 s
12		<u>Guest user could click on sub category ("Computers") using hover of the top menu category ("Computers")</u>	3	3	0	0	2.194 s
13		<u>Guest user could click on sub category ("Desktops") using hover of the top menu category ("Computers")</u>	3	3	0	0	2.356 s
14		<u>Guest user could click on sub category ("Notebooks") using hover of the top menu category ("Computers")</u>	3	3	0	0	2.980 s
15		<u>Guest user could click on sub category ("Software") using hover of the top menu category ("Computers")</u>	3	3	0	0	3.215 s
16		<u>Guest user could click on sub category ("Electronics") using hover of the top menu category ("Electronics")</u>	3	3	0	0	3.763 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Guest user could click on sub category ("Camera & photo")</u> <u>using hover of the top menu category ("Electronics")</u>	3	3	0	0	3.330 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>F05_hoverCategories User could click on sub categories using top menu hover</u>	<u>Guest user could click on sub category ("Cell phones") using hover of the top menu category ("Electronics")</u>	3	3	0	0	2.996 s
19		<u>Guest user could click on sub category ("Others") using hover of the top menu category ("Electronics")</u>	3	3	0	0	2.633 s
20		<u>Guest user could click on sub category ("Apparel") using hover of the top menu category ("Apparel")</u>	3	3	0	0	2.184 s
21		<u>Guest user could click on sub category ("Shoes") using hover of the top menu category ("Apparel")</u>	3	3	0	0	2.195 s
22		<u>Guest user could click on sub category ("Clothing") using hover of the top menu category ("Apparel")</u>	3	3	0	0	3.076 s
23		<u>Guest user could click on sub category ("Accessories") using hover of the top menu category ("Apparel")</u>	3	3	0	0	2.682 s
24		<u>Guest user could click on sub category ("Digital downloads") using hover of the top menu category ("Digital downloads")</u>	3	3	0	0	2.080 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>F05_hoverCategories User could click on sub categories using top menu hover</u>	<u>Guest user could click on sub category ("Books") using hover of the top menu category ("Books")</u>	3	3	0	0	2.605 s
26		<u>Guest user could click on sub category ("Jewelry") using hover of the top menu category ("Jewelry")</u>	3	3	0	0	3.740 s
27		<u>Guest user could click on sub category ("Gift Cards") using hover of the top menu category ("Gift Cards")</u>	3	3	0	0	3.344 s
28	<u>F06_homeSlider User could click on each item in the slider</u>	<u>Guest user could click on item ("nokia-lumia-1020") in the slider</u>	3	2	1	0	6.541 s
29		<u>Guest user could click on item ("iphone-6") in the slider</u>	3	2	1	0	3.503 s
30	<u>F07_followUs Users could open followUs links</u>	<u>User opens ("facebook") link</u>	3	3	0	0	5.435 s
31		<u>User opens ("twitter") link</u>	3	3	0	0	8.388 s
32		<u>User opens ("rss") link</u>	3	2	1	0	6.688 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
33		<u>User opens ("youtube") link</u>	3	3	0	0	8.935 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
34	<u>F08_Wishlist Users add items to their wishlist</u>	<u>User add any item ("Apple MacBook Pro 13-inch") to his wishlist</u>	3	2	1	0	3.818 s
35		<u>User add any item ("HTC One M8 Android L 5.0 Lollipop") to his wishlist</u>	3	3	0	0	3.914 s
36		<u>User add any item ("\$25 Virtual Gift Card") to his wishlist</u>	3	2	1	0	3.324 s
37		<u>User add any item to his wishlist and reflected to the wishlist counter</u>	3	3	0	0	5.072 s




F01_Register | Users could register with new accounts




Guest user could register with valid data successfully



#	Step / Hook Details	Status	Duration
1	Given user go to register page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	21.221 s
2	When user select gender type AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.083 s
		PASSED	0.136 s


#	Step / Hook Details	Status	Duration
3	And user enter first name "automation" and last name "tester" AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.168 s
4	And user enter date of birth AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.341 s
5	And user enter email field AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.135 s
6	And user fills Password fields AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.220 s
7	And user clicks on register button AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	26.091 s

#	Step / Hook Details	Status	Duration
			
8	<p>Then success message is displayed</p> <p>AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)</p> <p>SCREENSHOT</p> 	PASSED	0.202 s
		PASSED	0.133 s

F02_Login | Users could use login functionality to use their accounts




User could login with valid email and password




#	Step / Hook Details	Status	Duration
1	Given user go to login page	PASSED	0.594 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.167 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
2	When user login with "valid" email and password	PASSED	0.250 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.159 s
3	And user press on login button	PASSED	1.876 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.311 s
4	Then user login to the system successfully	PASSED	0.125 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.265 s

User could login with invalid email and password




#	Step / Hook Details	Status	Duration
1	Given user go to login page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.410 s
2	When user login with "invalid" email and password AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.239 s
3	And user press on login button AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.481 s
4	Then user could not login to the system AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT	PASSED	0.131 s
		PASSED	0.137 s

#	Step / Hook Details	Status	Duration
			


F03_currencies | Users could change the currency to get the new price by the changed currency





Guest user could change the currency ("Euro") successfully



#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.545 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.309 s
	SCREENSHOT		
			
2	When user should select "Euro" currency from the dropdown list	PASSED	1.089 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.302 s

#	Step / Hook Details	Status	Duration
	SCRENSHOT 		
3	Then user get the new price by the changed currency "Euro" successfully	PASSED	0.144 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCRENSHOT 	PASSED	0.291 s

Guest user could change the currency ("US Dollar") successfully

PASSED	DURATION - 4.079 s	/ 2:25:25.449 PM // 2:25:29.528 PM /	F03_currencies Users could change the currency to get the new price by the changed currency	@smoke	 <p>Steps Total - 3 Pass - 3 Fail - 0 Skip - 0</p> 
--------	--------------------	--------------------------------------	---	--------	---


#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	1.571 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCRENSHOT 	PASSED	0.285 s
2	When user should select "US Dollar" currency from the dropdown list	PASSED	1.470 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.330 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get the new price by the changed currency "US Dollar" successfully	PASSED	0.126 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.291 s


F04_Search | User could search about any product




Guest user could search using product name ("book")




#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.465 s
2	When user enter word "book" AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.089 s
3	And user click on search button AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	1.099 s
4	Then user get products that contains the word "book" successfully java.lang.AssertionError: The following asserts failed: Expected: book, Actual: Asus N551JK-XO076H Laptop expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:46) at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:30) at Pages.P03_homePage.VerifySearchResultsByProductName(P03_homePage.java:75) at StepDef.D04_searchStepDef.userGetProductsThatContainsTheWordSuccessfully(D04_searchStepDef.java:37) at ?.user get products that contains the word "book" successfully(file:///C:/Users/User/IdeaProjects/nopCommerce-Automation-Cucumber/src/main/resources/Features/F04_Search.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.126 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT	PASSED	0.136 s

#	Step / Hook Details	Status	Duration
			


Guest user could search using product name ("laptop")

PASSED	DURATION - 2.518 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:25:32.261 PM // 2:25:34.779 PM /				
F04_Search User could search about any product				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.719 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.350 s
			
2	When user enter word "laptop"	PASSED	0.072 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.289 s
			
3	And user click on search button	PASSED	0.687 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.157 s
			

#	Step / Hook Details	Status	Duration
4	<p>Then user get products that contains the word "laptop" successfully</p> <p>AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)</p> <p>SCREENSHOT</p>	PASSED	0.108 s
		PASSED	0.127 s


Guest user could search using product name ("nike")



#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.569 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.294 s
	SCREENSHOT		
2	When user enter word "nike"	PASSED	0.064 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.277 s
	SCREENSHOT		


#	Step / Hook Details	Status	Duration
			
3	And user click on search button AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.768 s
4	Then user get products that contains the word "nike" successfully AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.140 s
		PASSED	0.165 s

Guest user could search using product sku "SCI_FAITH"




#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.555 s
	SCREENSHOT	PASSED	0.290 s



#	Step / Hook Details	Status	Duration
			
2	When user enter sku "SCI_FAITH"	PASSED	0.079 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.303 s
	SCREENSHOT		
			
3	And user click on search button	PASSED	0.932 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.165 s
	SCREENSHOT		
			
4	And user click on the product after clicking on search button	PASSED	0.768 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.221 s
	SCREENSHOT		
			
5	Then user get the product that contains the sku "SCI_FAITH" successfully	PASSED	0.038 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.192 s
	SCREENSHOT		

#	Step / Hook Details	Status	Duration
			


Guest user could search using product sku "APPLE_CAM"

PASSED	DURATION - 2.954 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:25:40.782 PM // 2:25:43.736 PM /				
F04_Search User could search about any product				
@smoke				


#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.512 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.312 s
	SCREENSHOT		
			
2	When user enter sku "APPLE_CAM"	PASSED	0.076 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.281 s
	SCREENSHOT		
			
3	And user click on search button	PASSED	0.638 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.126 s
	SCREENSHOT		

#	Step / Hook Details	Status	Duration
			
4	And user click on the product after clicking on search button AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.624 s
5	Then user get the product that contains the sku "APPLE_CAM" successfully AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.035 s

Guest user could search using product sku "SF_PRO_11"



#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.474 s
	SCREENSHOT	PASSED	0.309 s


#	Step / Hook Details	Status	Duration
			
2	When user enter sku "SF_PRO_11"	PASSED	0.073 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.280 s
	SCREENSHOT		
			
3	And user click on search button	PASSED	0.661 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.160 s
	SCREENSHOT		
			
4	And user click on the product after clicking on search button	PASSED	0.704 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.184 s
	SCREENSHOT		
			
5	Then user get the product that contains the sku "SF_PRO_11" successfully	PASSED	0.032 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.173 s
	SCREENSHOT		

#	Step / Hook Details	Status	Duration
			



F05_hoverCategories | User could click on sub categories using top menu hover




Guest user could click on sub category ("Computers") using hover of the top menu category ("Computers")





#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.514 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) 	PASSED	0.278 s
2	When user hover the category "Computers" and click on "Computers"	PASSED	1.009 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.191 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Computers"	PASSED	0.041 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.154 s


Guest user could click on sub category ("Desktops") using hover of the top menu category ("Computers")






#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.838 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.307 s
	SCREENSHOT 		
2	When user hover the category "Computers" and click on "Desktops"	PASSED	0.816 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.194 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Desktops"	PASSED	0.030 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.166 s


Guest user could click on sub category ("Notebooks") using hover of the top menu category ("Computers")





#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.546 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.382 s
	SCREENSHOT 		
2	When user hover the category "Computers" and click on "Notebooks"	PASSED	1.674 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.194 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Notebooks"	PASSED	0.028 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.151 s


Guest user could click on sub category ("Software") using hover of the top menu category ("Computers")





#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	1.121 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.296 s
	SCREENSHOT 		
2	When user hover the category "Computers" and click on "Software"	PASSED	1.463 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.160 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Software"	PASSED	0.025 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.147 s


Guest user could click on sub category ("Electronics") using hover of the top menu category ("Electronics")

PASSED	DURATION - 3.763 s	/ 2:25:57.576 PM // 2:26:01.339 PM /	F05_hoverCategories User could click on sub categories using top menu hover	@smoke		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
--------	--------------------	--------------------------------------	---	--------	---	--	---



#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	1.291 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.299 s
	SCREENSHOT 		
2	When user hover the category "Electronics" and click on "Electronics"	PASSED	1.790 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.180 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Electronics"	PASSED	0.025 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.175 s


Guest user could click on sub category ("Camera & photo") using hover of the top menu category ("Electronics")





#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.791 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.309 s
2	When user hover the category "Electronics" and click on "Camera & photo"	PASSED	1.864 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.166 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Camera & photo"	PASSED	0.028 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.169 s


Guest user could click on sub category ("Cell phones") using hover of the top menu category ("Electronics")






#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.975 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.301 s
	SCREENSHOT 		
2	When user hover the category "Electronics" and click on "Cell phones"	PASSED	1.372 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.166 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Cell phones"	PASSED	0.025 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.150 s



Guest user could click on sub category ("Others") using hover of the top menu category ("Electronics")





#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.717 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.302 s
	SCREENSHOT 		
2	When user hover the category "Electronics" and click on "Others"	PASSED	1.242 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.174 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Others"	PASSED	0.029 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.165 s


Guest user could click on sub category ("Apparel") using hover of the top menu category ("Apparel")

PASSED	DURATION - 2.184 s	/ 2:26:10.315 PM // 2:26:12.499 PM /	F05_hoverCategories User could click on sub categories using top menu hover	@smoke		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
--------	--------------------	--------------------------------------	---	--------	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.488 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.281 s
	SCREENSHOT 		
2	When user hover the category "Apparel" and click on "Apparel"	PASSED	0.946 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.201 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Apparel"	PASSED	0.026 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.237 s


Guest user could click on sub category ("Shoes") using hover of the top menu category ("Apparel")





#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.544 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.312 s
	SCREENSHOT 		
2	When user hover the category "Apparel" and click on "Shoes"	PASSED	0.978 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.183 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Shoes"	PASSED	0.026 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.150 s


Guest user could click on sub category ("Clothing") using hover of the top menu category ("Apparel")





#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.711 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.293 s
2	When user hover the category "Apparel" and click on "Clothing"	PASSED	1.699 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.185 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Clothing"	PASSED	0.024 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.163 s


Guest user could click on sub category ("Accessories") using hover of the top menu category ("Apparel")

PASSED	DURATION - 2.682 s	/ 2:26:17.783 PM // 2:26:20.465 PM /	F05_hoverCategories User could click on sub categories using top menu hover	@smoke	 Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
--------	--------------------	--------------------------------------	---	--------	--	---



#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.849 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.322 s
	SCREENSHOT 		
2	When user hover the category "Apparel" and click on "Accessories"	PASSED	1.158 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.167 s

#	Step / Hook Details	Status	Duration
	SCREENSHOT 		
3	Then user get sub categories that clicked on before "Accessories"	PASSED	0.026 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.157 s


Guest user could click on sub category ("Digital downloads") using hover of the top menu category ("Digital downloads")

PASSED	DURATION - 2.080 s	/ 2:26:20.469 PM // 2:26:22.549 PM /	F05_hoverCategories User could click on sub categories using top menu hover	@smoke		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
--------	--------------------	--------------------------------------	---	--------	---	--	--



#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.514 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.295 s
2	When user hover the category "Digital downloads" and click on "Digital downloads"	PASSED	0.856 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.198 s
3	Then user get sub categories that clicked on before "Digital downloads"	PASSED	0.032 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.183 s


Guest user could click on sub category ("Books") using hover of the top menu category ("Books")






#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.484 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.306 s
2	When user hover the category "Books" and click on "Books"	PASSED	1.428 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.191 s
3	Then user get sub categories that clicked on before "Books"	PASSED	0.030 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.162 s


Guest user could click on sub category ("Jewelry") using hover of the top menu category ("Jewelry")



#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	1.780 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.327 s
2	When user hover the category "Jewelry" and click on "Jewelry"	PASSED	1.256 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.177 s
3	Then user get sub categories that clicked on before "Jewelry" AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.029 s
		PASSED	0.168 s


Guest user could click on sub category ("Gift Cards") using hover of the top menu category ("Gift Cards")

PASSED	DURATION - 3.344 s	 <table border="1"> <tr> <td>Step</td><td>1</td><td>2</td><td>3</td></tr> <tr> <td>Value</td><td>1</td><td>2</td><td>0</td></tr> </table>	Step	1	2	3	Value	1	2	0	<p>Steps Total - 3 Pass - 3 Fail - 0 Skip - 0</p> 
Step	1	2	3								
Value	1	2	0								
/ 2:26:28.906 PM // 2:26:32.250 PM /	F05_hoverCategories User could click on sub categories using top menu hover										
@smoke											


#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.637 s
		PASSED	0.316 s
2	When user hover the category "Gift Cards" and click on "Gift Cards"	PASSED	2.007 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.173 s
3	Then user get sub categories that clicked on before "Gift Cards"	PASSED	0.024 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.184 s

F06_homeSlider | User could click on each item in the slider




Guest user could click on item ("nokia-lumia-1020") in the slider



#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.989 s
2	When user go to the slider section and click on item "1" "nokia-lumia-1020" AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	4.636 s
3	Then user should redirect to the item page URL " https://demo.nopcommerce.com/nokia-lumia-1020 " java.lang.AssertionError: Expected: https://demo.nopcommerce.com/nokia-lumia-1020, Actual: https://demo.nopcommerce.com/ expected [https://demo.nopcommerce.com/] but found [https://demo.nopcommerce.com/nokia-lumia-1020] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at Pages.P03_homePage.VerifySliderItemURL(P03_homePage.java:186) at StepDef.D06_homeSlidersStepDef.userShouldRedirectToTheItemPageURL(D06_homeSlidersStepDef.java:31) at ?.user should redirect to the item page URL " https://demo.nopcommerce.com/nokia-lumia-1020 "(file:///C:/Users/User/IdeaProjects/nopCommerce-Automation-Cucumber/src/main/resources/Features/F06_homeSliders.feature:7) * Not displayable characters are replaced by '?'. AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	FAILED	0.019 s
	SCREENSHOT 	PASSED	0.277 s

Guest user could click on item ("iphone-6") in the slider




#	Step / Hook Details	Status	Duration
1	<p>Given user go to home page</p> <p>AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)</p> <p>SCREENTSHOT</p> 	PASSED	0.575 s
2	<p>When user go to the slider section and click on item "2" "iphone-6"</p> <p>AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)</p> <p>SCREENTSHOT</p> 	PASSED	2.034 s
3	<p>Then user should redirect to the item page URL "https://demo.nopcommerce.com/iphone-6"</p> <pre>java.lang.AssertionError: Expected: https://demo.nopcommerce.com/iphone-6, Actual: https://demo.nopcommerce.com/ expected [https://demo.nopcommerce.com/] but found [https://demo.nopcommerce.com/iphone-6] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at Pages.P03HomePage.VerifySliderItemURL(P03HomePage.java:186) at StepDef.D06_homeSlidersStepDef.userShouldRedirectToTheItemPageURL(D06_homeSlidersStepDef.java:31)</pre>	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	at ?.user should redirect to the item page URL "https://demo.nopcommerce.com/iphone-6"(file:///C:/Users/User/IdeaProjects/nopCommerce-Automation-Cucumber/src/main/resources/Features/F06_homeSliders.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.303 s

F07_followUs | Users could open followUs links




User opens ("facebook") link



#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.586 s
	AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.299 s
	SCREENSHOT		

#	Step / Hook Details	Status	Duration
			
2	When user opens "facebook" link AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	4.124 s
3	Then "https://www.facebook.com/nopCommerce" is opened in new tab AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.115 s



User opens ("twitter") link

PASSED	DURATION - 8.388 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:26:47.749 PM // 2:26:56.137 PM /				
F07_followUs Users could open followUs links				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.580 s
	SCREENSHOT	PASSED	0.311 s

#	Step / Hook Details	Status	Duration
			
2	When user opens "twitter" link AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	4.121 s
3	Then "https://x.com/nopCommerce" is opened in new tab AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	3.086 s


User opens ("rss") link

FAILED	DURATION - 6.688 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:26:56.140 PM // 2:27:02.828 PM /				
F07_followUs Users could open followUs links				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	1.153 s
	SCREENSHOT	PASSED	0.308 s


#	Step / Hook Details	Status	Duration
			
2	When user opens "rss" link AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT	PASSED PASSED	4.955 s 0.142 s
3	Then "https://demo.nopcommerce.com/new-online-store-is-open" is opened in new tab java.lang.AssertionError: Expected: https://demo.nopcommerce.com/new-online-store-is-open, Actual: https://demo.nopcommerce.com/news/rss/1 expected [https://demo.nopcommerce.com/news/rss/1] but found [https://demo.nopcommerce.com/new-online-store-is-open] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at Pages.P03_homePage.VerifyChannelLinks(P03_homePage.java:206) at StepDef.D07_followUsStepDef.isOpenedInNewTab(D07_followUsStepDef.java:31) at ?.:"https://demo.nopcommerce.com/new-online-store-is-open" is opened in new tab(file:///C:/Users/User/IdeaProjects/nopCommerce-Automation-Cucumber/src/main/resources/Features/F07_followUs.feature:6) * Not displayable characters are replaced by '?'. AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT	FAILED	0.013 s
		PASSED	0.114 s

User opens ("youtube") link




#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.820 s
2	When user opens "youtube" link AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	4.113 s
3	Then "https://www.youtube.com/user/nopCommerce" is opened in new tab AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	3.345 s

F08_Wishlist | Users add items to their wishlist




User add any item ("Apple MacBook Pro 13-inch") to his wishlist





#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.943 s
2	When add any product "Apple MacBook Pro 13-inch" to the wishlist by clicking on the love icon AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.106 s
3	Then success message is displayed on the top of the page java.lang.AssertionError: Expected: https://demo.nopcommerce.com/, Actual: https://demo.nopcommerce.com/apple-macbook-pro-13-inch	FAILED	2.046 s

#	Step / Hook Details	Status	Duration
	<p>expected [https://demo.nopcommerce.com/] but found [https://demo.nopcommerce.com/apple-macbook-pro-13-inch]</p> <p>at org.testng.Assert.fail(Assert.java:111)</p> <p>at org.testng.Assert.failNotEquals(Assert.java:1578)</p> <p>at org.testng.Assert.assertEqualsImpl(Assert.java:150)</p> <p>at org.testng.Assert.assertEquals(Assert.java:132)</p> <p>at org.testng.Assert.assertEquals(Assert.java:656)</p> <p>at Pages.P03_homePage.VerifyDisplayASuccessfullMessageWhenClickOnAddToWishList(P03_homePage.java:250)</p> <p>at StepDef.D08_WishlistStepDef.successMessageIsDisplayedOnTheTopOfThePage(D08_WishlistStepDef.java:31)</p> <p>at ?.success message is displayed on the top of the page(file:///C:/Users/User/IdeaProjects/nopCommerce-Automation-Cucumber/src/main/resources/Features/F08_Wishlist.feature:6)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)</p> <p>SCREENSHOT</p> 	PASSED	0.152 s


User add any item ("HTC One M8 Android L 5.0 Lollipop") to his wishlist






#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	0.865 s
	<p>AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)</p> <p>SCREENSHOT</p>	PASSED	0.309 s

#	Step / Hook Details	Status	Duration
			
2	When add any product "HTC One M8 Android L 5.0 Lollipop" to the wishlist by clicking on the love icon AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.108 s
3	Then success message is displayed on the top of the page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	2.160 s


User add any item ("\$25 Virtual Gift Card") to his wishlist





#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario)	PASSED	0.548 s
	SCREENSHOT	PASSED	0.188 s

#	Step / Hook Details	Status	Duration
			
2	When add any product "\$25 Virtual Gift Card" to the wishlist by clicking on the love icon AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.131 s
3	Then success message is displayed on the top of the page java.lang.AssertionError: Expected: https://demo.nopcommerce.com/, Actual: https://demo.nopcommerce.com/25-virtual-gift-card expected [https://demo.nopcommerce.com/] but found [https://demo.nopcommerce.com/25-virtual-gift-card] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at Pages.P03HomePage.VerifyDisplayASuccessfullMessageWhenClickOnAddToWishList(P03HomePage.java:250) at StepDef.D08_WishlistStepDef.successMessageIsDisplayedOnTheTopOfThePage(D08_WishlistStepDef.java:31) at ?.success message is displayed on the top of the page(file:///C:/Users/User/IdeaProjects/nopCommerce-Automation-Cucumber/src/main/resources/Features/F08_Wishlist.feature:6) * Not displayable characters are replaced by '?'. AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	FAILED	2.047 s
		PASSED	0.183 s

User add any item to his wishlist and reflected to the wishlist counter



#	Step / Hook Details	Status	Duration
1	Given user go to home page AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	1.181 s
2	When add any product "HTC One M8 Android L 5.0 Lollipop" to the wishlist by clicking on the love icon AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	0.109 s
3	Then wishlist counter is more than zero items AFTER_STEP - StepDef.TestBase.takeScreenshots(io.cucumber.java.Scenario) SCREENSHOT 	PASSED	3.039 s