[00:00:04] Hello, friends.

[00:00:05] I am Brandgo’s sea dragon

[00:00:08] is a visual design expert

[00:00:10] Hope you pass this tutorial

[00:00:11] You can learn happily

[00:00:12] have fun

[00:00:13] Learn something

[00:00:17] As for the first case, we will show you how to create such a small scene

[00:00:22] The name of this little scene is called Meng San Brothers

[00:00:24] Image of three little cartoons side by side

[00:00:28] It will combine some basic operations related to blender that we learned earlier

[00:00:33] Then use blender with some basic geometry to create a scene like this.

[00:00:38] good

[00:00:38] Next, let’s start our formal case production

[00:00:41] Before formal modeling?

[00:00:47] It's in this view z m here

[00:00:48] We can check its movement

[00:00:51] The default is canceled

[00:00:52] After we check

[00:00:53] Let’s click on the model again

[00:00:55] Click this model again

[00:00:56] it will appear

[00:00:57] Execute an axial operation of x y z

[00:01:00] Here we did not select the moving tool

[00:01:03] The current selection state is the frame selection tool

[00:01:05] Then we select the model and it will show this movement

[00:01:07] We can perform a very fast movement operation on the model

[00:01:11] Here you can also turn on rotation and scaling

[00:01:19] Another point is that we can use this coloring method here

[00:01:22] After opening this arrow, find kfc and check it here.

[00:01:26] You'll find this model it will show uh an edge line detail

[00:01:32] If you want to display the operation of this cavity,

[00:01:35] It will not have any impact on your model

[00:01:37] But it will do to you

[00:01:38] Show more details in the visual presentation

[00:01:41] Can it be done in our modeling process?

[00:01:43] Create an underlying sense of belief in yourself

[00:01:46] It’s your model. It doesn’t look that complicated.

[00:01:49] But with these edge line prompts displayed

[00:01:53] It will make you think that my model has a lot of details.

[00:01:56] Such a confusing illusion, this cube may not be visible clearly.

[00:02:00] We can switch to the monkey head to take a look.

[00:02:04] You will find that this monkey head has an effect of having this cavity.

[00:02:09] Let’s take another look at the effect without cavity

[00:02:12] I actually prefer this one-by-one display effect

[00:02:15] What about the limit and the strand? It defaults to one.

[00:02:19] I suggest you change it to 0.6

[00:02:21] me

[00:02:23] The display of the edges and lines will not be so clear.

[00:02:28] There is a vague feeling

[00:02:30] It's better to be more beautiful

[00:02:33] Then we will start the formal case production.

[00:02:36] Let's put the case we made before and put it in this position as a reference.

[00:02:41] Open blender

[00:02:41] Then we select these three things

[00:02:44] Then perform a delete

[00:02:46] x point delete

[00:02:47] What about after deletion?

[00:02:48] We start creating the model

[00:02:50] Let’s first create the minion on the far left

[00:02:53] Then its basic shape is the basic shape of a cube.

[00:02:58] But its edges will be smoother.

[00:03:02] So first we create a sum cube

[00:03:06] Then when we create this cube

[00:03:09] We can modify the little wrench on the right here

[00:03:12] Here we enter the modifier panel

[00:03:15] We can select this bevel modifier

[00:03:17] Add a chamfer to this model

[00:03:19] When we add this chamfer

[00:03:21] This edge creates a chamfered transition.

[00:03:25] But this chamfer is a bit lacking.

[00:03:27] We can increase its smoothness by adjusting the number of segments.

[00:03:32] For example, let's first give it a six-section

[00:03:34] Then what about the quantity, we can adjust its size

[00:03:38] Drag the mouse to resize it

[00:03:40] But what about when you adjust?

[00:03:42] You will find that it is not easy to control

[00:03:43] At this time we can press and hold

[00:03:46] shift key

[00:03:47] Then drag again

[00:03:48] Then you can make a more refined adjustment.

[00:03:51] For example, let's adjust to this approximately zero point

[00:03:55] Probably 0.6

[00:03:56] 0.6 is equal to this quantity.

[00:04:00] Next, we start to make the two lower legs of this minion.

[00:04:05] The basic shape of these two lower legs is obviously a cylinder.

[00:04:11] So we shift and add a to build a cylinder

[00:04:14] What about after building a column?

[00:04:16] We can reduce this cylinder like this

[00:04:19] s key to zoom out a little

[00:04:22] now it's in in in

[00:04:24] Let's move it down

[00:04:26] Then we return to the front view

[00:04:29] Label key to enter front view

[00:04:31] Let's move this leg to the left side

[00:04:35] Let’s finish the left leg first.

[00:04:37] Ran

[00:04:37] Finally, we sz performs a scaling in the z-axis

[00:04:43] Well, this leg lock is almost done.

[00:04:47] Similarly, let's add a chamfer to this leg.

[00:04:50] What about after adding the chamfer?

[00:04:51] It creates a smooth

[00:04:53] Similarly, we also gave him six sections

[00:04:55] Then we make an adjustment in the quantity.

[00:04:58] At this point you will find that after we adjust

[00:05:00] It's not the effect we want

[00:05:02] That's because when we perform a scaling value in the z-axis

[00:05:09] A stretch is generated here in the properties of this object.

[00:05:12] So we need to apply its scaling

[00:05:15] How to apply it

[00:05:16] We can press control plus a key like this

[00:05:19] Then we select zoom

[00:05:22] In this way, we will apply the scaling we stretched before

[00:05:31] Then we have finished the lower leg on the left side.

[00:05:34] Next, let’s do the calf on the right side.

[00:05:37] Now that the left leg is done,

[00:05:40] Obviously I can copy this leg to the gt side.

[00:05:45] We can select this leg like this

[00:05:47] How to copy

[00:05:48] We can take a look at the model we right-clicked by right-clicking and then expand it.

[00:05:53] Shows some of the operations we can do with the model

[00:05:56] Then it is usually copied here in the ban.

[00:05:58] Do not use this ctrl plus c

[00:06:00] We more often use this shift plus d

[00:06:02] let's show it

[00:06:03] We can copy and move this model after pressing shift and adding d.

[00:06:08] At this time, we press the x key again

[00:06:13] Let's delete it

[00:06:14] In fact, sometimes you don’t know whether it is along the x-axis or along the y-axis.

[00:06:19] Just look at the upper right side of the view

[00:06:22] There is a spatial coordinate system here

[00:06:24] This red is the x-axis

[00:06:26] This blue one is the z-axis

[00:06:28] But the green one you can’t see is the y-axis

[00:06:31] Let's go back to the front view

[00:06:33] Then when our shift moves in d

[00:06:36] Then obviously we should make a movement in the x-axis direction

[00:06:40] So we press the x key

[00:06:43] So we move this leg to the right side

[00:06:47] In this way, our two calves are ready.

[00:06:49] Next we start making this little mouth

[00:06:52] This mouth is a ring body

[00:06:55] Let’s shrink this reference image a little bit

[00:06:57] But it's better to move it outside

[00:07:00] We press shift and add a

[00:07:02] Then add a ring body

[00:07:06] In this link, we first demonstrate a new operation method

[00:07:10] It's what we talked about before

[00:07:12] Cursor operation

[00:07:13] We press shift and right click

[00:07:15] We can click this cursor on the surface of this model

[00:07:19] Then add a ring body to it

[00:07:21] Then after adding the ring body?

[00:07:23] We want to make the thickness of this ring body more full.

[00:07:27] So we select this ring body and add it

[00:07:30] You'll find in the lower left corner of the view

[00:07:34] Maybe you won't notice

[00:07:35] it has an expansion

[00:07:36] Like here, we can set a basic value for the ring body.

[00:07:43] Let's enlarge the radius of this small ring

[00:07:46] We press the shift key to make a fine adjustment

[00:07:50] Oh, almost the same effect

[00:07:52] The middle one is smaller

[00:07:54] Such a very thick one

[00:07:55] As effective as a donut

[00:07:57] Let's just click on the blank space

[00:08:00] That's confirmed

[00:08:01] Then we rotate this group x90 degrees

[00:08:07] Make a rotation in the direction of rail speed

[00:08:09] Make this little mouth smaller

[00:08:14] Let's look at it from all angles

[00:08:16] It's a bit low now

[00:08:17] move it down a little

[00:08:22] Okay, the ring body and the mouth are ready.

[00:08:25] Then let's make it have two big eyes.

[00:08:30] It's obviously a production based on a sphere

[00:08:33] Let's shift and press the a key

[00:08:35] Select grid

[00:08:36] Then select the latitude and longitude ball

[00:08:38] In this way we have added a sphere

[00:08:40] As for these values, we won’t make any adjustments.

[00:08:43] We can put it away

[00:08:46] Let's shrink this sphere with an S key.

[00:08:49] Then move it up a little and zoom out

[00:08:53] Move this way again

[00:08:54] Let's go to the front view and take a look.

[00:08:58] Good eyes

[00:09:01] A corresponding adjustment

[00:09:04] As for this mouth, let's go down a little bit.

[00:09:08] The eyes should be lowered

[00:09:11] As for these eyes, we can probably do this to this extent.

[00:09:13] So next, let's make this first. Let's start with this eye.

[00:09:19] Because after making one pair of glasses?

[00:09:21] As for that side, we can copy it

[00:09:23] Then we started making the eyelids

[00:09:27] To make this eyelid, actually, you can't create a hemispheric effect in Blender.

[00:09:34] So let's take this round ball first

[00:09:37] Make a copy of this eyeball

[00:09:38] Let's shift and add d to copy it

[00:09:41] Let's cancel it in ex c

[00:09:44] Here I will open my shortcut keys

[00:09:50] Okay, so everyone can see that there is another shortcut key operation display here.

[00:09:56] It would be easier for everyone to see which shortcut keys I pressed.

[00:10:02] Back to this model

[00:10:04] We just made a copy

[00:10:06] In fact, it has been copied

[00:10:08] Then we perform an operation like this

[00:10:11] That means we press the slash key to enter isolation mode

[00:10:14] Let's do this eyelid alone

[00:10:16] We exit isolation mode using the slash key.

[00:10:19] Hey, how do we do this eyelids when we enter isolation mode?

[00:10:23] So currently we are in object mode

[00:10:25] We can see that this position shows that we are in object mode

[00:10:30] We can go into a drop down

[00:10:32] Then go to edit mode

[00:10:33] How about entering editing mode if you are familiar with 3D students?

[00:10:37] We can then edit the points, lines and surfaces.

[00:10:40] Similarly, some tools of this editing mode will be generated in this editing mode.

[00:10:46] So let’s not introduce too much here.

[00:10:49] In the following cases, we will also have corresponding applications in editing mode.

[00:10:53] You will find that there are only three options here

[00:10:55] Corresponding to the ice surface respectively

[00:10:58] Their shortcut keys are one and two

[00:11:01] Corresponding to the points, edges and surfaces respectively

[00:11:04] Then we can click on the entry point to select

[00:11:07] Then we select the bottom point

[00:11:10] First, after the bottom point

[00:11:12] We can select this tool called attenuation

[00:11:16] Attenuation editing tools

[00:11:18] its this tool

[00:11:20] what does it mean

[00:11:21] For example, we press the g key to move

[00:11:23] it will create a circle

[00:11:24] This circle controls the size of the attenuation range.

[00:11:28] We can adjust the range of this circle by pressing the scroll wheel key and sliding it.

[00:11:33] What about with attenuation editing?

[00:11:34] It will produce an operation form similar to a flexible margin

[00:11:41] So we press g in the same way and then z to move it along the z axis.

[00:11:48] While moving

[00:11:49] We can adjust the size of this circle to control

[00:11:52] For example, let's make it move up

[00:11:55] It produces an eyelid like an eyelid

[00:11:59] Eyelid-like feeling

[00:12:00] Almost as good as this

[00:12:03] We have completed the effect of this eyelid

[00:12:06] Remember we just entered isolation mode

[00:12:08] Then we press the slash key to exit isolation mode.

[00:12:12] Then you will see

[00:12:14] Then the eyelids and the eyeballs seem to fit too well.

[00:12:18] So we can enlarge this eyelid

[00:12:21] s key to zoom in a little

[00:12:26] It would be better to zoom in a little more

[00:12:28] Almost the same effect

[00:12:30] Then we've finished the eyelids.

[00:12:34] After the eyelids are done,

[00:12:35] Let's do this black-eyed man by the way.

[00:12:38] Similarly, we can use this sphere as the basic shape to make this black-eyed benevolent

[00:12:43] We can press shift and add d

[00:12:45] Then copy the ball along the y-axis

[00:12:49] And then we make it smaller

[00:12:51] Zoom out a little

[00:12:53] Then we press s y to flatten it a little

[00:12:58] In this way, we are almost done with this look.

[00:13:01] In the same way, let's drag this arrogant person back to him.

[00:13:07] Pull to the side

[00:13:08] Because we let this eye look to the right

[00:13:11] So let's enlarge it a little bit more here.

[00:13:14] Then we want the eyes to fit more closely with the sphere.

[00:13:18] When we rotate

[00:13:20] It performs a rotation based on the video surface we observe

[00:13:25] It is this surface that is rotated

[00:13:30] So what if we hit r twice?

[00:13:31] it's a free spin

[00:13:33] So let’s probably look at this look

[00:13:36] then put it in

[00:13:40] a22 2200 good

[00:13:43] Almost the same effect

[00:13:44] Let's enlarge this look a little bit more

[00:13:48] Okay, so we've finished the left eye.

[00:13:53] Similarly, we select this eye

[00:13:56] Then we press shift and copy the x key

[00:14:02] move it to the right

[00:14:04] Let's go to the front view

[00:14:06] take a look at this location

[00:14:07] right?

[00:14:08] Okay, where's this minion? We've done it.

[00:14:11] let's take a look

[00:14:12] What about this minion? It has, er, a decoration on its head.

[00:14:17] We can use this cone to make a

[00:14:22] We press shift and right click

[00:14:25] Put this cursor on top of this

[00:14:28] Then we select the mesh cone

[00:14:31] This way we add a cone

[00:14:33] Let's expand the expansion of this vertebral body

[00:14:35] Let's turn this sharp point into a flat surface

[00:14:38] We can adjust this radius two

[00:14:41] Let the sharp point disappear

[00:14:44] become a plane

[00:14:46] Hey, we are almost done with this cone.

[00:14:49] Then we will shrink it to match this scaling.

[00:14:53] Move up again

[00:14:54] Tune it up

[00:14:55] Shrink again

[00:14:56] Then we sz flatten him a little bit

[00:15:02] Hey, this cone, we just have this small decoration on the top of the head, we've done it

[00:15:07] Move it accordingly

[00:15:11] As for this small decoration, we also add a chamfer to it.

[00:15:15] In this modifier panel

[00:15:16] We select the Bevel modifier

[00:15:18] Add a chamfer to it

[00:15:20] At this point, after adding the chamfer

[00:15:22] Remember what we introduced earlier?

[00:15:24] This is zooming

[00:15:25] So we use ctrl plus a to apply scaling to it.

[00:15:29] After finishing zooming

[00:15:30] Let's adjust one of its segments

[00:15:32] Then the quantity will also be adjusted.

[00:15:34] Hold down the shift key

[00:15:35] What a fine adjustment

[00:15:39] Pull it down a little

[00:15:40] Reach deep inside this model

[00:15:43] Okay, we've finished this minion.

[00:15:47] Then after making this minion,

[00:15:48] Next we will make the little green man on the right side

[00:15:55] Well, this little green man is basically formed into a sphere.

[00:15:59] We select the latitude and longitude ball

[00:16:01] Then move it over and put it down

[00:16:05] Then what?

[00:16:05] Because we have already made these two small corners

[00:16:07] Let's just copy these two little corners.

[00:16:10] Let's go to the front view

[00:16:13] shift d x key

[00:16:19] These two calves were copied.

[00:16:21] So be it

[00:16:21] Let's copy this mouth

[00:16:23] shift d x key

[00:16:25] Copy this mouthful

[00:16:28] After copying it

[00:16:29] Let's make some adjustments to this mouth.

[00:16:32] Let's select this mouth at this location

[00:16:34] Let us rotate the x point along the x direction

[00:16:39] It is better to rotate it to a rough and suitable angle.

[00:16:42] ok we have done this

[00:16:44] Then what?

[00:16:45] Let's select these two eyes

[00:16:48] After selecting

[00:16:49] Let's go to the front view

[00:16:51] shift d x key

[00:16:53] Copy these two eyes

[00:16:58] Okay, then these two eyes are almost ok.

[00:17:01] So let's go to the front view

[00:17:02] Let's put these eyes and this mouth

[00:17:05] These things move it down a little bit

[00:17:08] Then his facial features moved a little lower

[00:17:10] This may be a bit more qing.

[00:17:13] This mouth also needs some adjustments.

[00:17:15] r x key to adjust

[00:17:17] Go deeper

[00:17:21] Well, this little green man is pretty much it.

[00:17:23] What about the eyes of this little green man?

[00:17:24] Let's make it look to the left

[00:17:25] This minion looks to the right

[00:17:27] So let's adjust these two eyes

[00:17:30] Let's move it to the right

[00:17:35] After moving to the right

[00:17:36] we said before

[00:17:37] I just press one and I select an eye-catcher.

[00:17:41] Then play r twice

[00:17:42] Then you can have a free spin

[00:17:44] Then if I choose two,

[00:17:47] When I press rr

[00:17:48] It won't be able to perform a free spin

[00:17:50] He will default these two models into one model for free rotation.

[00:17:56] So we can do this in this axial direction

[00:17:59] Pivot Point Here we change its pivot point to its respective origin.

[00:18:03] How about this when we are in rr

[00:18:05] It will perform a rotation based on its respective axis

[00:18:10] Okay, let’s adjust to a better perspective.

[00:18:12] Ahhh

[00:18:17] Make a fine-tuning

[00:18:20] Almost a little further in

[00:18:24] A little further to the right is better

[00:18:27] Almost done

[00:18:31] Let's adjust it again

[00:18:38] Okay, we've done well with the eyes of this little green man.

[00:18:43] Then what about the top of the little green man’s head?

[00:18:46] There is also this decoration

[00:18:48] Okay, let's copy this too.

[00:18:51] shift plus d x key

[00:18:53] So move over

[00:18:55] Then let's go to the top view to check the position.

[00:19:01] Okay, then put it in

[00:19:05] We've also made this little green man.

[00:19:08] Next, let’s make this little purple child

[00:19:11] This guy's basic shape is a cylinder.

[00:19:14] Let's do a little nature of this cylinder

[00:19:17] We shift and add a to build a cylinder

[00:19:20] As for this cylinder, let’s move it back.

[00:19:23] Smell it, the back of these two little wheels tends to be a little bit lower

[00:19:33] Okay, let's put it in this position first.

[00:19:37] Then we will add a chamfer to this cylinder.

[00:19:43] Add chamfer

[00:19:43] make it sleek

[00:19:44] Let it feed to produce a smooth

[00:19:48] Now we give him six paragraphs

[00:19:50] Then what about the numerical value?

[00:19:52] Let's give it a smooth transition

[00:19:55] Then at this height, we make the cylinder a little higher

[00:19:58] Let’s put SC a little higher

[00:20:01] Remember what we said earlier, we need to apply its scaling

[00:20:06] ctrl plus a

[00:20:07] Then use zoom

[00:20:08] OK, let’s make this a taller cylinder.

[00:20:11] We're done

[00:20:12] Let's go back to the front view and look at this roughly so I zoom out a little bit.

[00:20:20] Okay, then we also move the lower leg to the cylinder.

[00:20:26] Let’s make it highly unified first

[00:20:28] Then we move this calf over with shift and d x keys.

[00:20:36] Now these two legs are actually not on the body of this cylinder.

[00:20:39] Let's go to the top view

[00:20:41] Move this calf over

[00:20:43] ok, then the calf will be there

[00:20:46] And then we start moving this mouth

[00:20:48] Let’s go to the past life map

[00:20:50] Shift d x key to move this mouth over

[00:20:54] Similarly, let’s go to the top view

[00:20:55] Then move your mouth to this cylinder

[00:20:59] Next we start making the eyes

[00:21:02] These eyes are all full of dirt

[00:21:06] shift d x key to move the eyes over

[00:21:11] Top view to study this attack on this small cylinder

[00:21:18] Almost good

[00:21:19] Okay, so now his facial features are still a bit low.

[00:21:22] Let's select this bunch of things

[00:21:24] Move it up a little more

[00:21:29] Okay, let’s go to the future map and take a look.

[00:21:32] What about this little purple man?

[00:21:33] We've done it too

[00:21:34] Next, we will move the decoration above the head.

[00:21:37] shift d x key to move over

[00:21:40] Then face this thing over from the top view

[00:21:46] Now inside, we still go back to the previous life

[00:21:50] move it above

[00:21:54] Almost the same location

[00:21:57] ok, we've also finished this little purple man.

[00:22:00] Almost done

[00:22:02] Next, let's adjust Xiao Zi'er's eyes.

[00:22:06] Because of this, you can take a look at this little purple man.

[00:22:10] We gave it a look

[00:22:11] Look down this

[00:22:14] Let's adjust the two little people with small eyes, Xiao Ziren.

[00:22:18] Then we move it to the middle

[00:22:20] Here I'll teach you a trick

[00:22:23] You will find these two good-looking people

[00:22:26] Its degrees are all rotated

[00:22:29] then we can

[00:22:32] out

[00:22:33] Because r is rotation?

[00:22:34] We can press alt and add r

[00:22:36] This will reset the rotation to zero.

[00:22:40] So we select two alt plus r

[00:22:43] This is equivalent to the rotation of reset

[00:22:46] Then we move it forward

[00:22:57] then move it down

[00:23:00] a little further in

[00:23:03] Almost good

[00:23:04] Now it looks down

[00:23:06] What a little purple person!

[00:23:09] We've done it too

[00:23:10] Then what happens next? I don’t know if you have noticed it.

[00:23:14] That is to say, my reference picture and this model are relatively smooth.

[00:23:19] But the model I made has sharp edges and corners.

[00:23:23] What is the reason for this?

[00:23:26] This is because we moved the reference

[00:23:28] That's because blender by default

[00:23:31] Its display form is smooth and straight coloring when we right-click.

[00:23:37] Then there is another form which is smooth coloring.

[00:23:49] it will become more

[00:23:50] Add smoothness

[00:23:51] Then usually I will do it when the model is in the middle and late stages of production

[00:23:58] Then when making the model

[00:24:00] If there is some sense of this flat coloring

[00:24:03] It just has some sense of detail

[00:24:04] You will think that even your model is relatively simple

[00:24:07] Then when you look at it, you will think, you guys have these sharp edges and corners.

[00:24:12] You will feel that it is a bit complicated

[00:24:14] That will give us more confidence when we build the model.

[00:24:18] Okay, then we will select these models at this time.

[00:24:21] Then give it smooth coloring

[00:24:23] But at this time, it seems a little smoother

[00:24:27] Then take a look here at this time

[00:24:29] Here, although we have a smooth coloring

[00:24:32] But

[00:24:33] It still has some of this cold feeling

[00:24:37] Okay, let's step back.

[00:24:39] That's because its segmentation isn't enough

[00:24:41] We can expand this dropdown here

[00:24:44] like

[00:24:45] Then let's take a look at its wireframe

[00:24:47] You will find this wireframe of it

[00:24:49] Its wiring only has so many lines.

[00:24:52] Then we can add a surface subdivision modifier to it in this modifier panel.

[00:24:59] This way it becomes smoother

[00:25:01] Hey, you will find that it still seems to have so many lines

[00:25:04] It's because after we add the subdivision modifier

[00:25:06] By default it is an optimized display

[00:25:08] After we turn it off

[00:25:10] You will see a real change in it

[00:25:12] It obviously adds a lot of wiring.

[00:25:16] we still keep

[00:25:17] Optimize the demo

[00:25:18] Although it is optimized for display

[00:25:19] But you have to know that its wiring has been increased

[00:25:22] Then we turn off this wireframe

[00:25:24] You will find that this is more sleek.

[00:25:27] Similarly, let's take these and add a surface subdivision to it.

[00:25:37] Well, as a whole, we have completed these three models.

[00:25:42] Then when we are almost done with the model,

[00:25:48] It is to classify these models into groups.

[00:25:52] For example, let's select the minion on the left

[00:25:54] What happens when we select

[00:25:56] The outline view on the right has all these models selected.

[00:25:59] What about after selection?

[00:25:59] We can add a group to it

[00:26:01] Just create a new collection of this icon.

[00:26:04] Sometimes you may not see

[00:26:05] You need to use this roller

[00:26:07] Slide the scroll wheel in the middle of the mouse

[00:26:10] Then we create a new group

[00:26:13] Hey, we've already built it

[00:26:14] What about after it’s built?

[00:26:15] He just

[00:26:15] A new group is shown here

[00:26:17] We can name it Minion

[00:26:23] Then we can select these models

[00:26:27] At this time, you actually find that you just drag it down.

[00:26:30] Not easy to drag

[00:26:31] You have to look far away

[00:26:33] Here is a method to teach you

[00:26:34] That is after you select the model

[00:26:36] You can press the shortcut key m

[00:26:38] Then you can move these models into the collection you created.

[00:26:42] For example, move into this minion

[00:26:44] Then this minion will all contain this model.

[00:26:51] I can also right click

[00:26:52] Then select the object and you can see the same method

[00:26:56] Let's build this little green man

[00:27:04] ok, then you can subtract m and move to the little green dot.

[00:27:08] Then we choose this little purple man

[00:27:10] What about when choosing a boy?

[00:27:11] Let’s just press the m key

[00:27:13] You will find that there is no need to create a new combination here on the right side.

[00:27:17] What about when we pressed the m m key before?

[00:27:19] It has a new combination

[00:27:20] Let's just create a new collection boy

[00:27:24] Then click OK

[00:27:26] In this way, these models are moved directly to the newly created Xiaozier

[00:27:32] In this collection

[00:27:35] After sorting out these models

[00:27:37] We started to build a scene and lighting