CANDIDATE — proposed by the assistant for review, not validated, nothing accepted. Human review or tender release.

A3 CANDIDATE — what would put this bid out if the valid ops of ADD-03 stood (NOT VALIDATED)

Candidate state ADD-03 (NOT validated: the validated state is ADD-02) (issued 2026-11-08); Proposal Due Date (PDD) 2026-12-10 14:00 Riyadh time. 15 (+ VOL-IV-F4C-N1, which restates VOL-I-9.4-01) explicit bid-out triggers + 1 below the score threshold = 17 A3 rows. WD: Working Day; PBN: Preferred Bidder Notification; LCC: Local Content Certificate; PCOD: Project Commercial Operation Date; †: decide before submission (no decision recorded).

CANDIDATE — NOT VALIDATED. The validated A3 (a3.pdf, one page) stays at ADD-02 and is unchanged. This candidate is a view for review, not a deliverable: every op in it is a proposal and nothing is accepted. It is not held to the one-page rule (C43 applies to the validated A3 only) and runs to 7 pages.

What may be changing

ADD-03 is PARTIAL: 3 of 19 provisions unresolved, so A3 and A5 stay validated at ADD-02. If the 14 op(s) that are valid there stood (each still a proposal: review accepted 14), A3 would gain 0 row(s) (none), lose 1 (ADD-02-7.2-01 (ADD-03/3.1(b))) and change 5 (ADD-02-F4G-04 (register), VOL-I-6.1-01 (ADD-03/2.1(a), ADD-03/2.1(b)), VOL-I-6.3-01 (ADD-03/5.2(a)), VOL-I-6.4-01 (ADD-03/5.1) and 1 more); A5, replanned at ADD-03's issue date (2026-11-08), would move the latest dates of 43 activities (assemble-envelope-a, assemble-envelope-b, bond-approval, bond-issue and 39 more), add 0 (none) and remove 0 (none), and marks 17 REVIEW through relationships. Not settled: 5 activities blocked by an unresolved row (fin-model-build, fin-model-freeze, form-4g-review, form-4f and 1 more), 7 STALE row(s), 0 obligation(s) reaching no output (C46), 8 relationship chain(s) blocked or incomplete, 1 conflict(s); documents not supplied: the Environmental Permit issued for the site, Volume V Schedule 11 (Project Company Events of Default), Volume V Schedule 7 (deductions), I-PERMIT and 7 more. Nothing here is validated, accepted or applied to the real state.

Changes against the validated A3 (6)

CHANGES ADD-02-F4G-04 now STALE (row NEW -> ACTIVE (as amended by ADD-02/7.1); review changed; STALE)
- status NEW -> ACTIVE (as amended by ADD-02/7.1)
- NOT SETTLED: STALE at ADD-03: its reading was not re-made (ADD-02:7.2 changed since ADD-02 (by ADD-03/3.1(b)))

CHANGES VOL-I-6.1-01 text: “Deliver the Proposal to the Authority by the Proposal Due Date and time, at the Appendix 3 address — “Thursday 26 Novem…” -> “Deliver the Proposal to the Authority by the Proposal Due Date and time, at the Appendix 3 address — “Proposals shall b…” (row ACTIVE (as amended by ADD-01/2.1) -> AMENDED (ADD-03/2.1(a)); review accepted)
- source op ADD-03/2.1(a) (replace_text; applied in the candidate; review accepted; origin assistant)
- source op ADD-03/2.1(b) (annotate; applied in the candidate; review accepted; origin assistant)
- reading re-made at ADD-03 (register)
- status ACTIVE (as amended by ADD-01/2.1) -> AMENDED (ADD-03/2.1(a))

CHANGES VOL-I-6.3-01 text: “Bid Bond valid for two hundred and ten (210) days from the Proposal Due Date and extended on demand where the Authority…” -> “Bid Bond valid for two hundred and ten (210) days from the Proposal Due Date and extended on demand where the Authority…” (row ACTIVE -> AMENDED (ADD-03/5.2(a)); review accepted)
- source op ADD-03/5.2(a) (replace_text; applied in the candidate; review accepted; origin assistant)
- reading re-made at ADD-03 (register)
- status ACTIVE -> AMENDED (ADD-03/5.2(a))

CHANGES VOL-I-6.4-01 text: “Bid Bond of SAR 5,600,000, unconditional and payable on first written demand — “in the amount of SAR 4,500,000”” -> “Bid Bond of SAR 5,600,000, unconditional and payable on first written demand” (row ACTIVE -> AMENDED (ADD-03/5.1); review accepted)
- source op ADD-03/5.1 (replace_text; applied in the candidate; review accepted; origin assistant)
- reading re-made at ADD-03 (register)
- status ACTIVE -> AMENDED (ADD-03/5.1)

CHANGES VOL-I-8.5-01 text: “Evidence at least two (2) reference sewage treatment plants of at least 100,000 m3/day, each having achieved commercial…” -> “Evidence at least two (2) reference sewage treatment plants of at least 100,000 m3/day, each having achieved commercial…” (row ACTIVE -> AMENDED (ADD-03/4.2); review accepted)
- source op ADD-03/4.2 (replace_text; applied in the candidate; review accepted; origin assistant)
- reading re-made at ADD-03 (register)
- status ACTIVE -> AMENDED (ADD-03/4.2)

LEAVES ADD-02-7.2-01 was explicit (non-responsive) (row NEW -> REVOKED (ADD-03/3.1(b)); review accepted)
- source op ADD-03/3.1(b) (set_status; applied in the candidate; review accepted; origin assistant)
- status NEW -> REVOKED (ADD-03/3.1(b))

The candidate A3, every section in full

Explicit — Rejection: 5

[CHANGES] VOL-I-6.1-01 Deliver the Proposal to the Authority by the Proposal Due Date and time, at the Appendix 3 address — “Proposals shall be received by the Authority not later than 14:00 hours Riyadh time on Thursday 10 December 2026 at the address given in Appendix 3.” — *rejection*: “will be rejected unopened and returned to the Bidder” [VOL-I 6.6 p3; the requirement as amended: VOL-I 6.1 p3 as amended by ADD-03 2.1 p1] INFEASIBLE on PROVISIONAL assumed lead times: Local Content Certificate 30 WD, not stated in the pack; Assemble the marked original of Envelope A in the VOL-I 9.1 order with numbered dividers (Form 4-G after item (e)); check that no price or commercial information appears (VOL-I 6.2) 1 WD, not stated in the pack; Complete the Financial Model (unlocked, fully formula-linked Excel, no macros, no hard-coded values in calculation cells)

CANDIDATE — proposed by the ADD workflow, not reviewed, nothing accepted human review or tender release.

15 WD, not stated in the pack; Financial Model (unlocked Excel, frozen version) 1 WD, not stated in the pack; Independent model auditor's opinion (original) 5 WD, not stated in the pack; Form 4-F Financial Proposal Schedule (signed) 2 WD, not stated in the pack; 3 hard copies per envelope and the encrypted USB copy (Appendix 2 naming) 1 WD, not stated in the pack; Sealed Envelopes A and B delivered to the Appendix 3 address 1 WD, not stated in the pack; float -13 WD; I-LCC-ISSUER · amended by addendum

[CHANGES] **VOL-I-8.5-01** Evidence at least two (2) reference sewage treatment plants of at least 100,000 m3/day, each having achieved commercial operation within the ten (10) years preceding the Proposal Due Date — *rejection*: “shall be rejected without further evaluation” [VOL-I 8.5#fn12 p4 as amended by ADD-03 4.2 p1] see ADD-01/2.2, ADD-01/Q5 · amended by addendum

VOL-I-1.4-01 Only a Bidder prequalified under RFQ NUPA/ISTP/2025/031 and named in Appendix 1 may submit a Proposal — *rejection*: “A Proposal received from any other person shall be rejected without evaluation.” [VOL-I 1.4 p2]

VOL-I-8.1-01 Bid as the prequalified entity or consortium; no change to composition, shareholding or lead member without the Authority's prior written consent — *rejection*: “An unapproved change shall result in rejection of the Proposal.” [VOL-I 8.1 p4]

VOL-I-8.2-01 No firm or affiliate of a member may participate in more than one Proposal — *rejection*: “Participation in more than one Proposal shall cause every Proposal in which that firm or affiliate participates to be rejected.” [VOL-I 8.2 p4]

Explicit — Disqualification: 2

VOL-I-5.4-01 Be represented at the Pre-Bid Conference on 30 September 2026 — *disqualification*: “A Bidder that is not represented at the Pre-Bid Conference shall be disqualified.” [VOL-I 5.4 p3]

VOL-I-4.2-01 Blackout: no contact with the Authority's board, staff, consultants or advisors about the Project other than through the Portal, until the PBN — *disqualification*: “Breach of this Clause shall result in the disqualification of the Bidder.” [VOL-I 4.2 p3]

Explicit — Non-responsive: 7

VOL-I-8.6-01 Local Content Certificate from the competent authority showing the minimum construction-phase local content ratio — “not less than thirty-five per cent (35%) for the construction phase” — *non-responsive*: “Failure to submit the certificate shall render the Proposal non-responsive.” [ADD-02 9.1 p3 (reinstating VOL-I 8.6)] INFEASIBLE on PROVISIONAL assumed lead times: Local Content Certificate 30 WD, not stated in the pack; float -13 WD; I-LCC-ISSUER · see ADD-01/4.2 · amended by addendum

VOL-I-9.3-01 Form 4-A (as reissued by ADD-01 App A) signed by a person holding a notarised Power of Attorney from the lead member; an unsigned or improperly executed Form 4-A renders the Proposal non-responsive — *non-responsive*: “An unsigned or improperly executed Form 4-A shall render the Proposal non-responsive.” [VOL-I 9.3 p5]

VOL-I-9.4-01 Form 4-C completed in Arabic, signed and stamped by an authorised signatory of each member — *non-responsive*: “Failure to submit a complete and properly executed Form 4-C for each member shall render the Proposal non-responsive.” [VOL-I 9.4 p5]

VOL-IV-F4C-N1 Form 4-C note (Arabic): submit the form in Arabic for each consortium member — *non-responsive*: “عدم تقديمه كاملاً يجعل العرض غير مستجيب” (translation confirmed by the owner 2026-10-03 (VOL-IV-p6-r1): ‘failure to submit it complete renders the proposal non-responsive’) [VOL-IV F4-C/image/note p6]

VOL-I-6.2-02 No price, rate or other commercial information anywhere in Envelope A — *non-responsive*: “The appearance of any price, rate, or other commercial information within Envelope A shall render the Proposal non-responsive.” [VOL-I 6.2 p3]

VOL-I-9.6-01 Form 4-E lists every deviation, qualification or reservation to Volume V; never 'no deviations' with a qualification elsewhere — *non-responsive*: “A Proposal that states ‘no deviations’ in Form 4-E while containing a qualification elsewhere in the Proposal shall be treated as non-responsive.” [VOL-I 9.6 p5]

VOL-I-10.5-01 No conditional price, alternative price, or price subject to adjustment other than as provided in Volume V — *non-responsive*: “Any conditional price, price subject to adjustment other than as provided in Volume V, or alternative price shall render the Proposal non-responsive.” [VOL-I 10.5 p5] INFEASIBLE on PROVISIONAL assumed lead times: Form 4-F Financial Proposal Schedule (signed) 2 WD, not stated in the pack; Complete the Financial Model (unlocked, fully formula-linked Excel, no macros, no hard-coded values in calculation cells) 15 WD, not stated in the pack; Financial Model (unlocked Excel, frozen version) 1 WD, not stated in the pack; Independent model auditor's opinion (original) 5 WD, not stated in the pack; Assemble the marked original of Envelope A in the VOL-I 9.1 order with numbered dividers (Form 4-G after item (e)); check that no price or commercial information appears (VOL-I 6.2) 1 WD, not stated in the pack; 3 hard copies per envelope and the encrypted USB copy (Appendix 2 naming) 1 WD, not stated in the pack; Sealed Envelopes A and B delivered to the Appendix 3 address 1 WD, not stated in the pack; float -1 WD; I-LCC-ISSUER

VOL-I-11.5-01 A response to an Authority clarification request must not change the Availability Payment quoted — *non-responsive*: “any response that does so shall render the Proposal non-responsive” [VOL-I 11.5 p5]

Explicit — Exclusion (Arabic text only; not equated with the other categories; I-F4C-EXCLUSION): 1

VOL-IV-F4C-04 Form 4-C declaration 4 (Arabic only): all information in the Proposal is true and complete — *exclusion*: “يؤدي إلى استبعاد العرض” (translation confirmed by the owner 2026-10-03 (VOL-IV-p6-r1); category mapping open (I-F4C-EXCLUSION): ‘leads to the exclusion of the proposal’) [VOL-IV F4-C/image/decl4 p6]

Explicit — Envelope B returned unopened (technical score below the threshold): 1

VOL-I-11.3-01 Technical score of at least 70 out of 100 to proceed to commercial evaluation — *Envelope B returned unopened*: “its Envelope B shall be returned unopened” [VOL-I 11.3 p5]

General gate — mandatory, pass or fail; no bid-out consequence stated (VOL-I 11.1(i)): 36

Mandatory; no bid-out consequence stated. VOL-I 11.1(i) is a general pass/fail check; the pack does not say which clause is checked at which stage (8 are Envelope B items, VOL-I 11.3). No clause-specific label or curability is implied (I-NO-CONSEQUENCE).

[CHANGES] VOL-I-6.3-01, **[CHANGES]** VOL-I-6.4-01, VOL-I-6.4-02, VOL-I-7.1-01, VOL-I-8.3-01, ADD-01-AppA-01, **[CHANGES]** ADD-02-F4G-04, VOL-I-6.2-01, VOL-I-6.5-01, VOL-I-8.4-01, VOL-I-8.4-02, VOL-I-8.7-01, VOL-I-8.8-01, VOL-I-8.9-01, VOL-I-8.10-01, VOL-I-9.1-01, VOL-I-9.1h-01, VOL-I-9.7-01, VOL-I-10.1-01, VOL-I-10.2-01, VOL-I-10.3-01, VOL-I-10.3-02, VOL-I-10.4-01, VOL-I-10.5-02, VOL-I-10.6-01, VOL-I-App3-01, VOL-IV-F4A-02, VOL-IV-F4B-01, VOL-IV-F4C-01, VOL-IV-F4C-02, VOL-IV-F4C-03,

CANDIDATE — proposed by the AI workflow, not reviewed, nothing accepted. Human review or tender release.

VOL-IV-F4C-05, VOL-IV-F4D-01, VOL-IV-F4E-01, VOL-IV-F4F-01, VOL-IV-F4F-02

Blockers: what stops the candidate becoming the validated state, or what it cannot establish

Unresolved provisions (3)

ADD-03:2.2 (ADD-03 p1; escalated): escalated: software limitation: ADD-03:2.2 states 'Every period calculated by reference to the Proposal Due Date is adjusted accordingly.' The amendment engine rejected annotate targets VOL-I:5.2, VOL-I:6.3, VO… [AI workflow run ADD-03-run-host-20261015T131927Z-745a (route host, model codex exec (configured gpt-6-astra; runtime model identity reported separately)); PROPOSED; not reviewed]: a person writes the op or a disposition — words: “Every period calculated by reference to the Proposal Due Date is adjusted accordingly.”; rows: none; activities: none

ADD-03:4.3 (ADD-03 p1; insufficient evidence): insufficient evidence: ADD-03:4.3 states ‘Volume I Clause 1.3 is amended correspondingly.’ After reading that provision, ADD-03:4.1 and VOL-I:1.3 at ADD-02, no exact replacement text is supplied for ‘one hundred and twenty thousand cubic metres per day (120,000 m³/day)’. The target is identified, but a literal replacement of the complete worded and numeric phrase cannot be quoted from this provision. Legal must confirm the corresponding wording; no text is silently reconstructed. [AI workflow run ADD-03-run-host-20261015T131927Z-745a (route host, model codex exec (configured gpt-6-astra; runtime model identity reported separately)); PROPOSED; not reviewed] — words: “Volume I Clause 1.3 is amended correspondingly.”; rows: none; activities: none

ADD-03:Q17 (ADD-03 p2; escalated): escalated: software limitation: validate_proposal accepts the well-formed row_new ADD-03/Q17, verifies its quotation and reports it ready with interpretation_pending, but still lists ADD-03:Q17 as UNACCOUNTED i… [AI workflow run ADD-03-run-host-20261015T131927Z-745a (route host, model codex exec (configured gpt-6-astra; runtime model identity reported separately)); PROPOSED; not reviewed]: a person writes the op or a disposition — words: “No: 17 | Bidder question: Will the Availability Payment be adjusted for the increased capacity? | Authority response: Bidders shall price the Project as amended by this Addendum.”; rows: ADD-03-Q17-01; activities: fin-model-build, fin-model-freeze, form-4f

Rows not settled in the candidate (8)

ADD-02-F4G-01: STALE at ADD-03: its reading was not re-made (ADD-02:7.2 changed since ADD-02 (by ADD-03/3.1(b)))

ADD-02-F4G-02: STALE at ADD-03: its reading was not re-made (ADD-02:7.2 changed since ADD-02 (by ADD-03/3.1(b)))

ADD-02-F4G-03: STALE at ADD-03: its reading was not re-made (ADD-02:7.2 changed since ADD-02 (by ADD-03/3.1(b)))

ADD-02-F4G-04: STALE at ADD-03: its reading was not re-made (ADD-02:7.2 changed since ADD-02 (by ADD-03/3.1(b)))

ADD-02-F4G-05: STALE at ADD-03: its reading was not re-made (ADD-02:7.2 changed since ADD-02 (by ADD-03/3.1(b)))

ADD-02-F4G-06: STALE at ADD-03: its reading was not re-made (ADD-02:7.2 changed since ADD-02 (by ADD-03/3.1(b)))

ADD-02-F4G-07: STALE at ADD-03: its reading was not re-made (ADD-02:7.2 changed since ADD-02 (by ADD-03/3.1(b)))

ADD-03-Q17-01: ADD-03:Q17 UNRESOLVED: escalated: software limitation: validate_proposal accepts the well-formed row_new ADD-03/Q17, verifies its quotation and reports it ready with interpretation_p…

A5 activities blocked by an unresolved row (5)

fin-model-build Complete the Financial Model (unlocked, fully formula-linked Excel, no macros, no hard-coded values in calculation cells) (rows ADD-03-Q17-01)

fin-model-freeze Freeze the Financial Model (final inputs and version) for the audit opinion and Form 4-F (rows ADD-03-Q17-01)

form-4g-review Review the six Form 4-G undertakings with the O&M and OT security leads (rows ADD-02-F4G-01, ADD-02-F4G-02, ADD-02-F4G-03, ADD-02-F4G-04, ADD-02-F4G-05, ADD-02-F4G-06, ADD-02-F4G-07)

form-4f Complete and sign Form 4-F from the frozen Financial Model (single Availability Payment, SAR per annum, excluding VAT) (rows ADD-03-Q17-01)

form-4g-sign Complete and sign Form 4-G (rows ADD-02-F4G-01, ADD-02-F4G-02, ADD-02-F4G-03, ADD-02-F4G-04, ADD-02-F4G-05, ADD-02-F4G-06, ADD-02-F4G-07)

Obligations reaching no output (C46) (0)

None.

Relationship chains blocked or incomplete (8)

VOL-II-2.4-01 via REL-T24-COMPLIANCE-MONITORING-STREAMS: BLOCKED: the Environmental Permit issued for the site not supplied (REL-MISSING-ENVIRONMENTAL-PERMIT): cannot be established: that the reproduced Table 2-4 limits, as amended by the addenda, are the limits that govern (the Permit prevails over the reproduction), and the limit of any parameter not listed (Note 1); Permit compliance is not claimed

VOL-II-3.1-01 via REL-T24-PROCESS-DESIGN: BLOCKED: the Environmental Permit issued for the site not supplied (REL-MISSING-ENVIRONMENTAL-PERMIT): cannot be established: that the reproduced Table 2-4 limits, as amended by the addenda, are the limits that govern (the Permit prevails over the reproduction), and the limit of any parameter not listed (Note 1); Permit compliance is not claimed

VOL-II-4.3-02 via REL-T24-COMPLIANCE-MONITORING-STREAMS: BLOCKED: the Environmental Permit issued for the site not supplied (REL-MISSING-ENVIRONMENTAL-PERMIT): cannot be established: that the reproduced Table 2-4 limits, as amended by the addenda, are the limits that govern (the Permit prevails over the reproduction), and the limit of any parameter not listed (Note 1); Permit compliance is not claimed

VOL-II-7.2-01 via REL-T24-RELIABILITY-RUN: BLOCKED: the Environmental Permit issued for the site not supplied (REL-MISSING-ENVIRONMENTAL-PERMIT): cannot be established: that the reproduced Table 2-4 limits, as amended by the addenda, are the limits that govern (the Permit prevails over the reproduction), and the limit of any parameter not listed (Note 1); Permit compliance is not claimed

VOL-V-29.3-01 via REL-T24-RAMP-UP-DEDUCTIONS: BLOCKED: the Environmental Permit issued for the site not supplied (REL-MISSING-ENVIRONMENTAL-PERMIT): cannot be established: that the reproduced Table 2-4 limits, as amended by the addenda, are the limits that govern (the Permit prevails over the reproduction), and the limit of any parameter not listed (Note 1); Permit compliance is not claimed

CANDIDATE — proposed by the AI workflow, not reviewed, nothing accepted human review or tender release.

VOL-V-31.1-02 via REL-T24-UNAVAILABILITY: BLOCKED: Volume V Schedule 7 (deductions) not supplied (REL-MISSING-SCHEDULE-7-DEDUCTIONS): cannot be established: the amount of the deduction for each Unavailability Event under 31.1(a), (b) and (c), so the price risk of each; BLOCKED: the Environmental Permit issued for the site not supplied (REL-MISSING-ENVIRONMENTAL-PERMIT): cannot be established: that the reproduced Table 2-4 limits, as amended by the addenda, are the limits that govern (the Permit prevails over the reproduction), and the limit of any parameter not listed (Note 1); Permit compliance is not claimed

VOL-II-2.4-01 via REL-AI-007: BLOCKED: the Environmental Permit issued for the site not supplied (REL-MISSING-ENVIRONMENTAL-PERMIT): cannot be established: that the reproduced Table 2-4 limits, as amended by the addenda, are the limits that govern (the Permit prevails over the reproduction), and the limit of any parameter not listed (Note 1); Permit compliance is not claimed

VOL-V-31.1-02 via REL-AI-007: BLOCKED: Volume V Schedule 7 (deductions) not supplied (REL-MISSING-SCHEDULE-7-DEDUCTIONS): cannot be established: the amount of the deduction for each Unavailability Event under 31.1(a), (b) and (c), so the price risk of each

Documents referenced but not supplied (11): kept visible

I-AUTO-NOT-SUPPLIED-ENVIRONMENTAL-PERMIT the Environmental Permit issued for the site: that the reproduced Table 2-4 limits, as amended by the addenda, are the limits that govern (the Permit prevails over the reproduction), and the limit of any parameter not listed (Note 1); Permit compliance is not claim… — reached by this addendum: VOL-II-2.4-01, VOL-II-3.1-01, VOL-II-4.3-02, VOL-II-7.2-01, VOL-II-T2-4-TP, VOL-II-T2-4-TP (changed at ADD-03), VOL-V-29.3-01, VOL-V-31.1-02; issues I-PERMIT

I-AUTO-NOT-SUPPLIED-VOL-V-SCHEDULE-11 Volume V Schedule 11 (Project Company Events of Default): which events are Project Company Events of Default, so how to avoid them and whether to reserve the position in Form 4-E; whether late completion short of the VOL-V 18.3 long-stop is itself an Event of Default giving a termination right under 39.1, so whether delay liquidated damages are in practice the only remedy for late completion; whether persistent breach (three or more Unavailability Events in a rolling 90 days) is also an Event of Default listed in Schedule 11, giving a termination right under 39.1 independent of 31.4 and 39.3; so an amendment… — not reached by this addendum's changes; still open; issues I-VOL-V-MISSING, I-VOL-V-PERSISTENT-BREACH

I-AUTO-NOT-SUPPLIED-VOL-V-SCHEDULE-7 Volume V Schedule 7 (deductions): the amount of the deduction for each Unavailability Event under 31.1(a), (b) and (c), so the price risk of each — reached by this addendum: VOL-V-31.1-02; issues I-VOL-V-MISSING

I-PERMIT OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): The Environmental Permit is not supplied, yet it prevails over the Table 2-4 reproduction: Permit compliance is not claimed — reached by this addendum: VOL-II-T2-4-TP (changed at ADD-03); issues I-PERMIT

I-VOL-III Volume III / Drawing 03-C-114 (delivery point, VOL-II 5.1) not supplied; no omission claim after the PDD (VOL-I 3.4) — reached by this addendum: VOL-I-3.4-01 (changed at ADD-03); issues I-VOL-III

I-ADD-03-DS009-FLOW-ANSWER OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): CONDITIONAL on proposed issue ADD-03/4.1-flow-review and the unresolved Table 2-6 targeting escalations. ADD-02:Q11 says ‘Bidders shall design to the figures stated in Volume II. Volume II Clause 4.2 applies.’ ADD-03:4.1 changes the daily… — reached by this addendum: VOL-II-2.1-01 (changed at ADD-03); issues I-ADD-03-DS009-FLOW-ANSWER

I-VOL-II-MISSING Not in the pack: the Environmental and Social Impact Assessment (ESIA; VOL-II 9.1) and the geotechnical report (ADD-01 Q4), both 'in the data room'; tie-in points (1.3); asset register format (7.4). ESIA compliance and ground risk unverifiable — not reached by this addendum's changes; still open; issues I-VOL-II-MISSING

I-VOL-V-MISSING OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): VOL-V extract: Schedules 7, 9, 11, 12, Direct Agreement missing; unlisted deviations count as accepted — reached by this addendum: I-AUTO-NOT-SUPPLIED-VOL-V-SCHEDULE-7 (reached; its words name I-VOL-V-MISSING); issues I-VOL-V-MISSING

I-VOL-II-COMPLIANCE-POINT OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): The point at which Table 2-4 compliance is assessed. The pack prints three candidates: the table title 'Minimum Effluent Quality Parameters at the Point of Discharge' (VOL-II p3, the Table 2-4 image); 'Continuous at outlet' (the basis of … — reached by this addendum: VOL-II-T2-4-TP (changed at ADD-03); issues I-VOL-II-COMPLIANCE-POINT

I-VOL-IV-SCALE ADD-02 note (3) to Table 1-1: marks on the Authority's 'standard five-point scale' multiplied by 'the weight shown'; the scale is not in the pack and the table shows Marks, not weights — not reached by this addendum's changes; still open; issues I-VOL-IV-SCALE

I-OP-ADD-01/Q4 ADD-01/Q4: the geotechnical report and the wadi-crossing drawing (Volume III) are referenced but not supplied — not reached by this addendum's changes; still open; issues I-OP-ADD-01/Q4

Conflicts (1)

ADD-01:AppA/proposal-due-date prints the Proposal Due Date as 2026-11-12; the effective date (VOL-I:6.1) is 2026-12-10. Not corrected: a person decides what to print and sign, and whether to seek clarification (printed date vs effective date (I-AUTO-PRINTED-AppA-proposal-due-date, C31))

Open issues in play: kept open, never resolved here (14)

I-ADD03-6-1-THRESHOLD (Commercial): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): ambiguous: 'within two per cent (2%) of one another' supports a relative percentage comparison or an absolute percentage-point comparison of combined evaluation results. The clause does not select a denominator or calculation method. 'such further criteria as it considers appropriate' does not identify those criteria. Commercial, with L… — via ADD-03-6.1-01

I-F4A-FIELDS (Legal): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Reissued Form 4-A (ADD-01 App A) drops fields and the numbered confirmations of the original and states a purpose ('acknowledgement of Addenda at paragraph 1') it has no paragraph for; what to print and sign, and whether to seek clarification before the cut-off — via ADD-03-cover-01

I-F4G-LETTERING (Bid manager): Form 4-G is inserted after item (e) of VOL-I 9.1; the re-lettering of items (f)-(i) is not stated — via ADD-02-7.2-01

CANDIDATE — proposed by the assembly, not reviewed, nothing accepted human review or tender release.

I-F4G-NO (Technical): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-G undertakings are answered Yes/No; the effect of 'No' is not stated, and undertakings 3-6 add post-award obligations not in VOL-II 6 — via ADD-02-F4G-01, ADD-02-F4G-02, ADD-02-F4G-03, ADD-02-F4G-05, ADD-02-F4G-06, ADD-02-F4G-07

I-FLOWS (Process engineer): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Design flows: ADD-02 Q11 (p2), asked about a peak hourly flow of 7,500 m3/h against a daily average of 120,000 m3/day, answers 'Bidders shall design to the figures stated in Volume II. Volume II Clause 4.2 applies.': design to the Volume II figures. It does not comment on their consistency (VOL-II 4.2 leaves that to the Bidder) and does… — via VOL-II-2.3-01, VOL-II-7.2-01, fin-model-build, form-4f, technical-proposal

I-NO-CONSEQUENCE (Bid manager): The clause states no consequence of its own. A mandatory requirement is subject to the responsiveness and mandatory compliance check on a pass or fail basis (VOL-I 11.1(i)); only Proposals that pass it go on to technical evaluation (11.1(ii)). The pack gives no clause-specific label and does not say whether a failure is curable; none is implied — via ADD-02-F4G-04, ADD-03-cover-01, VOL-I-6.3-01, VOL-I-6.4-01, VOL-I-6.4-02, VOL-I-7.1-01, VOL-I-8.3-01

I-PERMIT (Technical): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Table 2-4 is reproduced from an Environmental Permit that is not in the pack. The precedence language is in the VOL-II p3 reproduction preamble ('the Environmental Permit shall prevail'; VOL-II 2.4 incorporates the table by reference); the owner confirmed that location on 3 Oct 2026. Not confirmed, and not claimed: the Permit's contents… — via VOL-II-2.4-01, VOL-II-3.1-01, VOL-II-7.2-01, VOL-II-T2-4-TP, VOL-V-31.1-02

I-READING-T24 (Owner): Table 2-4 (image): the visible transcription (rows, headings, units, limits, assessment bases, the qualifier and Note 1) was confirmed by the owner (Ahmad, 3 Oct 2026; approval of VOL-II-p3-r1). TN = 5 mg/l is the original reading; 3 mg/l is ADD-02 5.1's separate amended value. Still open: anything outside the visible image (e.g. whether a further note was cut off below Note 1) — via VOL-II-2.4-01, VOL-II-3.1-01, VOL-II-4.3-02, VOL-II-7.2-01, VOL-II-T2-4-TP, VOL-V-29.3-01, VOL-V-31.1-02

I-VOL-I-BOND-LONGSTOP (Commercial lead): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): The VOL-I 12.2 periods (Commercial Close 120 days, Financial Close 270 days from the Preferred Bidder Notification) are unchanged: settled by ADD-02 Q13. Open: the Bid Bond's 180-day validity from the PDD (VOL-I 6.3) may end before the Financial Close long-stop, on which 12.2 lets the Authority call it; whether it must be extended to co… — via VOL-I-12.2-02

I-VOL-II-AT-ALL-TIMES (Process engineer): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): 'at all times' (VOL-II 2.4) vs Table 2-4 assessment bases. Proposed reading (not decided): Table 2-4 gives a basis of assessment for each parameter and a general qualifier, and VOL-II 2.4 requires that the treated effluent 'shall at all times comply with the parameters set out in Table 2-4'; the assistant reads the two together as conti… — via VOL-II-2.4-01

I-VOL-II-COMPLIANCE-POINT (Process engineer): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): The point at which Table 2-4 compliance is assessed. The pack prints three candidates: the table title 'Minimum Effluent Quality Parameters at the Point of Discharge' (VOL-II p3, the Table 2-4 image); 'Continuous at outlet' (the basis of assessment of Residual Chlorine and pH, VOL-II p3); and 'the delivery point shown on Drawing 03-C-11… — via VOL-II-T2-4-TP

I-VOL-II-T24-TENSIONS (Process engineer): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): The printed qualifier is confirmed (owner, 3 Oct 2026): 'all values are maxima; compliance assessed as a 30-day rolling average unless stated'. Unresolved: how it interacts with the chlorine (0.5-1.0 mg/l) and pH (6.0-9.0) ranges, and a chlorine residual 'continuous at outlet' vs UV-only disinfection or dechlorination allowed by VOL-II … — via VOL-II-2.4-01, VOL-II-3.1-01, VOL-II-4.3-02, VOL-II-7.2-01, VOL-V-29.3-01, VOL-V-31.1-02

I-VOL-III (Technical): Volume III referenced (VOL-I 3.1), not supplied; pack confirmed complete (2 Oct). Only Drawing 03-C-114 shows the effluent main's delivery point (VOL-II 5.1). No omission claim after the PDD (VOL-I 3.4) — via VOL-I-3.4-01

I-VOL-V-MISSING (Legal counsel): OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): VOL-V is an extract: omitted clauses, Schedules 7 (deductions), 9 (indexation), 11 (defaults), 12 (termination sums) and the Direct Agreement are not supplied, yet unlisted deviations are accepted — via VOL-V-31.1-02

Conditional scenarios (0)

None in the op file: no op or unresolved provision says it is conditional or effective-dated.

Image-read units: crops, Arabic verbatim, translations apart, table context, units, uncertainties

The review packet of each region (in the evidence build) shows every crop beside its reading. Translations are proposals, never evidence; what a value means (maximum, range, target) is decided by a person.

VOL-II-p3-r1 (VOL-II p3; reading approved): packet <evidence build>/review/VOL-II-p3-r1/packet.html

- uncertainty: The table is a scan with speckle and a measured skew of about -0.34 degrees; values were read at native resolution.
- uncertainty: Table 2-4 is stated to be reproduced from an Environmental Permit that is not in the pack; this reading says what the image shows, nothing about the Permit.
- uncertainty: `note1`: Note 1 is the last line of the image and touches its bottom edge; the image may be cropped. The page continues with 'End of reproduction.' in the text layer, but whether a further note was cut off cannot be established from the pack.
- uncertainty: row `FaecalColiforms`: decimal point in 2.2: clear at native resolution, but a speckled scan can imitate a point; reviewer to confirm
- uncertainty: row `ResidualChlorine`: printed as a range although the qualifier says 'all values are maxima'; whether 0.5 is a binding minimum is an interpretation for a person, not a reading question
- uncertainty: row `pH`: unit cell shows a dash, read as 'no unit'
- uncertainty: row `pH`: range printed under a 'maxima' qualifier (see Residual Chlorine)
- **VOL-II:T2-4/BOD5** “Parameter: Biochemical Oxygen Demand (BOD5) | Unit: mg/l | Limit: 10 | Basis of assessment: 30-day rolling average” · unit mg/l · table: Table 2-4 Minimum Effluent Quality Parameters at the Point of Discharge columns Parameter, Unit, Limit, Basis of assessment; qualifier (all values are maxima; compliance assessed as a 30-day rolling average unless stated) · issues I-PERMIT, I-READING-T24, I-VOL-II-COMPLIANCE-POINT · touched: cited by VOL-V-29.3-01

CANDIDATE — proposed by the AI workflow, not reviewed, nothing accepted human review or tender release.

(in play at ADD-03); cited by VOL-V-29.3-01, reached via REL-T24-RAMP-UP-DEDUCTIONS; cited by VOL-V-29.3-01, reached via REL-AI-007

VOL-II:T2-4/COD “Parameter: Chemical Oxygen Demand (COD) | Unit: mg/l | Limit: 50 | Basis of assessment: 30-day rolling average” · unit mg/l · table: Table 2-4 Minimum Effluent Quality Parameters at the Point of Discharge columns Parameter, Unit, Limit, Basis of assessment; qualifier (all values are maxima; compliance assessed as a 30-day rolling average unless stated) · issues I-PERMIT, I-READING-T24, I-VOL-II-COMPLIANCE-POINT · touched: cited by VOL-V-29.3-01 (in play at ADD-03); cited by VOL-V-29.3-01, reached via REL-T24-RAMP-UP-DEDUCTIONS; cited by VOL-V-29.3-01, reached via REL-AI-007

VOL-II:T2-4/TSS “Parameter: Total Suspended Solids (TSS) | Unit: mg/l | Limit: 10 | Basis of assessment: 30-day rolling average” · unit mg/l · table: Table 2-4 Minimum Effluent Quality Parameters at the Point of Discharge columns Parameter, Unit, Limit, Basis of assessment; qualifier (all values are maxima; compliance assessed as a 30-day rolling average unless stated) · issues I-PERMIT, I-READING-T24, I-VOL-II-COMPLIANCE-POINT · touched: cited by VOL-V-29.3-01 (in play at ADD-03); cited by VOL-V-29.3-01, reached via REL-T24-RAMP-UP-DEDUCTIONS; cited by VOL-V-29.3-01, reached via REL-AI-007

VOL-II:T2-4/TN “Parameter: Total Nitrogen (TN) | Unit: mg/l | Limit: 5 | Basis of assessment: 30-day rolling average” · unit mg/l · table: Table 2-4 Minimum Effluent Quality Parameters at the Point of Discharge columns Parameter, Unit, Limit, Basis of assessment; qualifier (all values are maxima; compliance assessed as a 30-day rolling average unless stated) · at ADD-03: active “Parameter: Total Nitrogen (TN) | Unit: mg/l | Limit: 3 | Basis of assessment: 30-day rolling average” (by ADD-02/5.1) · issues I-PERMIT, I-READING-T24, I-VOL-II-COMPLIANCE-POINT · touched: cited by VOL-V-29.3-01 (in play at ADD-03); cited by VOL-V-29.3-01, reached via REL-T24-RAMP-UP-DEDUCTIONS; cited by VOL-V-29.3-01, reached via REL-AI-007

VOL-II:T2-4/TP “Parameter: Total Phosphorus (TP) | Unit: mg/l | Limit: 1 | Basis of assessment: 30-day rolling average” · unit mg/l · table: Table 2-4 Minimum Effluent Quality Parameters at the Point of Discharge columns Parameter, Unit, Limit, Basis of assessment; qualifier (all values are maxima; compliance assessed as a 30-day rolling average unless stated) · at ADD-03: active “Parameter: Total Phosphorus (TP) | Unit: mg/l | Limit: 0.5 | Basis of assessment: 30-day rolling average” (by ADD-03/7.1) · issues I-PERMIT, I-READING-T24, I-VOL-II-COMPLIANCE-POINT · touched: changed by ADD-03/7.1; cited by VOL-II-T2-4-TP (in play at ADD-03); cited by VOL-V-29.3-01 (in play at ADD-03); cited by VOL-II-T2-4-TP, reached via REL-MISSING-ENVIRONMENTAL-PERMIT; cited by VOL-V-29.3-01, reached via REL-T24-RAMP-UP-DEDUCTIONS; cited by VOL-V-29.3-01, reached via REL-AI-007

VOL-IV-p6-r1 (VOL-IV p6; reading approved): packet <evidence build>/review/VOL-IV-p6-r1/packet.html — not touched by ADD-03; kept available

uncertainty: Diacritics (tanween on أولاً, ثانياً, ثالثاً, رابعاً, خامساً, كاملاً; hamza forms) were checked on native pixels; at reduced zoom they disappear, so review the native crops, not a scaled view.

uncertainty: Where printed tanween sits relative to the final alef is not visible; it is stored after the alef. Matching text removes tashkeel, so this does not affect matching.

uncertainty: Blank fill-in lines under each field label are rule bands (structure), not text.

uncertainty: `decl4`: translation of استبعاد العرض as 'exclusion of the proposal': the English text of the pack never uses 'exclusion'; how it maps to the pack's rejection / disqualification / non-responsiveness categories is for a person to decide

uncertainty: `decl5` numeral `٢-٤`: Order is settled: the crop shows the hyphenated pair left to right as [digit]-[٤], which is what logical 4-x renders as. Identity of the left digit is not settled by machine: shape (chamfer) comparison favours ٢ over ٣ at three thresholds, a template-overlap score favoured ٣, and the preparer's visual comparison favours ٢. Reviewer to read the crop.

Unresolved matters, grouped — 77 open issues (34 listed), 21 clarification questions drafted (not sent)

Forms and declarations (11): **I-F4A-FIELDS** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Reissued Form 4-A (ADD-01 App A): stale PDD, dropped fields, a missing 'paragraph 1': what to print and sign; **I-F4C-EXCLUSION** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-C decl. 4 (Arabic): 'exclusion of the proposal', not equated with any category of the English volumes; **I-F4G-LETTERING** Form 4-G: re-lettering of the VOL-I 9.1 list; **I-F4G-NO** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-G: effect of a 'No' not stated; undertakings 3-6 add post-award duties not in VOL-II 6; **I-F4D-WORDING** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-D: how far its wording may change ('substantially in the form', VOL-I 8.7); **I-ADD-03-F4G-SUBMISSION-RECONCILIATION** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Withdrawal not reflected across form and Envelope A records; **I-ADD-03-F4G-01-WITHDRAWAL** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-G withdrawal: security officer; **I-ADD-03-F4G-02-WITHDRAWAL** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-G withdrawal: OT segregation; **I-ADD-03-F4G-03-WITHDRAWAL** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-G withdrawal: security management system; **I-ADD-03-F4G-04-WITHDRAWAL** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-G withdrawal: signature; **I-ADD-03-F4G-05-WITHDRAWAL** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Form 4-G withdrawal: incident notification questions drafted: CQ-F4A-REISSUE, CQ-F4C-EXCLUSION, CQ-F4D-GUARANTEE-SCOPE

Envelopes, copies and files (5): **I-VOL-I-ENV-B** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Envelope B holds 'only' Form 4-F and the model (VOL-I 10.1), yet 10.3 and 10.6 need more documents; **I-VOL-I-ENV-A-PRICES** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): No commercial information in Envelope A (VOL-I 6.2), yet Form 4-B there asks for contract values; **I-VOL-I-COPIES** how the single USB copy relates to the two separately sealed envelopes and how its means of decryption is given; **I-VOL-I-FILE-NAMES** Excel Financial Model vs the Appendix 2 naming convention (ends in '.pdf'; [BIDDER] and [YYYYMMDD] undefined); **I-VOL-I-APPENDICES** page-limit appendices not identified questions drafted: CQ-ENV-B-CONTENTS, CQ-F4B-CONTRACT-VALUE, CQ-FILENAMES, CQ-PAGE-LIMIT-APPENDICES, CQ-USB-PACKAGING

Technical, permit and design basis (3): **I-READING-T24** Table 2-4: anything outside the visible image (e.g. whether a further note was cut off below Note 1); **I-FLOWS** OPEN — REVIEW ASSUMED FOR DEMO: 'dry weather flow' in Table 2-6 row 2-6.4 is undefined; Q11: design to the Volume II figures; **I-VOL-II-T24-TENSIONS** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Table 2-4 'all values are maxima' vs the chlorine 0.5-1.0 and pH 6.0-9.0 ranges; UV-only? (VOL-II

CANDIDATE — proposed by the AI workflow, not reviewed, nothing accepted. Not for human review or tender release.

3.3) questions drafted: CQ-DWF-STORM-FLOW, CQ-PCOD-RELIABILITY-RUN, CQ-RESERVOIR, CQ-T24-RANGES

Contract, bond and concession (4): **I-CONCESSION** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Concession term from PCOD (VOL-I 12.1) or Effective Date (VOL-V 3.1)? ADD-02 Q7 cites VOL-I 3.2 only; **I-ADD-03-BOND-COVERAGE-REVIEW** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Reassess bond coverage after the amended validity period; **I-VOL-I-BOND-LONGSTOP** OPEN — REVIEW ASSUMED FOR DEMO: the Bid Bond's 180-day validity from the PDD (VOL-I 6.3) may end before the Financial Close long-stop; **I-VOL-V-PERSISTENT-BREACH** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): 'second occurrence' of a persistent breach undefined questions drafted: CQ-BOND-FC-COVERAGE, CQ-CONCESSION-TERM, CQ-HANDBACK-CONDITION, CQ-PERSISTENT-BREACH

Evaluation and scoring (2): **I-ADD03-6-1-THRESHOLD** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): Clause 11.6 threshold and further criteria require human interpretation; **I-VOL-IV-SCALE** five-point scoring scale undefined questions drafted: CQ-SCORING-METHOD

Referenced but not supplied (impact noted; not a prerequisite for completion) (4): **I-PERMIT** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): The Environmental Permit is not supplied, yet it prevails over the Table 2-4 reproduction: Permit compliance is not claimed; **I-VOL-III** Volume III / Drawing 03-C-114 (delivery point, VOL-II 5.1) not supplied; no omission claim after the PDD (VOL-I 3.4); **I-VOL-II-MISSING** Environmental and Social Impact Assessment, geotechnical report, other data-room items not supplied; **I-VOL-V-MISSING** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): VOL-V extract: Schedules 7, 9, 11, 12, Direct Agreement missing; unlisted deviations count as accepted questions drafted: CQ-ENV-PERMIT, CQ-VOL-III-DRAWINGS, CQ-VOL-V-SCHEDULES

Programme, evidence and bidder facts (4): **I-LCC-ISSUER** OPEN — REVIEW ASSUMED FOR DEMO (no observed human decision): LCC issuer and lead time not stated; A5: 11 INFEASIBLE by 13 WD (PROVISIONAL Local Content Certificate 30 WD; Complete the Financial Model (unlocked, fully formula-linked Excel, no macros, no hard-coded values in calculation cells) 15 WD; Financial Model (unlocked Excel, frozen version) 1 WD; Independent model auditor's opinion (original) 5 WD; Form 4-F Financial Proposal Schedule (signed) 2 WD; Assemble the marked original of Envelope A in the VOL-I 9.1 order with numbered dividers (Form 4-G after item (e)); check that no price or commercial information appears (VOL-I 6.2) 1 WD; 3 hard copies per envelope and the encrypted USB copy (Appendix 2 naming) 1 WD; Sealed Envelopes A and B delivered to the Appendix 3 address 1 WD); **I-BIDDER-FACTS** assumed bidder to confirm: members, foreign members, reference plants, signatories, attendance; **I-AUTO-COUNTING** day count not stated (ADD-01 3.1; VOL-I 6.3, 7.1, 8.5; Form 4-A); A1 Dates: both readings; A5: conservative; **I-A5-attendance-notice** CONDITIONAL — window elapsed 2026-10-14 (2026-10-15 if event day excluded); whether the Bidder considers its attendance at the Pre-Bid Conference to have been incorrectly recorded (ADD-01 3.1) is not known questions drafted: CQ-LCC-ISSUER

Addenda and register status (1): **I-AUTO-STALE** rows STALE: their reading needs a person (A1)

Ops standing in the candidate (14)

ADD-03/cover/para3 (annotate; applied in the candidate; review accepted; origin assistant)
ADD-03/1.1 (annotate; applied in the candidate; review accepted; origin assistant)
ADD-03/2.1(a) (replace_text; applied in the candidate; review accepted; origin assistant)
ADD-03/2.1(b) (annotate; applied in the candidate; review accepted; origin assistant)
ADD-03/3.1(b) (set_status; applied in the candidate; review accepted; origin assistant)
ADD-03/3.2(a) (annotate; applied in the candidate; review accepted; origin assistant)
ADD-03/4.1(a) (replace_text; applied in the candidate; review accepted; origin assistant)
ADD-03/4.2 (replace_text; applied in the candidate; review accepted; origin assistant)
ADD-03/5.1 (replace_text; applied in the candidate; review accepted; origin assistant)
ADD-03/5.2(a) (replace_text; applied in the candidate; review accepted; origin assistant)
ADD-03/5.2(b) (annotate; applied in the candidate; review accepted; origin assistant)
ADD-03/6.1 (insert_unit; applied in the candidate; review accepted; origin assistant)
ADD-03/7.1 (set_value; applied in the candidate; review accepted; origin assistant)
ADD-03/Q15 (annotate; applied in the candidate; review accepted; origin assistant)