Submit the two files electronically on LMS.

2. THE GAME

For this homework, we are interested in a single-player word game. The object of this game is to start with one English word, for instance, "mare", and end up with another English word, for instance, "colt". To move between these words you may change one letter at a time, but every time you change a letter it must result in a real English word. For instance, to solve the "mare" to "colt" puzzle, we would generate the following words:

· mare · care · core · cole · colt

We could not start this solution by changing, say, "mare" into "mave", because "mave" is not an English word.

3. Programming

3.1. Setup

- a. You must use Python version 2.7 to complete this assignment. You can download it from here:
 - https://www.python.org/downloads/release/python-2716/
 - Do not worry if you have a newer version installed on your machine. All libraries will be downloaded in separated folders. If you are not familiar with Python, here is a crash course that might be helpful during implementation.
- b. When you unzip the download file assignment2.zip from LMS, you will have a pdf file, three Python files, and one text file containing a spelling dictionary, one word per line (words.txt).
 - fibheap.py defines a useful data structure for the search problem (a special kind of heap for keeping the search fringe up-to-date). You don't have to understand this code to complete the assignment, but it may be of interest to you if you like data structures and algorithms.
 - astar_fibheap.py defines a class that operates a generic A* search procedure that is, it is not designed for solving any particular problem, but just to search a tree of A* states. You should read through the code and gain a reasonably good grasp of how this works. In-depth knowledge of this code is not required to complete the assignment, but seeing A* code in action is useful to your understanding of the class material.
 - wordgame.py is our primary interest. It defines an inherited A* search class that operates on the word game described above. The file also contains some infrastructure to support the search and operate on user input from the command line. However, two crucial functions of the A* class are missing and the search will not run with the file as-is. You will (eventually) need to understand much of the code in this file and fix the search by implementing the missing parts of the search definition.
- c. You may run the program with this command from the Windows command line (assuming the Python executable is on your PATH):

python wordgame.py WORD1 WORD2

Or, on any UNIX/Mac system's command line:

./wordgame.py WORD1 WORD2

However, the program will not run successfully until you complete the first programming problem.

3.2 Programming Problems

REMINDER: Submit only your modified wordgame.py file to LMS. Do not modify or submit other Python files.

3.2.1 Successor function for the word game

The successor function (WordAStar.successors()) for the puzzle is currently unimplemented. Considering that you want all the legal English words which can be arrived at by changing one letter in the current word, how would you define the successor function for this search problem? You do not need to write down an answer for this question, but consider it before you start coding.

Implement the successor function. Notes:

- Your function should accept a WordState object, which just stores the current word, as an argument, and return a list of WordState objects which are legal successors to the argument.
- Remember that we are ignoring case (i.e., "Mare" is automatically changed to "mare" when input).
- Notice that WordAStar's self.dictionary object is a set containing all the legal words from the dictionary file words.txt which are of the same length as the start and goal words. Python sets are hash-table based and can be used for quick lookups to check membership. If you have a variable named spam and want to find out if its value is contained in the set named breakfast, you write if spam in breakfast. See the Python documentation on sets for more information.
- Also note the global ALPHABET variable, which is a list containing all the lowercase letters of the alphabet and may be useful.

You will be graded on correctness rather than efficiency, but try to consider running time.

3.2.2 Heuristic function for the word game

Once you have implemented the successor function, the search will run and generate solutions (try it!). However, it will have to search quite a bit of the tree to do so – probably thousands of nodes. That is because the search is using a "null" heuristic function that returns 0 for all states. This heuristic is admissible but not very accurate. If you execute wordgame.py without arguments, it will describe a command-line switch that allows you to use a custom heuristic; however, the custom heuristic is currently unimplemented.

What do you think is a reasonable heuristic for a word's distance from the goal word? Remember that an admissible heuristic will never overestimate the distance to the goal. A good way to do this is to relax some constraint on the problem. What constraints does this problem have? Which of them is a good candidate for relaxation? Again, you do not have to write answers to these questions, but you should consider them before writing any code.

When you have designed a good heuristic function, implement it in the WordAStar.heuristic_custom() method. Try running your code by using the -r switch to wordgame.py with an argument 1 (so, your command will be ./wordgame.py -r 1 WORD1 WORD2). A good heuristic should provide a noticeable decrease in the number of nodes searched and not produce any error messages about decreasing nodes in the fringe.

Notes:

- Your function should accept a WordState object and return a number that is smaller when the word is closer to the goal.
- Note that the goal word for the search is stored in WordAStar's self.gw member.

4. Example Test Cases

Use these test cases to acquire experimental data. Use that data when answering the written questions.

- sat to roc
- arc to lot
- word to pare
- hare to fray
- taupe to brown
- smith to felid
- campus to coffee
- sweets to pastry

5. Written Questions:

- 1) Describe your successor function. How do you know it provides all legal successors and no other states?
- 2) Assume that the input words are of length n. For your successor function, state an upper bound on the branching factor of the search tree.
- 3) Describe your heuristic function.
 - a. Is it admissible? Why?
 - b. Is it consistent? Why?
- 4) How does your heuristic function compare to the null heuristic?
 - a. Does it provide shorter paths?
 - b. Does it visit (i.e., expand) fewer nodes? How do you know?