DAY 19 | PRE-READ

Opening Day for Your App

A light read before Day 19. About 15 minutes, no code required.

Prepared by **Ahmed** | linkedin.com/in/ahmed-al-imaad

Why read this?

Yesterday you packed your app into a container. Tomorrow you put it on the internet using Microsoft Azure, and set up a pipeline that delivers every approved change automatically.

1. The same box, different addresses

A food truck is the same truck whether it parks at a festival or outside an office. Only the location and the menu prices change. A cloud-ready app works the same way: the same container runs in a test environment and in production. Only its settings change, such as which database to use. These settings come from **environment variables**, not from the code.

2. Health checks

Restaurants check that the kitchen is ready before opening the doors. Apps provide a **health check** address, a simple page that says "I am alive". The cloud platform calls it regularly and restarts the app if it stops answering.

3. Where to park the truck

Azure option	Everyday comparison	Good for
App Service	A rented shop with staff who keep it running	Most web apps and APIs
Container Apps	A market stall that grows or shrinks with the crowd	Containers that need automatic scaling
Kubernetes (AKS)	Running your own shopping mall	Large platforms with dedicated teams

Key idea: choose the simplest option that meets the need. Simple systems are easier to keep running.

4. Releases with a safety gate

Many teams first release to a test environment, check it, and only then promote the same version to production. A person can approve the final step. Azure DevOps calls these **environments**, and the approval is a gate.

5. Think about these before class

- What settings would differ between a test and a live version of an app?
- Why should passwords never be written inside the app's code?
- Who in your organisation would approve a production release, and what would they check?

Shukka (出荷): shipping out, sending goods to customers