

Cucumber Report

Mar 23, 2024, 1:40:59 AM

Start : Mar 23, 1:39:09.341 AM

End : Mar 23, 1:40:57.031 AM

Duration : 1 m 47.690 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0


PASSED - 18
FAILED - 3
SKIPPED - 50




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>admin creates new admin</u>	1 m 47.690 s	4	1	3	0	71	18	3	50

#	Feature Name	Scenario Name
1	<u>admin creates new admin</u>	<u>US_22_TC_01</u>
2		<u>US_22_TC_03</u>
3		<u>US_22_TC_04</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@us_22	4	1	3	0	1	0	1	0
@regression	4	1	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>admin creates new admin</u>	4	1	3	0	1 m 47.690 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>admin creates new admin</u>	<u>US_22_TC_01</u>	18	0	1	17	33.237 s
2		<u>US_22_TC_02</u>	18	18	0	0	27.680 s
3		<u>US_22_TC_03</u>	18	0	1	17	24.048 s
4		<u>US_22_TC_04</u>	17	0	1	16	21.803 s

admin creates new admin

FAILED	DURATION - 1 m 47.690 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 71 Pass - 18 Fail - 3 Skip - 50	
/ 1:39:09.341 AM // 1:40:57.031 AM /					

US_22_TC_01



FAILED	DURATION - 33.237 s		Steps Total - 18 Pass - 0 Fail - 1 Skip - 17	
/ 1:39:09.351 AM // 1:39:42.588 AM /				
admin creates new admin				
@us_22 @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin goes to website "https://managementonschools.com/"</p> <p>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 13.583 (Session info: chrome=122.0.6261.131) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1be44f529afdac7469acead937b1c72c, get {url=https://managementonschools.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\pc\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64264}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64264/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1be44f529afdac7469acead937b1c72c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p>	FAILED	32.265 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) at com.sun.proxy.\$Proxy22.get(Unknown Source) at stepdefinitions.ui.US24_Stepdefs.adminGoesToWebsite(US24_Stepdefs.java:24) at ?.Admin goes to website "https://managementonschools.com/"(file:///C:/Users/pc/IdeaProjects/TeamSuccessFinalProject/.src/test/ resources/features/ui_features/US_22.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	And Admin clicks on the Log in button at the home page	SKIPPED	0.004 s
3	And Admin enters the admin username	SKIPPED	0.001 s
4	And Admin enters the admin password	SKIPPED	0.001 s
5	And Admin clicks on the Login button	SKIPPED	0.001 s
6	When Admin enters the first name for new Admin	SKIPPED	0.001 s
7	And Admin enters the surname for new Admin	SKIPPED	0.005 s
8	And Admin enters the birth place of new Admin	SKIPPED	0.004 s
9	And Admin enters gender of new Admin	SKIPPED	0.003 s
10	And Admin enters birth date of new Admin	SKIPPED	0.001 s
11	And Admin enters phone number of new Admin in the format(xxx-xxx-xxxx)	SKIPPED	0.001 s
12	And Admin enters SSN number of new Admin in the format(xxx-xx-xxxx)	SKIPPED	0.002 s
13	And Admin enters a username for new Admin	SKIPPED	0.002 s
14	And Admin enters a password for new admin(at least eight chars and UpC,LowC,Num)	SKIPPED	0.000 s
15	And Admin clicks the Submit button	SKIPPED	0.001 s
16	Then Admin should see Admin saved message	SKIPPED	0.003 s
17	And Admin should see the new Admin in the Admin List	SKIPPED	0.001 s
18	And close the browser	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.839 s
	screenshot of failed step		

#	Step / Hook Details	Status	Duration



US_22_TC_02

<div><div>PASSED</div><div>DURATION - 27.680 s</div></div>	<div></div>	<div><div>Steps</div><div>Total - 18</div><div>Pass - 18</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 1:39:43.413 AM // 1:40:11.093 AM /</div>		
<div>admin creates new admin</div>		
<div>@us_22 @regression</div>		

#	Step / Hook Details	Status	Duration
1	Given Admin goes to website "https://managementonschools.com/"	PASSED	11.733 s
2	And Admin clicks on the Log in button at the home page	PASSED	0.277 s
3	And Admin enters the admin username	PASSED	2.227 s
4	And Admin enters the admin password	PASSED	2.157 s
5	And Admin clicks on the Login button	PASSED	0.116 s
6	When Admin enters the first name for new Admin	PASSED	1.272 s
7	And Admin enters the surname for new Admin	PASSED	0.193 s
8	And Admin enters the birth place of new Admin	PASSED	0.167 s
9	And Admin enters gender of new Admin	PASSED	0.115 s
10	And Admin enters birth date of new Admin	PASSED	0.139 s
11	And Admin enters phone number of new Admin in the format(xxx-xxx-xxxx)	PASSED	0.223 s
12	And Admin enters SSN number of new Admin in the format(xxx-xx-xxxx)	PASSED	0.234 s
13	And Admin enters a username for new Admin	PASSED	0.530 s
14	And Admin enters a password for new admin(less than eight chars and UpC,LowC,Num)	PASSED	0.116 s
15	And Admin clicks the Submit button	PASSED	1.081 s
16	Then Admin should see the At least 8 characters still visible	PASSED	0.093 s
17	And Admin should not see the New Admin in the Admin List	PASSED	6.693 s

#	Step / Hook Details	Status	Duration
18	And close the browser	PASSED	0.293 s



US_22_TC_03

FAILED	DURATION - 24.048 s		Steps Total - 18 Pass - 0 Fail - 1 Skip - 17	
/ 1:40:11.147 AM // 1:40:35.195 AM /				
admin creates new admin				
@us_22 @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin goes to website "https://managementonschools.com/"</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 9.573 (Session info: chrome=122.0.6261.131) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1298d2432ec3364e6b5ca29b4fc861f5, get {url=https://managementonschools.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\pc\AppData\Local\T..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64321}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64321/devtoo..., se.cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1298d2432ec3364e6b5ca29b4fc861f5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</pre>	FAILED	23.448 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) at com.sun.proxy.\$Proxy22.get(Unknown Source) at stepdefinitions.ui.US24_Stepdefs.adminGoesToWebsite(US24_Stepdefs.java:24) at ?.Admin goes to website "https://managementonschools.com/"(file:///C:/Users/pc/IdeaProjects/TeamSuccessFinalProject/.src/test/resources/features/ui_features/US_22.feature:5) * Not displayable characters are replaced by '?'.		
2	And Admin clicks on the Log in button at the home page	SKIPPED	0.000 s
3	And Admin enters the admin username	SKIPPED	0.001 s
4	And Admin enters the admin password	SKIPPED	0.002 s
5	And Admin clicks on the Login button	SKIPPED	0.004 s
6	When Admin enters the first name for new Admin	SKIPPED	0.001 s
7	And Admin enters the surname for new Admin	SKIPPED	0.001 s
8	And Admin enters the birth place of new Admin	SKIPPED	0.000 s
9	And Admin enters gender of new Admin	SKIPPED	0.000 s
10	And Admin enters birth date of new Admin	SKIPPED	0.000 s
11	And Admin enters phone number of new Admin in the format(xxx-xxx-xxxx)	SKIPPED	0.000 s
12	And Admin enters SSN in different format (changes the places of -)	SKIPPED	0.000 s
13	And Admin enters a username for new Admin	SKIPPED	0.000 s
14	And Admin enters a password for new admin(at least eight chars and UpC,LowC,Num)	SKIPPED	0.001 s
15	And Admin clicks the Submit button	SKIPPED	0.000 s
16	And Admin should see Please enter valid SSN number message	SKIPPED	0.000 s
17	Then Admin should not see the New Admin in the Admin List	SKIPPED	0.001 s
18	And close the browser	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.573 s
	screenshot of failed step		

US_22_TC_04

<div>FAILED</div> <div>DURATION - 21.803 s</div>			<div>Steps</div> <div>Total - 17</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 16</div>	
<div>/ 1:40:35.228 AM // 1:40:57.031 AM /</div>				
<div>admin creates new admin</div>				
<div>@us_22 @regression</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin goes to website "https://managementonschools.com/"</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.725 (Session info: chrome=122.0.6261.131) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [646b06d79bab11da9957ef71693b7a18, get {url=https://managementonschools.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\pc\AppData\Local\T..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64346}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64346/devtoo..., se.cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 646b06d79bab11da9957ef71693b7a18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) at com.sun.proxy.\$Proxy22.get(Unknown Source) at stepdefinitions.ui.US24_Stepdefs.adminGoesToWebsite(US24_Stepdefs.java:24)</pre>	FAILED	21.269 s

#	Step / Hook Details	Status	Duration
	at ?.Admin goes to website "https://managementonschools.com/"(file:///C:/Users/pc/IdeaProjects/TeamSuccessFinalProject/.src/test/resources/features/ui_features/US_22.feature:5) * Not displayable characters are replaced by '?'. 2 And Admin clicks on the Log in button at the home page		
3	And Admin enters the admin username	SKIPPED	0.001 s
4	And Admin enters the admin password	SKIPPED	0.001 s
5	And Admin clicks on the Login button	SKIPPED	0.001 s
6	When Admin enters the first name for new Admin	SKIPPED	0.001 s
7	And Admin enters the surname for new Admin	SKIPPED	0.001 s
8	And Admin enters the birth place of new Admin	SKIPPED	0.000 s
9	And Admin enters gender of new Admin	SKIPPED	0.000 s
10	And Admin enters birth date of new Admin	SKIPPED	0.000 s
11	And Admin enters phone number of new Admin in the format(xxx-xxx-xxxx)	SKIPPED	0.000 s
12	And Admin enters SSN number of new Admin in the format(xxx-xx-xxxx)	SKIPPED	0.000 s
13	And Admin enters a username for new Admin	SKIPPED	0.000 s
14	And Admin leaves the password field empty	SKIPPED	0.000 s
15	And Admin clicks the Submit button	SKIPPED	0.000 s
16	Then Admin should not see the New Admin in the Admin List	SKIPPED	0.001 s
17	And close the browser	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.505 s
	screenshot of failed step		