

Cucumber Report

03/04/2024, 21:18:44

Start : abr 03, 9:17:33.461 da tarde

End : abr 03, 9:18:43.486 da tarde

Duration : 1 m 10.025 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 24
FAILED - 4
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>End to end test for creating a Student</u>	1 m 10.025 s	4	0	4	0	35	24	4	7

#	Feature Name	Scenario Name
1	<u>End to end test for creating a Student</u>	<u>US_15 TC_01 Vice Deans should be able to create a student.++-</u>
2		<u>Vice Dean gets the information for the created Student Test</u>
3		<u>Vice Dean Validates Created Student From DB</u>
4		<u>Vice Dean deletes created Student Test</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@e2e_us15	4	0	4	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>End to end test for creating a Student</u>	4	0	4	0	1 m 10.025 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>End to end test for creating a Student</u>	<u>US_15 TC_01 Vice Deans should be able to create a student.++-</u>	23	21	1	1	1 m 4.773 s
2		<u>Vice Dean gets the information for the created Student Test</u>	5	0	1	4	1.453 s
3		<u>Vice Dean Validates Created Student From DB</u>	5	3	1	1	2.389 s
4		<u>Vice Dean deletes created Student Test</u>	2	0	1	1	1.299 s

End to end test for creating a Student


<div>FAILED</div>	<div>DURATION - 1 m 10.025 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 4</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 35</div> <div>Pass - 24</div> <div>Fail - 4</div> <div>Skip - 7</div>	<div></div>
<div>/ 9:17:33.461 da tarde // 9:18:43.486 da tarde /</div>					

US_15 TC_01 Vice Deans should be able to create a student.++-



FAILED	DURATION - 1 m 4.773 s		Steps Total - 23 Pass - 21 Fail - 1 Skip - 1	
/ 9:17:33.465 da tarde // 9:18:38.238 da tarde /				
End to end test for creating a Student				
@e2e_us15				

#	Step / Hook Details	Status	Duration
1	Given Vice Dean goes to "https://managementonschools.com/" homepage	PASSED	4.110 s
2	And clicks on Login right corner of the page	PASSED	2.131 s
3	And enters username in the Username input field	PASSED	2.165 s
4	And enters password in the password input field	PASSED	2.148 s
5	And clicks on Login button	PASSED	2.086 s
6	When click on the Menu button on the right corner of the page	PASSED	2.131 s
7	And selects Student Management on the dropdown list	PASSED	0.165 s
8	And select the teacher on the dropdown list	PASSED	2.506 s
9	And enters a valid student Name	PASSED	2.194 s
10	And enters a valid student Surname	PASSED	2.172 s
11	And enters the student Birth Place	PASSED	2.161 s
12	And enters a valid email address	PASSED	2.189 s
13	And enters a valid Phone number	PASSED	2.158 s
14	And selects the student gender	PASSED	2.071 s
15	And enters the Date of Birth	PASSED	2.091 s

#	Step / Hook Details	Status	Duration
16	And enters a valid SSN number	PASSED	2.114 s
17	And enters a valid User name	PASSED	2.126 s
18	And enters the student Father's name	PASSED	2.140 s
19	And enters the student Mother's name	PASSED	2.138 s
20	And enters a valid Password	PASSED	2.110 s
21	And clicks on Submit button	PASSED	1.089 s
22	Then sees the success message "Student saved Successfully"	FAILED	20.068 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Student saved Successfully']"} (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e2b95aa690b4839e38b61305371883f2, findElement {using=xpath, value=//div[text()='Student saved Successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\MARIEL~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50763}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50763/devtools..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e2b95aa690b4839e38b61305371883f2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) at com.sun.proxy.\$Proxy21.findElement(Unknown Source)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.getText(Unknown Source) at stepdefinitions.ui.US_15_StepDefs.sees_the_message(US_15_StepDefs.java:144) at ?.sees the success message "Student saved Successfully"(file:///C:/Users/Marielle%20Matos/IdeaProjects/TeamSuccessFinalProject/.src/test/resources/features/e2e_features/e2e_US15.feature:25) * Not displayable characters are replaced by '?'. </pre>		
23	And close the driver	SKIPPED	0.002 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.468 s
	screenshot of failed step		
			



Vice Dean gets the information for the created Student Test

<div>FAILED</div> <div>DURATION - 1.453 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 9:18:38.282 da tarde // 9:18:39.735 da tarde /				
End to end test for creating a Student				
@e2e_us15				

#	Step / Hook Details	Status	Duration
1	And Vice Dean gets id of the Student with name "Melissay" <pre> java.lang.NullPointerException at stepdefinitions.api.US_15_StepDefs.viceDeanGetsIdOfTheStudentWithName(US_15_StepDefs.java:109) at ?.Vice Dean gets id of the Student with name "Melissay"(file:///C:/Users/Marielle%20Matos/IdeaProjects/TeamSuccessFinalProject/.src/test/resources/features/e2e_features/e2e_US15.feature:28) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.218 s
2	And sets the expected data for Get Student By name	SKIPPED	0.001 s
3	When sends GET request and get response for Student	SKIPPED	0.001 s
4	Then verifies status code for Student is 200	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	And verifies response body for Get Student By name	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.229 s
	screenshot of failed step		



Vice Dean Validates Created Student From DB

FAILED		DURATION - 2.389 s			Steps Total - 5 Pass - 3 Fail - 1 Skip - 1			
/ 9:18:39.787 da tarde // 9:18:42.176 da tarde /								
End to end test for creating a Student								
@e2e_us15								

#	Step / Hook Details	Status	Duration
1	Given Vice Dean sets connection Student	PASSED	1.090 s
2	And Vice Dean creates statement Student	PASSED	0.004 s
3	When Vice Dean executes query for created Student	PASSED	0.067 s
4	Then Vice Dean validates result set Student	FAILED	0.008 s
	org.postgresql.util.PSQLException: ResultSet not positioned properly, perhaps you need to call next. at org.postgresql.jdbc.PgResultSet.getRawValue(PgResultSet.java:3176) at org.postgresql.jdbc.PgResultSet.getString(PgResultSet.java:2317) at org.postgresql.jdbc.PgResultSet.getString(PgResultSet.java:2840) at stepdefinitions.db.US_15_StepDefs.viceDeanValidatesResultSetStudent(US_15_StepDefs.java:43) at ?.Vice Dean validates result set Student(file:///C:/Users/Marielle%20Matos/IdeaProjects/TeamSuccessFinalProject/.src/test/resources/features/e2e_features/e2e_US15.feature:37) * Not displayable characters are replaced by '?'.		
5	And Vice Dean terminates connection Student	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.215 s
	screenshot of failed step		

#	Step / Hook Details	Status	Duration

Vice Dean deletes created Student Test

FAILED	DURATION - 1.299 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 9:18:42.187 da tarde // 9:18:43.486 da tarde /				
End to end test for creating a Student				
@e2e_us15				

#	Step / Hook Details	Status	Duration
1	And Vice Dean gets id of the Student with name "Melissay"	FAILED	0.009 s
	<pre>java.lang.NullPointerException at stepdefinitions.api.US_15_StepDefs.viceDeanGetsIdOfTheStudentWithName(US_15_StepDefs.java:109) at ?.Vice Dean gets id of the Student with name "Melissay"(file:///C:/Users/Marielle%20Matos/IdeaProjects/TeamSuccessFinalProject/.src/test/resources/features/e2e_features/e2e_US15.feature:40) * Not displayable characters are replaced by '?'. </pre>		
2	And Vice Dean deletes the created Student	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.288 s
	screenshot of failed step		