

Cucumber Report

Mar 27, 2024, 4:41:09 PM

Start : Mar 27, 4:40:15.923 PM

End : Mar 27, 4:41:04.822 PM

Duration : 48.899 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 3
FAILED - 0
SKIPPED - 0

PASSED - 17
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>US_25 Add Student</u>	48.899 s	3	3	0	0	17	17	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@api25	3	3	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>US_25 Add Student</u>	3	3	0	0	48.899 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US_25 Add Student	Admin Creates Student	6	6	0	0	7.150 s
2		Admin gets the information for the created Student	7	7	0	0	35.572 s
3		Admin deletes created Student Test	4	4	0	0	5.939 s

US_25 Add Student



PASSED	DURATION - 48.899 s	Scenarios		Steps	
/ 4:40:15.923 PM // 4:41:04.822 PM /		Total - 3		Total - 17	
		Pass - 3		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Admin Creates Student

<div>PASSED</div>	<div>DURATION - 7.150 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:40:15.951 PM // 4:40:23.101 PM /				
US_25 Add Student				
@api25				



#	Step / Hook Details	Status	Duration
1	Given User is authorized as "Admin"	PASSED	5.714 s
2	And User sets the Url for Student Save	PASSED	0.051 s
3	And sets the payload for Student Save	PASSED	0.002 s
4	When admins sends POST request and get response for creating student	PASSED	1.298 s
5	Then verifies status code for student is 200	PASSED	0.005 s
6	And verifies response body for student	PASSED	0.001 s

Admin gets the information for the created Student

<div>PASSED</div>	<div>DURATION - 35.572 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:40:23.203 PM // 4:40:58.775 PM /</div>				
<div>US_25 Add Student</div>				
<div>@api25</div>				

#	Step / Hook Details	Status	Duration
1	Given User is authorized as "Admin"	PASSED	0.436 s
2	And User gets id of the Student with name "mercan"	PASSED	1.331 s
3	And User sets the Url for Get Student By id	PASSED	0.011 s
4	And sets the expected data for Get Student By id	PASSED	0.002 s
5	When sends GET request and get response for Students	PASSED	0.000 s
6	Then verifies status code for student is 200	PASSED	0.000 s
7	And verifies response body for Get Student By id	PASSED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	33.437 s
	screenshot of failed step		

Admin deletes created Student Test

PASSED	DURATION - 5.939 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:40:58.883 PM // 4:41:04.822 PM /				
US_25 Add Student				
@api25				

#	Step / Hook Details	Status	Duration
1	Given User is authorized as "Admin"	PASSED	0.409 s
2	And User gets id of the Student with name "mercan"	PASSED	3.091 s
3	And User sets the Url for Get Student By id	PASSED	0.002 s
4	And User deletes the created Student	PASSED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.139 s
	screenshot of failed step		