

Erwin Property Mgmt

Professional Sidebar and Module Guide

This guide explains every operational entry exposed by the application sidebar. It describes what each module does, how it should be used, why it exists in a professional property-management workflow, which data source it represents and which access controls apply. German labels are retained in brackets to make each documented item easy to match with a German-language installation.

Application: Erwin Property Mgmt

Document scope: 41 navigation groups and 148 operational entries

Generated from: src/meta/menu.json and entity metadata

Application URL: http://localhost:3000

How to Read the Sidebar

The sidebar is organized by business domain. Most domains follow a consistent sequence: data entry (Erfassung), analysis and reporting (Auswertung), and configuration (Einstellungen). List pages maintain source records; reports provide repeatable business outputs; charts provide analytical summaries; dashboards combine related work; focused Add/Edit pages simplify a specific transaction.

Visibility does not imply permission to change data. The application evaluates the signed-in user, group access mask and Team scope. Read, Add, Edit, Delete, Export, Print and Import capabilities are checked independently. Administrators should assign only the permissions needed for each role.

Recommended Operating Discipline

Create and maintain master data before posting dependent transactions. Verify identifiers, dates, amounts, allocation keys and Team ownership before saving. Use list searches to confirm that a record does not already exist. Treat charts as analytical summaries and reconcile important decisions against source lists or reports. Export only data that the recipient is authorized to receive.

Sidebar Reference

Navigation [Navi]

Navigation path: Navigation

Application route: /navigator

Page type: List

Business domain: Operational support

Data source: Navigator

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Simple accounting [Einfache BF]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Data entry [Erfassung]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Ledger [Kontobuch]

Navigation path: Simple accounting > Data entry > Ledger

Application route: /kontobuch

Page type: List

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Bank statement import [Kontoauszugsimport]

Navigation path: Simple accounting > Data entry > Bank statement import

Application route: /kontoauszuege2

Page type: List

Business domain: Accounting and financial control

Data source: Kontoauszuege

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Reports [Auswertung]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Ledger Auszug [Kontobuch Auszug]

Navigation path: Simple accounting > Reports > Ledger Auszug

Application route: /report/kontobuch_auszug

Page type: Report

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Banking [Banking]

Navigation path: Simple accounting > Reports > Banking

Application route: /kontobuch_banking

Page type: List

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Booking report (settlements) [Buchungsbericht (Abrechnungen)]

Navigation path: Simple accounting > Reports > Booking report (settlements)

Application route: /report/buchungsbericht

Page type: Report

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Booking report (properties) [Buchungsbericht (Objekte)]

Navigation path: Simple accounting > Reports > Booking report (properties)

Application route: /report/buchungsbericht_objekte

Page type: Report

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

VAT booking report [Buchungsbericht Mwst]

Navigation path: Simple accounting > Reports > VAT booking report

Application route: /report/buchungsbericht_mwst

Page type: Report

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Tenantskonten Balance list [Mieterkonten Saldenliste]

Navigation path: Simple accounting > Reports > Tenantskonten Balance list

Application route: /mieterkonten_saldenliste

Page type: List

Business domain: Property, unit and occupancy management

Data source: Kontobuch

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Tenantskonten [Mieterkonten]

Navigation path: Simple accounting > Reports > Tenantskonten

Application route: /report/mieterkonten

Page type: Report

Business domain: Property, unit and occupancy management

Data source: Kontobuch

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Income / expenses [Einnahmen/Ausgaben]

Navigation path: Simple accounting > Reports > Income / expenses

Application route: /chart/kontostaende

Page type: Chart

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Reveal trends and distributions that are difficult to identify in row-level data.

How to use it: Open the chart, confirm its reporting scope and use the values as an analytical signal; verify material decisions against source records.

Why it exists: Visual aggregation supports faster comparison, exception detection and management decisions. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Costsverteilung [Kostenverteilung]

Navigation path: Simple accounting > Reports > Costsverteilung

Application route: /chart/kostenverteilung

Page type: Chart

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Reveal trends and distributions that are difficult to identify in row-level data.

How to use it: Open the chart, confirm its reporting scope and use the values as an analytical signal; verify material decisions against source records.

Why it exists: Visual aggregation supports faster comparison, exception detection and management decisions. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Income distribution [Einnahmeverteilung]

Navigation path: Simple accounting > Reports > Income distribution

Application route: /chart/einnahmeverteilung

Page type: Chart

Business domain: Accounting and financial control

Data source: Kontobuch

Purpose: Reveal trends and distributions that are difficult to identify in row-level data.

How to use it: Open the chart, confirm its reporting scope and use the values as an analytical signal; verify material decisions against source records.

Why it exists: Visual aggregation supports faster comparison, exception detection and management decisions. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

This section groups related configuration and governance workflows so users can move from data entry to analysis and configuration in a predictable order.

Classifications Ledger [Klassifikationen Kontobuch]

Navigation path: Simple accounting > Settings > Classifications Ledger

Application route: /klassifikationenkontobuch

Page type: List

Business domain: Accounting and financial control

Data source: KlassifikationenKontobuch

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Double-entry [Doppelte BF]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Data entry [Erfassung]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Double-entry wizard [Assistent Doppelte Buchführung]

Navigation path: Double-entry > Data entry > Double-entry wizard

Application route: /dashboard/assistent_doppelte_buchfuehrung

Page type: Dashboard

Business domain: Accounting and financial control

Data source: Assistent_Doppelte_Buchf_hrung

Purpose: Combine related indicators and work queues into one decision-making workspace.

How to use it: Review alerts and indicators first, then follow links into the underlying records to complete the work.

Why it exists: A dashboard reduces navigation time by placing related work and indicators in one context. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Journals [Journale]

Navigation path: Double-entry > Data entry > Journals

Application route: /journal

Page type: List

Business domain: Operational support

Data source: Buchungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Quick bookings [Schnellbuchungen]

Navigation path: Double-entry > Data entry > Quick bookings

Application route: /schnellbuchungen

Page type: List

Business domain: Accounting and financial control

Data source: Buchungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Booking assistant [Buchungsassistent]

Navigation path: Double-entry > Data entry > Booking assistant

Application route: /buchungsassistent

Page type: List

Business domain: Accounting and financial control

Data source: Buchungsassistent

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Bank statement import [Kontoauszugsimport]

Navigation path: Double-entry > Data entry > Bank statement import

Application route: /kontoauszuege

Page type: List

Business domain: Accounting and financial control

Data source: Kontoauszuege

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Booking import [Buchungsimport]

Navigation path: Double-entry > Data entry > Booking import

Application route: /buchungsimport

Page type: List

Business domain: Accounting and financial control

Data source: Buchungsimport

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Reports [Auswertung]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Booking overview [Buchungsübersicht]

Navigation path: Double-entry > Reports > Booking overview

Application route: /report/buchungsuebersicht

Page type: Report

Business domain: Accounting and financial control

Data source: Buchungen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Banking [Banking]

Navigation path: Double-entry > Reports > Banking

Application route: /banking

Page type: List

Business domain: Accounting and financial control

Data source: Buchungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Chart of accounts printout [Kontenrahmen Druck]

Navigation path: Double-entry > Reports > Chart of accounts printout

Application route: /report/kontenrahmen_druck

Page type: Report

Business domain: Operational support

Data source: Kontenrahmen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Account sheets [Kontenblätter]

Navigation path: Double-entry > Reports > Account sheets

Application route: /kontenblaetter

Page type: List

Business domain: Operational support

Data source: Buchungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Trial balance [Summen und Salden]

Navigation path: Double-entry > Reports > Trial balance

Application route: /report/summen_und_salden

Page type: Report

Business domain: Operational support

Data source: Kontenrahmen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Trial balance (kurz) [Summen und Salden (kurz)]

Navigation path: Double-entry > Reports > Trial balance (kurz)

Application route: /report/summen_und_salden_kurz

Page type: Report

Business domain: Operational support

Data source: Kontenrahmen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Balance list [Saldenliste]

Navigation path: Double-entry > Reports > Balance list

Application route: /saldenliste

Page type: List

Business domain: Operational support

Data source: Kontenrahmen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Profit & loss [Gewinn und Verlust]

Navigation path: Double-entry > Reports > Profit & loss

Application route: /report/gewinn_und_verlust

Page type: Report

Business domain: Operational support

Data source: Kontenrahmen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Profit & loss (kurz) [Gewinn und Verlust (kurz)]

Navigation path: Double-entry > Reports > Profit & loss (kurz)

Application route: /report/guv_kurz

Page type: Report

Business domain: Operational support

Data source: Kontenrahmen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

VAT return [Umsatzsteuervoranmeldung]

Navigation path: Double-entry > Reports > VAT return

Application route: /report/umsatzsteuervoranmeldung

Page type: Report

Business domain: Accounting and financial control

Data source: Kontenrahmen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Receivables [Debitorenkonten]

Navigation path: Double-entry > Reports > Receivables

Application route: /report/debitorenkonten

Page type: Report

Business domain: Operational support

Data source: Kontenrahmen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

DATEV export [DATEV Export]

Navigation path: Double-entry > Reports > DATEV export

Application route: /datev_export

Page type: List

Business domain: Accounting and financial control

Data source: Buchungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Booking tools [Buchungshilfen]

This section groups related accounting and financial control workflows so users can move from data entry to analysis and configuration in a predictable order.

Allocation wizard [Aufteilungsassistent]

Navigation path: Double-entry > Booking tools > Allocation wizard

Application route: /aufteilungsassistent

Page type: List

Business domain: Accounting and financial control

Data source: Aufteilungsassistent

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Pre-deductions [Vorwegabzüge]

Navigation path: Double-entry > Booking tools > Pre-deductions

Application route: /vorwegabzuege

Page type: List

Business domain: Accounting and financial control

Data source: Vorwegabzuege

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

This section groups related configuration and governance workflows so users can move from data entry to analysis and configuration in a predictable order.

Accounting entities [Buchführungen]

Navigation path: Double-entry > Settings > Accounting entities

Application route: /buchfuehrungen

Page type: List

Business domain: Accounting and financial control

Data source: Buchfuehrungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Konten/Chart of accounts [Konten/Kontenrahmen]

Navigation path: Double-entry > Settings > Konten/Chart of accounts

Application route: /kontenrahmen

Page type: List

Business domain: Configuration and governance

Data source: Kontenrahmen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settlements [Abrechnungen]

This section groups related settlement and cost allocation workflows so users can move from data entry to analysis and configuration in a predictable order.

Data entry [Erfassung]

This section groups related settlement and cost allocation workflows so users can move from data entry to analysis and configuration in a predictable order.

Settlement wizard [Assistent Abrechnungen]

Navigation path: Settlements > Data entry > Settlement wizard

Application route: /dashboard/assistent_abrechnungen

Page type: Dashboard

Business domain: Settlement and cost allocation

Data source: Assistent_Abrechnungen

Purpose: Combine related indicators and work queues into one decision-making workspace.

How to use it: Review alerts and indicators first, then follow links into the underlying records to complete the work.

Why it exists: A dashboard reduces navigation time by placing related work and indicators in one context. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settlements [Abrechnungen]

Navigation path: Settlements > Data entry > Settlements

Application route: /abrechnungen

Page type: List

Business domain: Settlement and cost allocation

Data source: Abrechnungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settlement accounts [Abrechnungskonten]

Navigation path: Settlements > Data entry > Settlement accounts

Application route: /abrechnungskonten

Page type: List

Business domain: Settlement and cost allocation

Data source: Abrechnungskonten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Advance payments [Vorauszahlungen]

Navigation path: Settlements > Data entry > Advance payments

Application route: /vorauszahlungen

Page type: List

Business domain: Settlement and cost allocation

Data source: Kosten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Reserve bookings [Rücklagebuchungen]

Navigation path: Settlements > Data entry > Reserve bookings

Application route: /ruecklagebuchungen

Page type: List

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Allocations [Umlagen]

Navigation path: Settlements > Data entry > Allocations

Application route: /kosten

Page type: List

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Direkte Costs [Direkte Kosten]

Navigation path: Settlements > Data entry > Direkte Costs

Application route: /direktekosten

Page type: List

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Section 35a income tax [§35a Einkommensteuergesetz]

Navigation path: Settlements > Data entry > Section 35a income tax

Application route: /p35aestg

Page type: List

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Reports [Auswertung]

This section groups related settlement and cost allocation workflows so users can move from data entry to analysis and configuration in a predictable order.

Consumption shares [Verbrauchsanteile]

Navigation path: Settlements > Reports > Consumption shares

Application route: /chart/verbrauchsanteile

Page type: Chart

Business domain: Settlement and cost allocation

Data source: Abrechnungskonten

Purpose: Reveal trends and distributions that are difficult to identify in row-level data.

How to use it: Open the chart, confirm its reporting scope and use the values as an analytical signal; verify material decisions against source records.

Why it exists: Visual aggregation supports faster comparison, exception detection and management decisions. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Distribution over time [Zeitliche Verteilung]

Navigation path: Settlements > Reports > Distribution over time

Application route: /chart/abrechnungskonten_zeitliche_verteilung

Page type: Chart

Business domain: Settlement and cost allocation

Data source: Abrechnungskonten

Purpose: Reveal trends and distributions that are difficult to identify in row-level data.

How to use it: Open the chart, confirm its reporting scope and use the values as an analytical signal; verify material decisions against source records.

Why it exists: Visual aggregation supports faster comparison, exception detection and management decisions. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Allocable cost distribution [Verteilung Umlegbare Kosten]

Navigation path: Settlements > Reports > Allocable cost distribution

Application route: /chart/verteilung_umlegbare_kosten

Page type: Chart

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Reveal trends and distributions that are difficult to identify in row-level data.

How to use it: Open the chart, confirm its reporting scope and use the values as an analytical signal; verify material decisions against source records.

Why it exists: Visual aggregation supports faster comparison, exception detection and management decisions. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Operating costs [Betriebskosten]

Navigation path: Settlements > Reports > Operating costs

Application route: /report/abrechnungsdruck

Page type: Report

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Operating costs (custom) [Betriebskosten (Individuell)]

Navigation path: Settlements > Reports > Operating costs (custom)

Application route: /report/abrechnungsdruck_individuell

Page type: Report

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Net operating costs [Betriebskosten netto]

Navigation path: Settlements > Reports > Net operating costs

Application route: /report/abrechnungsdruck_netto

Page type: Report

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Heating costs [Heizkosten]

Navigation path: Settlements > Reports > Heating costs

Application route: /report/abrechnungsdruck_hk

Page type: Report

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Heating costs without hot water [Heizkosten ohne Warmwasser]

Navigation path: Settlements > Reports > Heating costs without hot water

Application route: /report/abrechnungsdruck_hk_ohne_ww

Page type: Report

Business domain: Accounting and financial control

Data source: Kosten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Section 35a tax printout [§35a EStG Druck]

Navigation path: Settlements > Reports > Section 35a tax printout

Application route: /report/p35aestg_druck

Page type: Report

Business domain: Settlement and cost allocation

Data source: Kosten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settlement data overview [Abrechnungsdaten Übersicht]

Navigation path: Settlements > Reports > Settlement data overview

Application route: /abrechnungsdaten_uebersicht

Page type: List

Business domain: Settlement and cost allocation

Data source: Kosten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settlement report [Abrechnungsbericht]

Navigation path: Settlements > Reports > Settlement report

Application route: /report/abrechnungsbericht

Page type: Report

Business domain: Settlement and cost allocation

Data source: Kosten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settlement recipients [Abrechnungsempfänger]

Navigation path: Settlements > Reports > Settlement recipients

Application route: /abrechnungsempfaenger

Page type: List

Business domain: Settlement and cost allocation

Data source: Abrechnungskonten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Mail merge [Serienbrief]

Navigation path: Settlements > Reports > Mail merge

Application route: /report/serienbrief

Page type: Report

Business domain: Settlement and cost allocation

Data source: Abrechnungskonten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is settlement and cost allocation.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

This section groups related settlement and cost allocation workflows so users can move from data entry to analysis and configuration in a predictable order.

Cost types [Kostenarten]

Navigation path: Settlements > Settings > Cost types

Application route: /kostenarten

Page type: List

Business domain: Accounting and financial control

Data source: Kostenarten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Buildings [Gebäude]

This section groups related property, unit and occupancy management workflows so users can move from data entry to analysis and configuration in a predictable order.

Data entry [Erfassung]

This section groups related property, unit and occupancy management workflows so users can move from data entry to analysis and configuration in a predictable order.

Properties & units wizard [Assistent Objekte und Einheiten]

Navigation path: Buildings > Data entry > Properties & units wizard

Application route: /dashboard/assistent_objekte_und_einheiten

Page type: Dashboard

Business domain: Property, unit and occupancy management

Data source: Assistent_Objekte_und_Einheiten

Purpose: Combine related indicators and work queues into one decision-making workspace.

How to use it: Review alerts and indicators first, then follow links into the underlying records to complete the work.

Why it exists: A dashboard reduces navigation time by placing related work and indicators in one context. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Properties [Objekte]

Navigation path: Buildings > Data entry > Properties

Application route: /objekte

Page type: List

Business domain: Property, unit and occupancy management

Data source: Objekte

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Contacts [Ansprechpartner]

Navigation path: Buildings > Data entry > Contacts

Application route: /ansprechpartner

Page type: List

Business domain: Property, unit and occupancy management

Data source: Ansprechpartner

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Units [Einheiten]

Navigation path: Buildings > Data entry > Units

Application route: /einheiten

Page type: List

Business domain: Property, unit and occupancy management

Data source: Einheiten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Rooms [Räume]

Navigation path: Buildings > Data entry > Rooms

Application route: /raeume

Page type: List

Business domain: Property, unit and occupancy management

Data source: Raeume

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Keys [Schlüssel]

Navigation path: Buildings > Data entry > Keys

Application route: /schluessel

Page type: List

Business domain: Property, unit and occupancy management

Data source: Schluessel

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Minutes [Protokolle]

Navigation path: Buildings > Data entry > Minutes

Application route: /protokolle

Page type: List

Business domain: Property, unit and occupancy management

Data source: Protokolle

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Meters [Zähler]

Navigation path: Buildings > Data entry > Meters

Application route: /zaehler

Page type: List

Business domain: Property, unit and occupancy management

Data source: Zaehler

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Areas / Quadratmeter [Flächen / Quadratmeter]

Navigation path: Buildings > Data entry > Areas / Quadratmeter

Application route: /flaechen

Page type: List

Business domain: Property, unit and occupancy management

Data source: Flaechen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Reports [Auswertung]

This section groups related property, unit and occupancy management workflows so users can move from data entry to analysis and configuration in a predictable order.

Property overview [Objektübersicht]

Navigation path: Buildings > Reports > Property overview

Application route: /report/objektuebersicht

Page type: Report

Business domain: Property, unit and occupancy management

Data source: Objekte

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Occupant list [Nutzerliste]

Navigation path: Buildings > Reports > Occupant list

Application route: /nutzerliste

Page type: List

Business domain: Property, unit and occupancy management

Data source: Einheiten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Vacancy rate [Leerstandsquote]

Navigation path: Buildings > Reports > Vacancy rate

Application route: /chart/leerstandsquote

Page type: Chart

Business domain: Property, unit and occupancy management

Data source: Einheiten

Purpose: Reveal trends and distributions that are difficult to identify in row-level data.

How to use it: Open the chart, confirm its reporting scope and use the values as an analytical signal; verify material decisions against source records.

Why it exists: Visual aggregation supports faster comparison, exception detection and management decisions. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Rental conditions [Vermietungskonditionen]

Navigation path: Buildings > Reports > Rental conditions

Application route: /vermietungskonditionen

Page type: List

Business domain: Property, unit and occupancy management

Data source: Einheiten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Condominium voting rights [WEG Stimmrechte]

Navigation path: Buildings > Reports > Condominium voting rights

Application route: /report/weg_stimmrechte

Page type: Report

Business domain: Property, unit and occupancy management

Data source: Einheiten

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

WEG Ownersliste [WEG Eigentümerliste]

Navigation path: Buildings > Reports > WEG Ownersliste

Application route: /weg_eigentuemerliste

Page type: List

Business domain: Property, unit and occupancy management

Data source: Einheiten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Property charts [Immobilien Diagramme]

Navigation path: Buildings > Reports > Property charts

Application route: /dashboard/immobilien_diagramme

Page type: Dashboard

Business domain: Property, unit and occupancy management

Data source: Immobilien_Diagramme

Purpose: Combine related indicators and work queues into one decision-making workspace.

How to use it: Review alerts and indicators first, then follow links into the underlying records to complete the work.

Why it exists: A dashboard reduces navigation time by placing related work and indicators in one context. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

This section groups related property, unit and occupancy management workflows so users can move from data entry to analysis and configuration in a predictable order.

Property types [Objektarten]

Navigation path: Buildings > Settings > Property types

Application route: /objektarten

Page type: List

Business domain: Property, unit and occupancy management

Data source: Objektarten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Unit types [Einheitenarten]

Navigation path: Buildings > Settings > Unit types

Application route: /einheitenarten

Page type: List

Business domain: Property, unit and occupancy management

Data source: Einheitenarten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Room types [Raumarten]

Navigation path: Buildings > Settings > Room types

Application route: /raumarten

Page type: List

Business domain: Property, unit and occupancy management

Data source: Raumarten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Inventory [Inventar]

This section groups related inventory and asset control workflows so users can move from data entry to analysis and configuration in a predictable order.

Data entry [Erfassung]

This section groups related inventory and asset control workflows so users can move from data entry to analysis and configuration in a predictable order.

Inventory [Inventar]

Navigation path: Inventory > Data entry > Inventory

Application route: /inventar

Page type: List

Business domain: Inventory and asset control

Data source: Inventar

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Loans [Ausleihen]

Navigation path: Inventory > Data entry > Loans

Application route: /ausleihen

Page type: List

Business domain: Inventory and asset control

Data source: Ausleihen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Reports [Auswertung]

This section groups related inventory and asset control workflows so users can move from data entry to analysis and configuration in a predictable order.

Inventory Images [Inventar Bilder]

Navigation path: Inventory > Reports > Inventory Images

Application route: /inventar_bilder

Page type: List

Business domain: Inventory and asset control

Data source: Inventar

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Financial report [Finanzbericht]

Navigation path: Inventory > Reports > Financial report

Application route: /report/finanzbericht

Page type: Report

Business domain: Accounting and financial control

Data source: Inventar

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Quantity report [Mengenbericht]

Navigation path: Inventory > Reports > Quantity report

Application route: /report/mengenbericht

Page type: Report

Business domain: Inventory and asset control

Data source: Inventar

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Inventory charts [Inventar Diagramme]

Navigation path: Inventory > Reports > Inventory charts

Application route: /dashboard/inventar_diagramme

Page type: Dashboard

Business domain: Inventory and asset control

Data source: Inventar_Diagramme

Purpose: Combine related indicators and work queues into one decision-making workspace.

How to use it: Review alerts and indicators first, then follow links into the underlying records to complete the work.

Why it exists: A dashboard reduces navigation time by placing related work and indicators in one context. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Inventory data sheets [Inventar Datenblätter]

Navigation path: Inventory > Reports > Inventory data sheets

Application route: /report/inventar_datenblatt

Page type: Report

Business domain: Inventory and asset control

Data source: Inventar

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Inventory Etiketten [Inventar Etiketten]

Navigation path: Inventory > Reports > Inventory Etiketten

Application route: /report/inventar_etiketten

Page type: Report

Business domain: Inventory and asset control

Data source: Inventar

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

This section groups related inventory and asset control workflows so users can move from data entry to analysis and configuration in a predictable order.

Categories [Kategorien]

Navigation path: Inventory > Settings > Categories

Application route: /klassifikationen_inventar

Page type: List

Business domain: Inventory and asset control

Data source: Klassifikationen Inventar

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Sets [Sets]

Navigation path: Inventory > Settings > Sets

Application route: /sets

Page type: List

Business domain: Inventory and asset control

Data source: Sets

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Keywords [Schlagwörter]

Navigation path: Inventory > Settings > Keywords

Application route: /schlagwoerter

Page type: List

Business domain: Inventory and asset control

Data source: Schlagwoerter

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Batch processing [Stapelverarbeitung]

Navigation path: Inventory > Settings > Batch processing

Application route: /inventar_stapelverarbeitung

Page type: List

Business domain: Inventory and asset control

Data source: Inventar

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is inventory and asset control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Orders [Aufträge]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Data entry [Erfassung]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Invoices [Rechnungen]

Navigation path: Orders > Data entry > Invoices

Application route: /rechnungen

Page type: List

Business domain: Operational support

Data source: Verkauf

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Quotes [Angebote]

Navigation path: Orders > Data entry > Quotes

Application route: /angebote

Page type: List

Business domain: Operational support

Data source: Verkauf

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Reports [Auswertung]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Invoice printout [Rechnungsdruck]

Navigation path: Orders > Reports > Invoice printout

Application route: /report/rechnungsdruck

Page type: Report

Business domain: Operational support

Data source: Verkauf

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Quote printout [Angebotsdruck]

Navigation path: Orders > Reports > Quote printout

Application route: /report/angebotsdruck

Page type: Report

Business domain: Operational support

Data source: Verkauf

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Transactions [Vorgänge]

Navigation path: Orders > Reports > Transactions

Application route: /verkauf

Page type: List

Business domain: Operational support

Data source: Verkauf

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Sales Mail merge Steuerdatei [Verkauf Serienbrief Steuerdatei]

Navigation path: Orders > Reports > Sales Mail merge Steuerdatei

Application route: /verkauf_serienbrief_steuerdatei

Page type: List

Business domain: Accounting and financial control

Data source: Verkauf

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Revenue analysis [Umsatzauswertung]

Navigation path: Orders > Reports > Revenue analysis

Application route: /report/umsatzauswertung

Page type: Report

Business domain: Operational support

Data source: Positionen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

This section groups related configuration and governance workflows so users can move from data entry to analysis and configuration in a predictable order.

Services [Leistungen]

Navigation path: Orders > Settings > Services

Application route: /leistungen

Page type: List

Business domain: Configuration and governance

Data source: Leistungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Contacts [Adressen]

This section groups related contact and stakeholder management workflows so users can move from data entry to analysis and configuration in a predictable order.

Data entry [Erfassung]

This section groups related contact and stakeholder management workflows so users can move from data entry to analysis and configuration in a predictable order.

Contacts [Adressen]

Navigation path: Contacts > Data entry > Contacts

Application route: /adressen

Page type: List

Business domain: Contact and stakeholder management

Data source: Adressen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Contacts (Kerndaten) [Adressen (Kerndaten)]

Navigation path: Contacts > Data entry > Contacts (Kerndaten)

Application route: /kerndaten

Page type: List

Business domain: Contact and stakeholder management

Data source: Adressen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Contacts (Vertraulich) [Adressen (Vertraulich)]

Navigation path: Contacts > Data entry > Contacts (Vertraulich)

Application route: /vertraulich

Page type: List

Business domain: Contact and stakeholder management

Data source: Adressen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

vCard import [vCard Import]

Navigation path: Contacts > Data entry > vCard import

Application route: /vcard_import/edit

Page type: Edit

Business domain: Contact and stakeholder management

Data source: Einstellungen

Purpose: Maintain a dedicated configuration or import record through a focused workflow.

How to use it: Open the page, review the current configuration, change only the intended fields and save the result.

Why it exists: A dedicated maintenance screen protects configuration data from unrelated changes. Its business domain is contact and stakeholder management.

Access and control: Requires Edit permission on the underlying data source.

Reports [Auswertung]

This section groups related contact and stakeholder management workflows so users can move from data entry to analysis and configuration in a predictable order.

Contact list [Adressliste]

Navigation path: Contacts > Reports > Contact list

Application route: /report/adressliste

Page type: Report

Business domain: Contact and stakeholder management

Data source: Adressen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Address labels [Adressetiketten]

Navigation path: Contacts > Reports > Address labels

Application route: /report/adressetiketten

Page type: Report

Business domain: Contact and stakeholder management

Data source: Adressen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Phone list [Telefonliste]

Navigation path: Contacts > Reports > Phone list

Application route: /report/telefonliste

Page type: Report

Business domain: Contact and stakeholder management

Data source: Adressen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Mail, web & Skype [Mail Web Skype]

Navigation path: Contacts > Reports > Mail, web & Skype

Application route: /report/mail_web_skype

Page type: Report

Business domain: Contact and stakeholder management

Data source: Adressen

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Mail merge data file [Serienbrief Steuerdatei]

Navigation path: Contacts > Reports > Mail merge data file

Application route: /serienbrief_steuerdatei

Page type: List

Business domain: Accounting and financial control

Data source: Abrechnungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is accounting and financial control.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Contact charts [Adressen Diagramme]

Navigation path: Contacts > Reports > Contact charts

Application route: /dashboard/adressen_diagramme

Page type: Dashboard

Business domain: Contact and stakeholder management

Data source: Adressen_Diagramme

Purpose: Combine related indicators and work queues into one decision-making workspace.

How to use it: Review alerts and indicators first, then follow links into the underlying records to complete the work.

Why it exists: A dashboard reduces navigation time by placing related work and indicators in one context. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

This section groups related contact and stakeholder management workflows so users can move from data entry to analysis and configuration in a predictable order.

Classifications [Klassifikationen]

Navigation path: Contacts > Settings > Classifications

Application route: /klassifikationen_adressen

Page type: List

Business domain: Contact and stakeholder management

Data source: Klassifikationen Adressen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Batch processing [Stapelverarbeitung]

Navigation path: Contacts > Settings > Batch processing

Application route: /adressen_stapelverarbeitung

Page type: List

Business domain: Contact and stakeholder management

Data source: Adressen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is contact and stakeholder management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Organizer [Organizer]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Work tools [Arbeitshilfen]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Notes [Notizen]

Navigation path: Organizer > Work tools > Notes

Application route: /notizen

Page type: List

Business domain: Work planning and follow-up

Data source: Notizen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Tasks [Aufgaben]

Navigation path: Organizer > Work tools > Tasks

Application route: /aufgaben

Page type: List

Business domain: Work planning and follow-up

Data source: Aufgaben

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Follow-ups [Wiedervorlage]

Navigation path: Organizer > Work tools > Follow-ups

Application route: /dashboard/heute

Page type: Dashboard

Business domain: Work planning and follow-up

Data source: Heute

Purpose: Combine related indicators and work queues into one decision-making workspace.

How to use it: Review alerts and indicators first, then follow links into the underlying records to complete the work.

Why it exists: A dashboard reduces navigation time by placing related work and indicators in one context. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Documents [Dokumente]

This section groups related documents and communications workflows so users can move from data entry to analysis and configuration in a predictable order.

Documents [Dokumente]

Navigation path: Organizer > Documents > Documents

Application route: /dokumente

Page type: List

Business domain: Documents and communications

Data source: Dokumente

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is documents and communications.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Photos [Fotos]

Navigation path: Organizer > Documents > Photos

Application route: /dokumente_fotos/add

Page type: Add

Business domain: Documents and communications

Data source: Dokumente

Purpose: Capture a focused transaction or request without exposing the full underlying table.

How to use it: Complete the visible required fields, attach supporting material where applicable and submit once the information has been verified.

Why it exists: A dedicated entry screen reduces mistakes by presenting only the fields required for this transaction. Its business domain is documents and communications.

Access and control: Requires Add permission on the underlying data source.

Images [Bilder]

Navigation path: Organizer > Documents > Images

Application route: /bilder

Page type: List

Business domain: Documents and communications

Data source: Dokumente

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is documents and communications.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Contracts [Verträge]

Navigation path: Organizer > Documents > Contracts

Application route: /vertraege

Page type: List

Business domain: Documents and communications

Data source: Vertraege

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is documents and communications.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

OneNote [OneNote]

Navigation path: Organizer > Documents > OneNote

Application route: <https://www.onenote.com>

Page type: List

Business domain: Documents and communications

Data source: External service

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is documents and communications.

Access and control: External link; availability and access are controlled by the destination service.

OneDrive [Onedrive]

Navigation path: Organizer > Documents > OneDrive

Application route: <https://onedrive.live.com>

Page type: List

Business domain: Documents and communications

Data source: External service

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is documents and communications.

Access and control: External link; availability and access are controlled by the destination service.

Appointments [Termine]

This section groups related work planning and follow-up workflows so users can move from data entry to analysis and configuration in a predictable order.

Alle Appointments [Alle Termine]

Navigation path: Organizer > Appointments > Alle Appointments

Application route: /termine

Page type: List

Business domain: Work planning and follow-up

Data source: Termine

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Agenda Today [Agenda Heute]

Navigation path: Organizer > Appointments > Agenda Today

Application route: /agenda_heute

Page type: List

Business domain: Work planning and follow-up

Data source: Termine

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Calendarwoche [Kalenderwoche]

Navigation path: Organizer > Appointments > Calendarwoche

Application route: /kalenderwoche

Page type: List

Business domain: Work planning and follow-up

Data source: Kalenderwoche

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Appointments diese Woche [Termine diese Woche]

Navigation path: Organizer > Appointments > Appointments diese Woche

Application route: /termine_diese_woche

Page type: List

Business domain: Work planning and follow-up

Data source: Termine

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Monthly calendar [Monatskalender]

Navigation path: Organizer > Appointments > Monthly calendar

Application route: /kalender

Page type: List

Business domain: Work planning and follow-up

Data source: Kalender

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Appointments dieser Monat [Termine dieser Monat]

Navigation path: Organizer > Appointments > Appointments dieser Monat

Application route: /termine_dieser_monat

Page type: List

Business domain: Work planning and follow-up

Data source: Termine

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

ICS import [ics Import]

Navigation path: Organizer > Appointments > ICS import

Application route: /ics_import/edit

Page type: Edit

Business domain: Work planning and follow-up

Data source: Einstellungen

Purpose: Maintain a dedicated configuration or import record through a focused workflow.

How to use it: Open the page, review the current configuration, change only the intended fields and save the result.

Why it exists: A dedicated maintenance screen protects configuration data from unrelated changes. Its business domain is work planning and follow-up.

Access and control: Requires Edit permission on the underlying data source.

Outlook Calendar [Outlook Kalender]

Navigation path: Organizer > Appointments > Outlook Calendar

Application route: <https://outlook.live.com/calendar/view/month>

Page type: List

Business domain: Work planning and follow-up

Data source: External service

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is work planning and follow-up.

Access and control: External link; availability and access are controlled by the destination service.

Correspondence [Korrespondenz]

This section groups related documents and communications workflows so users can move from data entry to analysis and configuration in a predictable order.

Correspondence [Korrespondenz]

Navigation path: Organizer > Correspondence > Correspondence

Application route: /korrespondenz

Page type: List

Business domain: Documents and communications

Data source: Korrespondenz

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is documents and communications.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Export to Word [Export nach Word]

Navigation path: Organizer > Correspondence > Export to Word

Application route: /report/korrespondenz_word

Page type: Report

Business domain: Documents and communications

Data source: Korrespondenz

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is documents and communications.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Letter printout [Briefdruck]

Navigation path: Organizer > Correspondence > Letter printout

Application route: /report/korrespondenz_briefdruck

Page type: Report

Business domain: Documents and communications

Data source: Korrespondenz

Purpose: Produce a controlled business report for review, reconciliation or delivery.

How to use it: Open the report, apply the required scope or filters, verify totals and context, then print or export the approved result.

Why it exists: A repeatable report provides consistent totals, grouping and presentation for internal control and external communication. Its business domain is documents and communications.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Outlook Mail [Outlook Mail]

Navigation path: Organizer > Correspondence > Outlook Mail

Application route: <https://outlook.live.com/mail/inbox>

Page type: List

Business domain: Documents and communications

Data source: External service

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is documents and communications.

Access and control: External link; availability and access are controlled by the destination service.

Word Online [Word online]

Navigation path: Organizer > Correspondence > Word Online

Application route: <https://office.live.com/start/Word.aspx>

Page type: List

Business domain: Documents and communications

Data source: External service

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is documents and communications.

Access and control: External link; availability and access are controlled by the destination service.

Information [Info]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Information [Informationen]

Navigation path: Organizer > Information > Information

Application route: /informationen

Page type: List

Business domain: Operational support

Data source: Informationen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Laws & regulations [Gesetze/Verordnungen]

Navigation path: Organizer > Information > Laws & regulations

Application route: https://www.intex-publishing.de/kundenportal/Gesetze_list.php?orderby=aBezeichnung

Page type: List

Business domain: Operational support

Data source: External service

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: External link; availability and access are controlled by the destination service.

Court decisions [Urteile]

Navigation path: Organizer > Information > Court decisions

Application route: https://www.intex-publishing.de/kundenportal/Urteile_list.php?orderby=dDatum

Page type: List

Business domain: Operational support

Data source: External service

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: External link; availability and access are controlled by the destination service.

Settings [Einstellungen]

This section groups related configuration and governance workflows so users can move from data entry to analysis and configuration in a predictable order.

Value lists [Wertelisten]

This section groups related configuration and governance workflows so users can move from data entry to analysis and configuration in a predictable order.

Postal codes [PLZ]

Navigation path: Settings > Value lists > Postal codes

Application route: /plz

Page type: List

Business domain: Configuration and governance

Data source: PLZ

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Value lists [Wertelisten]

Navigation path: Settings > Value lists > Value lists

Application route: /wertelisten

Page type: List

Business domain: Configuration and governance

Data source: Wertelisten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Colours [Farben]

Navigation path: Settings > Value lists > Colours

Application route: /farben

Page type: List

Business domain: Configuration and governance

Data source: Farben

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

This section groups related configuration and governance workflows so users can move from data entry to analysis and configuration in a predictable order.

Serial numbers [Seriennummern]

Navigation path: Settings > Settings > Serial numbers

Application route: /seriennummern

Page type: List

Business domain: Configuration and governance

Data source: Seriennummern

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Settings [Einstellungen]

Navigation path: Settings > Settings > Settings

Application route: /einstellungen

Page type: List

Business domain: Configuration and governance

Data source: Einstellungen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Administration [Administration]

This section groups related configuration and governance workflows so users can move from data entry to analysis and configuration in a predictable order.

Contract data [Vertragsdaten]

Navigation path: Settings > Administration > Contract data

Application route: /vertragsdaten

Page type: List

Business domain: Configuration and governance

Data source: Benutzer

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Backup [Backup]

Navigation path: Settings > Administration > Backup

Application route: /backup

Page type: List

Business domain: Configuration and governance

Data source: No table

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is configuration and governance.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Portal [Portal]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Online portal [Online Portal]

This section groups related operational support workflows so users can move from data entry to analysis and configuration in a predictable order.

Registration [Anmeldung]

Navigation path: Portal > Online portal > Registration

Application route: /anmeldung/add

Page type: Add

Business domain: Operational support

Data source: Adressen

Purpose: Capture a focused transaction or request without exposing the full underlying table.

How to use it: Complete the visible required fields, attach supporting material where applicable and submit once the information has been verified.

Why it exists: A dedicated entry screen reduces mistakes by presenting only the fields required for this transaction. Its business domain is operational support.

Access and control: Requires Add permission on the underlying data source.

Contact request [Kontaktaufnahme]

Navigation path: Portal > Online portal > Contact request

Application route: /kontaktaufnahme/add

Page type: Add

Business domain: Contact and stakeholder management

Data source: Korrespondenz

Purpose: Capture a focused transaction or request without exposing the full underlying table.

How to use it: Complete the visible required fields, attach supporting material where applicable and submit once the information has been verified.

Why it exists: A dedicated entry screen reduces mistakes by presenting only the fields required for this transaction. Its business domain is contact and stakeholder management.

Access and control: Requires Add permission on the underlying data source.

Submit meter readings [Zählerstände melden]

Navigation path: Portal > Online portal > Submit meter readings

Application route: /zaehlerstaende_melden/add

Page type: Add

Business domain: Operational support

Data source: Zaehler

Purpose: Capture a focused transaction or request without exposing the full underlying table.

How to use it: Complete the visible required fields, attach supporting material where applicable and submit once the information has been verified.

Why it exists: A dedicated entry screen reduces mistakes by presenting only the fields required for this transaction. Its business domain is operational support.

Access and control: Requires Add permission on the underlying data source.

Messages [Mitteilungen]

Navigation path: Portal > Online portal > Messages

Application route: /mitteilungen

Page type: List

Business domain: Operational support

Data source: Korrespondenz

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Properties Vermietung Sales [Objekte Vermietung Verkauf]

Navigation path: Portal > Online portal > Properties Vermietung Sales

Application route: /objekte_vermietung_verkauf

Page type: List

Business domain: Property, unit and occupancy management

Data source: Objekte

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Units Vermietung Sales [Einheiten Vermietung Verkauf]

Navigation path: Portal > Online portal > Units Vermietung Sales

Application route: /einheiten_vermietung_verkauf

Page type: List

Business domain: Property, unit and occupancy management

Data source: Einheiten

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is property, unit and occupancy management.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Employees [Mitarbeiter]

Navigation path: Portal > Online portal > Employees

Application route: /mitarbeiter

Page type: List

Business domain: Operational support

Data source: Adressen

Purpose: Inspect, search and manage operational records in a structured list.

How to use it: Open the module, use quick or advanced search, inspect a record, then create or edit entries only when your role permits it.

Why it exists: A shared list creates one authoritative operational record and avoids fragmented spreadsheets or duplicate local files. Its business domain is operational support.

Access and control: Requires signed-in access and Read permission; additional actions require their corresponding access-mask letters.

Governance and Support Notes

Permissions

A module may be visible while a specific action remains unavailable. This is intentional: access masks separate reading from adding, editing, deleting, exporting, printing and importing. When a user cannot complete a task, administrators should review the user group and table rights rather than sharing a more privileged account.

Team Scope

Operational records are commonly restricted by Team. Users normally work only with records assigned to their Team, while administrators may have cross-Team visibility. Team ownership should be reviewed whenever staff responsibilities change.

Data Quality

Reports and charts inherit the quality of their source records. Consistent dates, classifications, account assignments, property links, contact links and status values are essential. Correct master data first instead of compensating for errors in a report or export.

Issue Reporting

When reporting a problem, include the sidebar path, route URL, user role, expected result, actual result and timestamp. Do not include passwords, session cookies, private documents or API credentials. A screenshot is useful when it does not expose confidential information.