# C Sharp Cods:

## indexSite.master.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace EWebsite
{
    public partial class indexSite : System.Web.UI.MasterPage
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Timer2_Tick(object sender, EventArgs e)
        {
            Random rnd = new Random();
            int i = rnd.Next(1, 5);
            Image2.ImageUrl = "~/resim/" + "rek" + i.ToString() + ".jpg";
        }
    }
}
```

## homepage.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace EWebsite
{
    public partial class Anasayfa : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            Session["addproduct"] = "false";
            if (Session["Kullanici"] != null)
            {
                lblKullanici.Text = "Welcome: " + Session["Kullanici"].ToString();

            }
            else
            {
                lblKullanici.Text = "Giriş Yap";
            }
        }

        protected void DataList1_ItemCommand(object source, DataListCommandEventArgs e)
        {
            Session["addproduct"] = "true";
            if (e.CommandName == "AddToCart")
            {
                DropDownList list = (DropDownList)(e.Item.FindControl("DropDownList1"));
                Response.Redirect("Sepete.aspx?id=" + e.CommandArgument.ToString() + "&quantity=" + list.SelectedItem.ToString());
            }
        }

        protected void btn_Spt_Click(object sender, ImageClickEventArgs e)
        {
            Response.Redirect("Sepete.aspx");
        }

        protected void ibtnbul_Click(object sender, ImageClickEventArgs e)
        {
            String BaglantiYolu = "Provider=Microsoft.ACE.OLEDB.12.0; data source=|DataDirectory|AlisverisSt.accdb";
            OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
            Baglanti.Open();
            string Sorgu = "SELECT * FROM urun WHERE urnAd LIKE '" + txtBul.Text + "%'";
            OleDbCommand Komut = new OleDbCommand(Sorgu, Baglanti);
            OleDbDataReader Okuyucu = Komut.ExecuteReader();
            DataList1.DataSourceID = null;
            DataList1.DataSource = Okuyucu;
```

```
            DataList1.DataBind();
            Baglanti.Close();
            Komut.Dispose();
            Okuyucu.Close();
            Baglanti.Close();
            Komut.Dispose();
            Okuyucu.Close();
        }
    }
}
```

# contactus.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace EWebsite
{
    public partial class iletisim : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            Session["addproduct"] = "false";
            if (Session["Kullanici"] != null)
            {
                lblKullanici.Text = "Welcome: " + Session["Kullanici"].ToString();

            }
            else
            {

                lblKullanici.Text = "Giriş Yap";
            }
        }

        protected void btn_iletisim_Click(object sender, EventArgs e)
        {
            String BaglantiYolu = "Provider=Microsoft.ACE.OLEDB.12.0; data source=|DataDirectory|AlisverisSt.accdb";
            OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
            Baglanti.Open();
            string ad = TextBox1.Text;
            string soyad = TextBox2.Text;
            string ulke = DropDownList1.Text;
            string konu = TextBox3.Text;

            string Sorgu = "INSERT INTO iletisim(ad, soyad, ulke, konu) VALUES (@ad, @soyad, @ulke, @konu)";
            OleDbCommand Komut = new OleDbCommand(Sorgu, Baglanti);
            Komut.Parameters.AddWithValue("@ad", ad);
            Komut.Parameters.AddWithValue("@soyad", soyad);
            Komut.Parameters.AddWithValue("@ulke", ulke);
            Komut.Parameters.AddWithValue("@konu", konu);


            //Label1.Enabled = true;
            //Label2.Text = "kayit yapilmistir";
            // GridView1.Visible = true;
            Komut.ExecuteNonQuery();
            Baglanti.Close();
            lbl_msg.Text = "Mesajınız başarıyla gönderilmiştir";
        }
    }
}
```

# member.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace EWebsite
{
    public partial class uyeOl : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
```

```
        {
            String BaglantiYolu = "Provider=Microsoft.ACE.OLEDB.12.0; data source=|DataDirectory|AlisverisSt.accdb";
            OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
            Baglanti.Open();
            string ad = TextBox1.Text;
            string soyad = TextBox2.Text;
            string eposta = TextBox3.Text;
            string cinsiyet = DropDownList1.Text;
            string sifre = TextBox4.Text;

            string Sorgu = "INSERT INTO uyeler(ad, soyad, eposta, cinsiyet, sifre) VALUES (@ad, @soyad, @eposta, @cinsiyet, @sifre)";
            OleDbCommand Komut = new OleDbCommand(Sorgu, Baglanti);
            Komut.Parameters.AddWithValue("@ad", ad);
            Komut.Parameters.AddWithValue("@soyad", soyad);
            Komut.Parameters.AddWithValue("@eposta", eposta);
            Komut.Parameters.AddWithValue("@cinsiyet", cinsiyet);
            Komut.Parameters.AddWithValue("@sifre", sifre);


            Komut.ExecuteNonQuery();
            Baglanti.Close();
            Label1.Text = "Register successfully";
        }
    }
}
```

# login.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace EWebsite
{
    public partial class giris : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void btngiris_Click(object sender, EventArgs e)
        {
            OleDbConnection Baglanti = new OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0; data source=" +
Server.MapPath("App_Data\\AlisverisSt.accdb"));
            Baglanti.Open();
            String eposta = txt_kullanici.Text;
            String sifre = txt_sifre.Text;
            OleDbCommand Komut = new OleDbCommand("SELECT * from uyeler WHERE eposta='" + eposta + "' and sifre='" + sifre + "'",
Baglanti);
            OleDbDataReader Okuyucu = Komut.ExecuteReader();

            if (Okuyucu.Read())
            {
                Session.Add("Kullanici", eposta);
                Response.Redirect("Anasayfa.aspx");
            }
            else
            {
                lbl_msg.Text = "giriş başarısız";
            }
            Baglanti.Close();
            Baglanti.Dispose();
        }
    }
}
```

# cart.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Data;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace EWebsite
{
    public partial class Sepete : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            if (!IsPostBack)
            {
```

```
            if (Session["buyitems"] == null)
            {
                Button1.Enabled = false;
            }
            else
            {
                Button1.Enabled = true;
            }


            //Adding producc to Gridviiew
            Session["addproduct"] = "false";
            DataTable dt = new DataTable();
            DataRow dr;
            dt.Columns.Add("sno");
            dt.Columns.Add("pid");
            dt.Columns.Add("pname");
            dt.Columns.Add("pimage");
            dt.Columns.Add("pprice");
            dt.Columns.Add("pquantity");
            dt.Columns.Add("ptotalprice");

            if (Request.QueryString["id"] != null)
            {
                if (Session["Buyitems"] == null)
                {
                    dr = dt.NewRow();
                    OleDbConnection conn = new OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0; data
source=|DataDirectory|AlisverisSt.accdb");
                    OleDbDataAdapter da = new OleDbDataAdapter("SELECT*FROM urun WHERE ID=" + Request.QueryString["ID"], conn);
                    DataSet ds = new DataSet();
                    da.Fill(ds);

                    dr["sno"] = 1;
                    dr["pid"] = ds.Tables[0].Rows[0]["ID"].ToString();
                    dr["pname"] = ds.Tables[0].Rows[0]["urnAd"].ToString();
                    dr["pimage"] = ds.Tables[0].Rows[0]["urnResim"].ToString();
                    dr["pprice"] = ds.Tables[0].Rows[0]["urnFiyat"].ToString();
                    dr["pquantity"] = Request.QueryString["quantity"];

                    int price = Convert.ToInt32(ds.Tables[0].Rows[0]["urnFiyat"].ToString());
                    int Quantity = Convert.ToInt32(Request.QueryString["quantity"].ToString());
                    int TotalPrice = price * Quantity;
                    dr["ptotalprice"] = TotalPrice;


                    dt.Rows.Add(dr);
                    GridView1.DataSource = dt;
                    GridView1.DataBind();
                    Session["buyitems"] = dt;
                    Button1.Enabled = true;

                    GridView1.FooterRow.Cells[5].Text = "To";
                    GridView1.FooterRow.Cells[6].Text = grandtotal().ToString();
                    Response.Redirect("Sepete.aspx");
                }
                else
                {
                    dt = (DataTable)Session["buyitems"];
                    int sr;
                    sr = dt.Rows.Count;

                    dr = dt.NewRow();
                    OleDbConnection conn = new OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0; data
source=|DataDirectory|AlisverisSt.accdb");

                    OleDbDataAdapter da = new OleDbDataAdapter("SELECT*FROM urun WHERE ID=" + Request.QueryString["ID"], conn);
                    DataSet ds = new DataSet();
                    da.Fill(ds);

                    dr["sno"] = sr + 1;
                    dr["pid"] = ds.Tables[0].Rows[0]["ID"].ToString();
                    dr["pname"] = ds.Tables[0].Rows[0]["urnAd"].ToString();
                    dr["pimage"] = ds.Tables[0].Rows[0]["urnResim"].ToString();
                    dr["pprice"] = ds.Tables[0].Rows[0]["urnFiyat"].ToString();
                    dr["pquantity"] = Request.QueryString["quantity"];

                    int price = Convert.ToInt32(ds.Tables[0].Rows[0]["urnFiyat"].ToString());
                    int Quantity = Convert.ToInt32(Request.QueryString["quantity"].ToString());
                    int TotalPrice = price * Quantity;
                    dr["ptotalprice"] = TotalPrice;

                    dt.Rows.Add(dr);
                    GridView1.DataSource = dt;
                    GridView1.DataBind();
                    Session["buyitems"] = dt;
                    Button1.Enabled = true;

                    GridView1.FooterRow.Cells[5].Text = "Toplam Para";
                    GridView1.FooterRow.Cells[6].Text = grandtotal().ToString();
                    Response.Redirect("Sepete.aspx");
                }
            }
```

```
            else
            {
                dt = (DataTable)Session["buyitems"];
                GridView1.DataSource = dt;
                GridView1.DataBind();
                if (GridView1.Rows.Count > 0)
                {
                    GridView1.FooterRow.Cells[5].Text = "Toplam Para";
                    GridView1.FooterRow.Cells[6].Text = grandtotal().ToString();
                }
            }
        }
        string OrderDtae = DateTime.Now.ToShortDateString();
        Session["Orderdate"] = OrderDtae;
        orderid();
    }
    public int grandtotal()
    {
        DataTable dt = new DataTable();
        dt = (DataTable)Session["buyitems"];
        int nrow = dt.Rows.Count;
        int i = 0;
        int totalprice = 0;
        while (i < nrow)
        {
            totalprice = totalprice + Convert.ToInt32(dt.Rows[i]["pprice"].ToString());

            i = i + 1;
        }
            return totalprice;
        }

        public void orderid()
        {
            string alpha = "abCdefghIjklmNopqrStuvwXyz123456789";
            Random r = new Random();
            char[] myArray = new char[5];
            for (int i = 0; i < 5; i++)
            {
                myArray[i] = alpha[(int)(35 * r.NextDouble())];
            }
            string orderid;
            orderid = "Order Id: " + DateTime.Now.Hour.ToString() + DateTime.Now.Second.ToString() + DateTime.Now.Day.ToString()
                + DateTime.Now.Month.ToString() + DateTime.Now.Year.ToString() + new string(myArray) + DateTime.Now.Minute.ToString()
+ DateTime.Now.Second.ToString();
            Session["Orderid"] = orderid;

        }

        protected void Button1_Click(object sender, EventArgs e)
        {

        }

        protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
        {
            DataTable dt = new DataTable();
            dt = (DataTable)Session["buyitems"];

            for (int i = 0; i <= dt.Rows.Count - 1; i++)
            {
                int sr;
                int sr1;
                string qdata;
                string dtdata;
                sr = Convert.ToInt32(dt.Rows[i]["sno"].ToString());
                TableCell cell = GridView1.Rows[e.RowIndex].Cells[0];
                qdata = cell.Text;
                dtdata = sr.ToString();
                sr1 = Convert.ToInt32(qdata);

                if (sr == sr1)
                {
                    dt.Rows[i].Delete();
                    dt.AcceptChanges();

                    break;
                }
            }

            // setting sNo. after deleting Row item from cart
            for (int i = 1; i <= dt.Rows.Count; i++)
            {
                dt.Rows[i - 1]["sno"] = i;
                dt.AcceptChanges();
            }
            Session["buyitems"] = dt;
            Response.Redirect("Sepete.aspx");
        }
    }
}
```

# Database screenshots:












# Html and Css Cods:

## Index.Master

```
<%@ Master Language="C#" AutoEventWireup="true" CodeBehind="indexSite.master.cs" Inherits="EWebsite.indexSite" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
    <asp:ContentPlaceHolder ID="head" runat="server">
    </asp:ContentPlaceHolder>
    <style type="text/css">
        .auto-style1 {
            width: 220px;
            height: 50px;
        }

        .auto-style2 {
            height: 25px;
            color: #000000;
            background-color: #99FF99;
        }

        .auto-style3 {
            width: 103px;
            height: 50px;
        }

        .auto-style5 {
            width: 780px;
            height: 50px;
        }

        .auto-style6 {
            width: 100%;
            height: 174px;
            color: #660066;
        }

        .auto-style7 {
            color: #0066FF;
        }

        .auto-style8 {
            background-color: #99FF99;
            width: 200px;
        }

        .auto-style9 {
            height: 310px;
            background-color: #99FF99;
            width: 200px;
        }

        .auto-style10 {
            height: 310px;
        }

        .auto-style11 {
            color: #800000;
        }

        .auto-style13 {
            color: #000099;
            font-size: x-large;
        }

        .auto-style14 {
            height: 40px;
            background-color: #99FF99;
        }

        .auto-style15 {
            width: 200px;
            height: 50px;
        }

        .auto-style16 {
            height: 40px;
            width: 200px;
            background-color: #99FF99;
        }

        .auto-style17 {
            height: 25px;
            width: 200px;
            background-color: #99FF99;
        }
```

```
        .auto-style18 {
            font-size: x-large;
            color: #0000CC;
        }

        .auto-style19 {
            color: #000099;
        }

        .auto-style20 {
            width: 200px;
            height: 23px;
            background-color: #99FF99;
        }

        .auto-style21 {
            color: #800000;
            height: 50px;
        }
    </style>
</head>
<body style="color: #CCCCCC; background-color: white">
    <form id="form1" runat="server">
        <div>
            <table style="width: 850px; margin: 0 auto; border-right: 5px solid #99FF99">
                <tr style="width: 850px; border-color: #00ff90; background-color: white">
                    <td class="auto-style15"> </td>
                    <td class="auto-style3"> </td>
                    <td align="center" class="auto-style5"> </td>
                    <td style="text-align: right" class="auto-style1"> </td>
                </tr>
                <tr style="width: 100px; background-color: #5f9bf3">
                    <td class="auto-style16">
                        <asp:ContentPlaceHolder ID="ContentPlaceHolder3" runat="server">
                        </asp:ContentPlaceHolder>
                    </td>
                    <td colspan="3" class="auto-style14">
                        <asp:Menu ID="Menu1" runat="server" Orientation="Horizontal" StaticSubMenuIndent="19px" CssClass="auto-
style19" ForeColor="#000099">
                            <Items>
                                <asp:MenuItem Text="Anasayfa" Value="Anasayfa" NavigateUrl="Anasayfa.aspx"></asp:MenuItem>
                                <%--<asp:MenuItem Text="Tüm Ürünler" Value="Tüm Ürünler"></asp:MenuItem>--%>
                                <asp:MenuItem Text="Hakkımızda" Value="Hakkımızda" NavigateUrl="Hakkımızda.aspx"></asp:MenuItem>
                                <asp:MenuItem Text="İletişim" Value="İletişim" NavigateUrl="iletisim.aspx"></asp:MenuItem>
                                <asp:MenuItem Text="giriş" Value="giriş" NavigateUrl="giris.aspx"></asp:MenuItem>
                                <asp:MenuItem Text="Üye Ol" Value="Üye Ol" NavigateUrl="uyeOl.aspx"></asp:MenuItem>
                            </Items>
                            <StaticHoverStyle BackColor="#00f39b" BorderColor="#f2f2f2" BorderStyle="Outset" ForeColor="White"
Height="40px" />
                            <StaticMenuItemStyle Font-Bold="True" Font-Size="Large" ForeColor="#993300" HorizontalPadding="54px" />
                            <StaticSelectedStyle BackColor="green" BorderColor="#FF6060" BorderStyle="Inset" ForeColor="#666666"
Height="40px" />
                        </asp:Menu>
                    </td>
                </tr>
                <tr style="width: 100%; height: 40px; background-color: #5f9bf3">
                    <td class="auto-style20">
                        <asp:Image ID="Image3" runat="server" Height="100px" ImageUrl="~/resim/eleklogo.png" Style="margin-top: 0px"
Width="100px" />
                    </td>
                    <td class="auto-style20" colspan="3">
                        <asp:ContentPlaceHolder ID="ContentPlaceHolder2" runat="server">
                        </asp:ContentPlaceHolder>
                    </td>
                </tr>
                <tr style="width: 850px;">
                    <td class="auto-style9">
                        <table class="auto-style6">
                            <tbody class="auto-style7">
                                <tr>
                                    <td>
                                        <asp:HyperLink ID="HyperLink1" runat="server" CssClass="auto-
style13">Elektronik</asp:HyperLink>
                                    </td>
                                </tr>
                                <tr>
                                    <td class="auto-style21">
                                        <asp:HyperLink ID="HyperLink2" runat="server" CssClass="auto-style18">Elbise</asp:HyperLink>
                                        <br />
                                    </td>
                                </tr>
                                <tr>
                                    <td class="auto-style11">
                                        <asp:HyperLink ID="HyperLink3" runat="server" CssClass="auto-style13">Telefon</asp:HyperLink>
                                        <br />
                                    </td>
                                </tr>
                                <tr>
                                    <td class="auto-style11">
                                        <asp:HyperLink ID="HyperLink4" runat="server" CssClass="auto-style13">Diğer</asp:HyperLink>
                                        <br />
                                    </td>
                                </tr>
                                <tr>
```

```
                                <td class="auto-style11"> </td>
                            </tr>
                        </tbody>
                    </table>
                </td>
                <td colspan="3" class="auto-style10">
                    <asp:ScriptManager ID="ScriptManager1" runat="server"></asp:ScriptManager>
                    <asp:UpdatePanel ID="UpdatePanel1" runat="server">
                        <ContentTemplate>

                            <asp:Timer ID="Timer2" runat="server" Interval="2000" OnTick="Timer2_Tick"></asp:Timer>
                            <asp:Image ID="Image2" runat="server" BackColor="White" BorderColor="Gray" BorderStyle="Double"
Height="270px" Width="1150px" />

                        </ContentTemplate>
                    </asp:UpdatePanel>
                </td>
            </tr>
            <tr>
                <td class="auto-style8"> </td>
                <td colspan="3">
                    <asp:ContentPlaceHolder ID="ContentPlaceHolder1" runat="server">

                        <asp:Button ID="Button1" runat="server" BackColor="Red" Font-Bold="True" Font-Size="Large"
ForeColor="Black"  Text="Log up" />

                    </asp:ContentPlaceHolder>
                </td>
            </tr>
            <tr style="width: 850px; background-color: black; text-align: center; color: white">
                <td class="auto-style17"></td>
                <td colspan="3" class="auto-style2">&copy; myWebsite
                </td>
            </tr>
        </table>

    </div>
</form>
</body>
</html>
```

# homepage.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/indexSite.Master" AutoEventWireup="true" CodeBehind="Anasayfa.aspx.cs"
Inherits="EWebsite.Anasayfa" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <style type="text/css">
        .auto-style6 {
        }

        .auto-style7 {
            text-align: center;
        }

        .auto-style12 {
            width: 100%;
        }

        .auto-style13 {
            width: 227px;
        }

        .auto-style14 {
            color: #CC0099;
        }

        .auto-style15 {
            width: 1107px;
        }

        .auto-style21 {
            width: 1095px;
            height: 50px;
        }

        .auto-style22 {
            color: #000000;
        }

        .auto-style23 {
            background-color: #99FFCC;
        }

        .auto-style24 {
            background-color: #99FF99;
        }
    </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
```

```
    <asp:DataList ID="DataList1" runat="server" DataSourceID="AccessDataSource1" Height="293px" Width="310px" RepeatColumns="4"
RepeatDirection="Horizontal" OnItemCommand="DataList1_ItemCommand">
        <ItemTemplate>
            <table>
                <tr>
                    <td style="text-align: center;" class="auto-style23">
                        <asp:Label ID="Label1" runat="server" Text='<%# Eval("urnAd") %>' Font-Bold="True" Font-Names="Open Sans
Extrabold" ForeColor="White"></asp:Label>
                    </td>
                </tr>
                <tr>
                    <td style="text-align: center">
                        <asp:Image ID="Image1" runat="server" BorderColor="#5F9BF3" BorderWidth="1px" Height="250px" Width="278px"
ImageUrl='<%# Eval("urnResim") %>' />
                    </td>
                </tr>
                <tr>
                    <td style="text-align: center;" class="auto-style24">
                        <asp:Label ID="Label2" runat="server" Text="Price" Font-Bold="True" Font-Names="Arial" ForeColor="White"
Style="text-align: center"></asp:Label>
                        <asp:Label ID="Label3" runat="server" Text='<%# Eval("urnFiyat") %>' Font-Bold="True" Font-Names="Arial"
ForeColor="White" Style="text-align: center"></asp:Label>
                    </td>
                </tr>
                <tr>
                    <td align="center">Quantity
                     <asp:DropDownList ID="DropDownList1" runat="server">
                         <asp:ListItem>1</asp:ListItem>
                         <asp:ListItem>6</asp:ListItem>
                         <asp:ListItem>12</asp:ListItem>
                         <asp:ListItem>50</asp:ListItem>
                         <asp:ListItem>100</asp:ListItem>
                     </asp:DropDownList>
                    </td>
                </tr>
                <tr>
                    <td style="text-align: center">
                        <asp:ImageButton ID="ImageButton1" runat="server" Height="40px"
                            ImageUrl="~/resim/spt.jpg" Width="160px" CommandArgument='<%# Eval("ID") %>' CommandName="AddToCart" />
                    </td>
                </tr>
            </table>
            <br />
            <br />

        </ItemTemplate>
    </asp:DataList>

    <asp:AccessDataSource ID="AccessDataSource1" runat="server" DataFile="~/App_Data/AlisverisSt.accdb" SelectCommand="SELECT * FROM
[urun]"></asp:AccessDataSource>
</asp:Content>
<asp:Content ID="Content3" runat="server" ContentPlaceHolderID="ContentPlaceHolder2">
    <table class="auto-style12">
        <tr style="width: 100px; text-align: center">
            <td class="auto-style13">
                <table align="left" class="auto-style21">
                    <tr>
                        <td class="auto-style14" style="text-align: left">
                            <h1>myWebsite            </h1>
                        </td>
                        <td>
                            <asp:TextBox Style="padding-bottom: 0px; margin-right: 0" ID="txtBul" runat="server" Width="302px"
Height="30px"></asp:TextBox>
                        </td>
                        <td>
                            <asp:ImageButton ID="ibtnbul" runat="server" Height="28px" ImageUrl="~/resim/search.jpg" Width="45px"
OnClick="ibtnbul_Click" />
                        </td>

<td>                
                            <asp:ImageButton ID="ImageButton8" runat="server" Height="28px" ImageUrl="~/resim/5771782.png"
Width="45px" />  
                            <asp:ImageButton ID="ImageButton7" runat="server" Height="28px" ImageUrl="~/resim/3689123.png"
Width="45px" />  
                            <asp:ImageButton ID="ImageButton6" runat="server" Height="28px" ImageUrl="~/resim/229098.png"
Width="45px" />  <asp:ImageButton ID="btn_Spt" runat="server" Height="28px" ImageUrl="~/resim/950812.png" Width="45px"
OnClick="btn_Spt_Click" />

                        </td>
                    </tr>
                </table>
                   
            </td>
        </tr>
    </table>
</asp:Content>

<asp:Content ID="Content4" runat="server" ContentPlaceHolderID="ContentPlaceHolder3">
    <asp:Label ID="lblKullanici" runat="server" CssClass="auto-style22"></asp:Label>
</asp:Content>
```

# aboutus.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/indexSite.Master" AutoEventWireup="true" CodeBehind="Hakkımızda.aspx.cs"
Inherits="EWebsite.Hakkımızda" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <style type="text/css">


        .auto-style22 {
            color: #000000;
        }

        </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder3" runat="server">
    <asp:Label ID="lblKullanici" runat="server" CssClass="auto-style22"></asp:Label>
</asp:Content>
<asp:Content ID="Content3" ContentPlaceHolderID="ContentPlaceHolder2" runat="server">
    <table align="left" class="auto-style21">
        <tr>
            <td class="auto-style14" style="text-align: left">
                <h1>myWebsite            </h1>
            </td>
            <td>
                <asp:TextBox Style="padding-bottom: 0px; margin-right: 0" ID="txtBul" runat="server" Width="302px"
Height="30px"></asp:TextBox>
            </td>
            <td>
                <asp:ImageButton ID="ibtnbul" runat="server" Height="28px" ImageUrl="~/resim/search.jpg" Width="45px" />
            </td>
            <td>                 
                        <asp:ImageButton ID="ImageButton8" runat="server" Height="28px" ImageUrl="~/resim/5771782.png"
Width="45px" />
                  
                        <asp:ImageButton ID="ImageButton7" runat="server" Height="28px" ImageUrl="~/resim/3689123.png"
Width="45px" />
                  
                        <asp:ImageButton ID="ImageButton6" runat="server" Height="28px" ImageUrl="~/resim/229098.png"
Width="45px" />
                  <asp:ImageButton ID="btn_Spt" runat="server" Height="28px" ImageUrl="~/resim/950812.png" Width="45px" />
            </td>
        </tr>
    </table>
</asp:Content>
<asp:Content ID="Content4" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
    <asp:Image ID="Image4" runat="server" Height="513px" ImageUrl="~/elektronik/aboutus.png" Width="1153px" />
</asp:Content>
```

# contactus.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/indexSite.Master" AutoEventWireup="true" CodeBehind="iletisim.aspx.cs"
Inherits="EWebsite.iletisim" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <style type="text/css">
        .auto-style22 {
            width: 568px;
            height: 454px;
            color: #000000;
            background-color: #66FF99;
        }
        .auto-style23 {
            text-align: center;
            text-decoration: underline;
        }
        .auto-style24 {
            font-size: large;
        }
        .auto-style25 {
            text-align: center;
        }
        .auto-style26 {
            font-size: large;
            color: #FF3300;
        }
        .auto-style27 {
            font-size: large;
            text-align: center;
        }

        .auto-style12 {
            width: 100%;
        }

        </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder3" runat="server">
    <asp:Label ID="lblKullanici" runat="server" CssClass="auto-style22"></asp:Label>
</asp:Content>
<asp:Content ID="Content3" ContentPlaceHolderID="ContentPlaceHolder2" runat="server">
```

```
    <table class="auto-style12">
    <tr style="width: 100px; text-align: center">
        <td class="auto-style13">
            <table align="left" class="auto-style21">
                <tr>
                    <td class="auto-style14" style="text-align: left">
                        <h1>myWebsite             </h1>
                    </td>
                    <td>
                        <asp:TextBox Style="padding-bottom: 0px; margin-right: 0" ID="txtBul" runat="server" Width="302px"
Height="30px"></asp:TextBox>
                    </td>
                    <td>
                        <asp:ImageButton ID="ibtnbul" runat="server" Height="28px" ImageUrl="~/resim/search.jpg" Width="45px" />
                    </td>
                    <td>                   
                            <asp:ImageButton ID="ImageButton8" runat="server" Height="28px" ImageUrl="~/resim/5771782.png"
Width="45px" />
                          
                            <asp:ImageButton ID="ImageButton7" runat="server" Height="28px" ImageUrl="~/resim/3689123.png"
Width="45px" />
                          
                            <asp:ImageButton ID="ImageButton6" runat="server" Height="28px" ImageUrl="~/resim/229098.png"
Width="45px" />
                          <asp:ImageButton ID="btn_Spt" runat="server" Height="28px" ImageUrl="~/resim/950812.png"
Width="45px" />
                    </td>
                </tr>
            </table>
                   
            </td>
    </tr>
</table>
</asp:Content>
<asp:Content ID="Content4" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
    <table align="center" class="auto-style22">
        <tr>
            <td colspan="2">
                <h1 class="auto-style23">Bizimle iletişim geç</h1>
            </td>
        </tr>
        <tr>
            <td class="auto-style27">Ad:</td>
            <td class="auto-style25">
                <asp:TextBox ID="TextBox1" runat="server" CssClass="auto-style24" Width="325px"></asp:TextBox>
            </td>
        </tr>
        <tr>
            <td class="auto-style27">Soyad:</td>
            <td class="auto-style25">
                <asp:TextBox ID="TextBox2" runat="server" CssClass="auto-style24" Width="325px"></asp:TextBox>
            </td>
        </tr>
        <tr>
            <td class="auto-style27">Ülke:</td>
            <td class="auto-style25">
                    <asp:DropDownList ID="DropDownList1" runat="server" Height="35px" Width="336px" CssClass="auto-style24">
                        <asp:ListItem>Ülke Seçınız</asp:ListItem>
                        <asp:ListItem>Türkiye</asp:ListItem>
                        <asp:ListItem>Çad</asp:ListItem>
                        <asp:ListItem>Usa</asp:ListItem>
                    </asp:DropDownList>
                    </td>
        </tr>
        <tr>
            <td class="auto-style27">Konu:</td>
            <td class="auto-style25">
                <asp:TextBox ID="TextBox3" runat="server" CssClass="auto-style24" Height="67px" TextMode="MultiLine"
Width="325px"></asp:TextBox>
            </td>
        </tr>
        <tr>
            <td class="auto-style25" colspan="2">
                <asp:Button ID="btn_iletisim" runat="server" CssClass="auto-style13" OnClick="btn_iletisim_Click" Text="Gönder"
Width="509px" />
            </td>
        </tr>
        <tr>
            <td> </td>
            <td class="auto-style25">
            <asp:Label ID="lbl_msg" runat="server" CssClass="auto-style26"></asp:Label>
            </td>
        </tr>
        <tr>
            <td> </td>
            <td> </td>
        </tr>
    </table>
</asp:Content>
```

# member.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/indexSite.Master" AutoEventWireup="true" CodeBehind="uyeOl.aspx.cs"
Inherits="EWebsite.uyeOl" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <style type="text/css">
    .auto-style22 {
        width: 638px;
        height: 459px;
        color: #000000;
            background-color: #99FF99;
        }
    .auto-style23 {
        text-align: center;
    }
    .auto-style24 {
        font-size: large;
    }
    .auto-style25 {
        width: 112px;
        text-align: center;
    }
    .auto-style26 {
        color: #3399FF;
    }
        .auto-style27 {
            background-color: #99FF66;
        }
        .auto-style28 {
            background-color: #99FF99;
        }
        .auto-style29 {
            text-align: center;
            text-decoration: underline;
        }

        .auto-style12 {
            width: 100%;
        }

        </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder3" runat="server">
</asp:Content>
<asp:Content ID="Content3" ContentPlaceHolderID="ContentPlaceHolder2" runat="server">
    <table class="auto-style12">
    <tr style="width: 100px; text-align: center">
        <td class="auto-style13">
            <table align="left" class="auto-style21">
                <tr>
                    <td class="auto-style14" style="text-align: left">
                        <h1>myWebsite             </h1>
                    </td>
                    <td>
                        <asp:TextBox Style="padding-bottom: 0px; margin-right: 0" ID="txtBul" runat="server" Width="302px"
Height="30px"></asp:TextBox>
                    </td>
                    <td>
                        <asp:ImageButton ID="ibtnbul" runat="server" Height="28px" ImageUrl="~/resim/search.jpg" Width="45px" />
                    </td>
                    <td>                 
                            <asp:ImageButton ID="ImageButton8" runat="server" Height="28px" ImageUrl="~/resim/5771782.png"
Width="45px" />
                          
                            <asp:ImageButton ID="ImageButton7" runat="server" Height="28px" ImageUrl="~/resim/3689123.png"
Width="45px" />
                          
                            <asp:ImageButton ID="ImageButton6" runat="server" Height="28px" ImageUrl="~/resim/229098.png"
Width="45px" />
                          <asp:ImageButton ID="btn_Spt" runat="server" Height="28px" ImageUrl="~/resim/950812.png"
Width="45px" />
                    </td>
                </tr>
            </table>
                   
            </td>
    </tr>
</table>
</asp:Content>
<asp:Content ID="Content4" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
    <table align="center" class="auto-style22">
    <tr>
        <td colspan="2">
            <h1 class="auto-style29">Üye Ol</h1>
        </td>
    </tr>
    <tr>
        <td class="auto-style25">Ad</td>
        <td class="auto-style23">
            <asp:TextBox ID="TextBox1" runat="server" CssClass="auto-style24" Width="300px"></asp:TextBox>
                    <asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server" ControlToValidate="TextBox1"
ErrorMessage="Adınızı girmelisiniz" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
```

```
                </td>
    </tr>
    <tr>
        <td class="auto-style25">Soyad</td>
        <td class="auto-style23">
            <asp:TextBox ID="TextBox2" runat="server" CssClass="auto-style24" Width="300px"></asp:TextBox>
                    <asp:RequiredFieldValidator ID="RequiredFieldValidator2" runat="server" ControlToValidate="TextBox2"
ErrorMessage="Soadınızı girmelisiniz" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
                </td>
    </tr>
    <tr>
        <td class="auto-style25">Eposta</td>
        <td class="auto-style23">
            <asp:TextBox ID="TextBox3" runat="server" CssClass="auto-style24" Width="300px"></asp:TextBox>
                    <asp:RequiredFieldValidator ID="RequiredFieldValidator3" runat="server" ControlToValidate="TextBox3"
ErrorMessage="Epostanızı  girmelisiniz" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
                </td>
    </tr>
    <tr>
        <td class="auto-style25">Cinsiyet</td>
        <td class="auto-style23">
                    <asp:DropDownList ID="DropDownList1" runat="server" Height="33px" Width="302px" CssClass="auto-style24">
                        <asp:ListItem>Select  Gender</asp:ListItem>
                        <asp:ListItem>Male</asp:ListItem>
                        <asp:ListItem>Female</asp:ListItem>
                        <asp:ListItem>Other</asp:ListItem>
                    </asp:DropDownList>
                    <asp:RequiredFieldValidator ID="RequiredFieldValidator4" runat="server" ControlToValidate="DropDownList1"
ErrorMessage="Cinsiyeti  girmelisiniz" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
                </td>
    </tr>
    <tr>
        <td class="auto-style25">Şifre</td>
        <td class="auto-style23">
            <asp:TextBox ID="TextBox4" runat="server" CssClass="auto-style24" Width="300px" TextMode="Password"></asp:TextBox>
                    <asp:RequiredFieldValidator ID="RequiredFieldValidator5" runat="server" ControlToValidate="TextBox4"
ErrorMessage="Şifrenizi  girmelisiniz" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
                </td>
    </tr>
    <tr>
        <td class="auto-style25">Tekrarla</td>
        <td class="auto-style23">
            <asp:TextBox ID="TextBox5" runat="server" CssClass="auto-style24" Width="300px" TextMode="Password"></asp:TextBox>
                    <asp:RequiredFieldValidator ID="RequiredFieldValidator6" runat="server" ControlToValidate="TextBox5"
ErrorMessage="First Nmae is empty" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
                </td>
    </tr>
    <tr>
        <td class="auto-style23" colspan="2">
                    <asp:Button ID="Button1" runat="server" Text="Üye Ol" Width="173px" Font-Bold="True" Font-Size="Large"
OnClick="Button1_Click" CssClass="auto-style26" />
                      
                    <asp:HyperLink ID="HyperLink1" runat="server" Font-Bold="True"  Font-Names="Comic Sans MS" BackColor="Silver"
NavigateUrl="~/giris.aspx" Width="173px" CssClass="auto-style28">Login</asp:HyperLink>
                </td>
    </tr>
    <tr>
        <td class="auto-style23" colspan="2">
            <asp:ValidationSummary ID="ValidationSummary1" runat="server" CssClass="auto-style27" />
        </td>
    </tr>
    <tr>
        <td class="auto-style25"> </td>
        <td class="auto-style23">
                    <asp:Label ID="Label1" runat="server" Text="" style="color: #FF3399"></asp:Label>
                </td>
    </tr>
</table>
</asp:Content>
```

# login.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/indexSite.Master" AutoEventWireup="true" CodeBehind="giris.aspx.cs"
Inherits="EWebsite.giris" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <style type="text/css">
    .auto-style22 {
        width: 489px;
        height: 301px;
        color: #000000;
        background-color: #99FF99;
    }
    .auto-style23 {
        text-align: center;
        text-decoration: underline;
    }
    .auto-style24 {
        font-size: large;
    }
    .auto-style25 {
```

```
        text-align: center;
    }
    .auto-style26 {
        font-size: large;
        color: #FF3300;
    }

        .auto-style12 {
            width: 100%;
        }

        </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder3" runat="server">
</asp:Content>
<asp:Content ID="Content3" ContentPlaceHolderID="ContentPlaceHolder2" runat="server">
    <table class="auto-style12">
    <tr style="width: 100px; text-align: center">
        <td class="auto-style13">
            <table align="left" class="auto-style21">
                <tr>
                    <td class="auto-style14" style="text-align: left">
                        <h1>myWebsite             </h1>
                    </td>
                    <td>
                        <asp:TextBox Style="padding-bottom: 0px; margin-right: 0" ID="txtBul" runat="server" Width="302px"
Height="30px"></asp:TextBox>
                    </td>
                    <td>
                        <asp:ImageButton ID="ibtnbul" runat="server" Height="28px" ImageUrl="~/resim/search.jpg" Width="45px" />
                    </td>
                    <td>                  
                        <asp:ImageButton ID="ImageButton8" runat="server" Height="28px" ImageUrl="~/resim/5771782.png"
Width="45px" />
                          
                        <asp:ImageButton ID="ImageButton7" runat="server" Height="28px" ImageUrl="~/resim/3689123.png"
Width="45px" />
                          
                        <asp:ImageButton ID="ImageButton6" runat="server" Height="28px" ImageUrl="~/resim/229098.png"
Width="45px" />
                          <asp:ImageButton ID="btn_Spt" runat="server" Height="28px" ImageUrl="~/resim/950812.png"
Width="45px"/>
                    </td>
                </tr>
            </table>
                   
            </td>
    </tr>
</table>
</asp:Content>
<asp:Content ID="Content4" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
    <table align="center" class="auto-style22">
    <tr>
        <td colspan="2">
            <h1 class="auto-style23">Giriş Yap</h1>
        </td>
    </tr>
    <tr>
        <td class="auto-style24">Kullanıcı Adı:</td>
        <td>
            <asp:TextBox ID="txt_kullanici" runat="server" CssClass="auto-style24" Width="249px"></asp:TextBox>
        </td>
    </tr>
    <tr>
        <td class="auto-style24">Şifre:</td>
        <td>
            <asp:TextBox ID="txt_sifre" runat="server" CssClass="auto-style24" Width="249px" TextMode="Password"></asp:TextBox>
        </td>
    </tr>
    <tr>
        <td colspan="2">
            <h2 class="auto-style25">
                <asp:Button ID="btngiris" runat="server" CssClass="auto-style13" OnClick="btngiris_Click" Text="Giriş" Width="309px"
/>
 </h2>
        </td>
    </tr>
    <tr>
        <td> </td>
        <td>
            <asp:Label ID="lbl_msg" runat="server" CssClass="auto-style26"></asp:Label>
        </td>
    </tr>
</table>
</asp:Content>
```

# cart.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="Sepete.aspx.cs" Inherits="EWebsite.Sepete" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
    <style type="text/css">

        .auto-style1 {
            color: #66CCFF;
            text-align: center;
        }

        .auto-style2 {
            font-size: x-large;
        }

        .auto-style3 {
            font-size: x-large;
            font-weight: bold;
            background-color: #0066FF;
        }

        </style>
</head>
<body>
    <form id="form1" runat="server">
        <div>
    <h1 class="auto-style1">Sepetinizde Takip Edilen Ürün Var</h1>
        <div align="center">
            <asp:HyperLink ID="HyperLink1" runat="server" BorderWidth="0px" CssClass="auto-style2" Font-Bold="True" Font-
Names="Colonna MT" Font-Overline="False" NavigateUrl="~/Anasayfa.aspx">Alısverise devam</asp:HyperLink>
            <br />
            <br />
            <asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False" BackColor="#99FF66" BorderColor="Black"
BorderStyle="Solid" BorderWidth="5px" EmptyDataText="No Product Available İn Shopping Cart" Font-Bold="True" Height="270px"
ShowFooter="True" Width="1100px" OnRowDeleting="GridView1_RowDeleting">
                <Columns>
                    <asp:BoundField DataField="sno" HeaderText="Sr No">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:BoundField DataField="pid" HeaderText="Ürün ID">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:ImageField HeaderText="Ürünün Resmi" DataImageUrlField="pimage">
                        <ControlStyle Height="300px" Width="340px" />
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:ImageField>
                    <asp:BoundField DataField="pname" HeaderText="Ürünün Adı">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:BoundField DataField="pprice" HeaderText="Fiyat">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:BoundField DataField="pquantity" HeaderText="Adet">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:BoundField DataField="ptotalprice" HeaderText="Toplam Fiyatı">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:CommandField DeleteText="Remove" ShowDeleteButton="True" />
                </Columns>
                <FooterStyle BackColor="#CCFFFF" />
                <HeaderStyle BackColor="#3399FF" ForeColor="White" />
            </asp:GridView>
            <br />
            <strong><em>
                <asp:Button ID="Button1" runat="server" BorderStyle="Solid" CssClass="auto-style3" Text="Sipariş Vermek"
OnClick="Button1_Click" />
            </em></strong>
        </div>
        </div>
    </form>
</body>
</html>
```

# UI View Screenshots:



myWebsite

laptob

Electronic

Dress

Telephone

Other

Laptop

Laptop

Laptop



myWebsite

i7

Electronic

Dress

Telephone

Other

i7

© myWebsite



# myWebsite

## Contact us

# Contact us

Name:

Surname:

Country: Select a Country

Subject:

Send

© myWebsite

# Contact us

Name: Ahmat

Surname: Hissein

Country: Chad

Subject: Hi this is Ahmat

Send

Your message has been sent successfully.

© myWebsite

# Become a Member

Name: Ahmat

Surname: Hissein Ali

Email: *

Gender: Select Gender

Password: ••••

Repeat: *

Become a Member | Login

- You must enter your email address.
- First Name is empty

© myWebsite

# Log in

User name: example@gmail.com

Password:

Entrance

Login failed

© myWebsite

Welcome:
example@gmauil.com

Homepage | About Us | Communication | entrance | Become a Member

# myWebsite

Electronic
Dress
Telephone
Other

| Laptop | Laptop | Charger | Telephone |
|---|---|---|---|

## You have tracked items in your cart.

**Keep shopping**

| Sr No | Product ID | Product Image | Product Name | Price | Piece | Total Price | |
|---|---|---|---|---|---|---|---|
| 1 | 10 | | Laptop | 5000 | 6 | 30000 | Remove |
| 2 | 16 |  | Laptop | 1000 | 1 | 1000 | Remove |

## You have tracked items in your cart.

Keep shopping

| Sr No | Product ID | Product Image | Product Name | Price | Piece | Total Price | |
|---|---|---|---|---|---|---|---|
| 1 | 10 | | Laptop | 5000 | 6 | 30000 | Remove |
| | | | | | Total Amount | 5000 | |

Place an order