
21.2.11-Lab - Encrypting and Decrypting Data using a Hacker Tool


Ahmed Abdelhedi


part1:

step1:



step2:




[analyst@secOps Zip-Files]$ ls -l f*
-rw-rw-r-- 1 analyst analyst 643 Sep 17 14:19 file-1.zip
-rw-rw-r-- 1 analyst analyst 643 Sep 17 14:24 file-2.zip
-rw-rw-r-- 1 analyst analyst 643 Sep 17 14:24 file-3.zip
-rw-rw-r-- 1 analyst analyst 643 Sep 17 14:25 file-4.zip
-rw-rw-r-- 1 analyst analyst 643 Sep 17 14:26 file-5.zip
[analyst@secOps Zip-Files]$ unzip file-1.zip
Archive: file-1.zip
[file-1.zip] sample-1.txt password:
password incorrect--reenter:
password incorrect--reenter:
skipping: sample-1.txt incorrect password
[file-1.zip] sample-2.txt password:
password incorrect--reenter:
password incorrect--reenter:
skipping: sample-2.txt incorrect password
[file-1.zip] sample-3.txt password:
password incorrect--reenter:
password incorrect--reenter:
skipping: sample-3.txt incorrect password
[analyst@secOps Zip-Files]$ 5
5: command not found
[analyst@secOps Zip-Files]$

part2:

step1:

```
[analyst@secOps Zip-Files]$ fcrackzip -h

fcrackzip version 1.0, a fast/free zip password cracker
written by Marc Lehmann <pcg@goof.com> You can find more info on
http://www.goof.com/pcg/marc/

USAGE: fcrackzip
         [-b|--brute-force]            use brute force algorithm
         [-D|--dictionary]             use a dictionary
         [-B|--benchmark]              execute a small benchmark
         [-c|--charset characterset]   use characters from charset
         [-h|--help]                   show this message
         [--version]                   show the version of this program
         [-V|--validate]               sanity-check the algorithm
         [-v|--verbose]                be more verbose
         [-p|--init-password string]   use string as initial password/file
         [-l|--length min-max]         check password with length min to max
         [-u|--use-unzip]              use unzip to weed out wrong passwords
         [-m|--method num]             use method number "num" (see below)
         [-2|--modulo r/m]             only calculcate 1/m of the password
         file...                     the zipfiles to crack

methods compiled in (* = default):

 0: cpmask
 1: zip1
*2: zip2, USE_MULT_TAB

[analyst@secOps Zip-Files]$
```

a/

```
PASSWORD FOUND!!!!: pw == B
[analyst@secOps Zip-Files]$ /usr/bin/time -f "Temps écoulé : %e secondes" fcrackzip -vul 1-4 file-1.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)


PASSWORD FOUND!!!!: pw == B
Temps écoulé : 0.00 secondes
[analyst@secOps Zip-Files]$
```

b/

```
[analyst@secOps Zip-Files]$ fcrackzip -vul 1-4 file-2.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)


PASSWORD FOUND!!!!: pw == R2
[analyst@secOps Zip-Files]$ /usr/bin/time -f "Temps écoulé : %e secondes" fcrackzip -vul 1-4 file-2.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)


PASSWORD FOUND!!!!: pw == R2
Temps écoulé : 0.00 secondes
[analyst@secOps Zip-Files]$
```

c/

```
[analyst@secOps Zip-Files]$ fcrackzip -vul 1-4 file-3.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)


PASSWORD FOUND!!!!: pw == 0B1
[analyst@secOps Zip-Files]$ /usr/bin/time -f "Temps écoulé : %e secondes" fcrackzip -vul 1-4 file-3.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)


PASSWORD FOUND!!!!: pw == 0B1
Temps écoulé : 0.02 secondes
[analyst@secOps Zip-Files]$
```

d/

```
[analyst@secOps Zip-Files]$ fcrackzip -vul 1-4 file-4.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)
checking pw X9M~

PASSWORD FOUND!!!!: pw == Y0Da
[analyst@secOps Zip-Files]$ /usr/bin/time -f "Temps écoulé : %e secondes" fcrackzip -vul 1-4 file-4.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)
checking pw X9M~

PASSWORD FOUND!!!!: pw == Y0Da
Temps écoulé : 1.46 secondes
[analyst@secOps Zip-Files]$
```

e/

```
[analyst@secOps Zip-Files]$ fcrackzip -vul 1-5 file-5.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)
checking pw C-H*~

PASSWORD FOUND!!!!: pw == C-3P0
[analyst@secOps Zip-Files]$ /usr/bin/time -f "Temps écoulé : %e secondes" fcrackzip -vul 1-4 file-5.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)
Temps écoulé : 2.46 secondes
[analyst@secOps Zip-Files]$
```

f-g/

```
no usable files found
[analyst@secOps Zip-Files]$ zip -e file-6.zip sample*
Enter password:
Verify password:
  adding: sample-1.txt (stored 0%)
  adding: sample-2.txt (stored 0%)
  adding: sample-3.txt (stored 0%)
[analyst@secOps Zip-Files]$ fcrackzip -vul 1-6 file-6.zip
skipping '-vul': No such file or directory
skipping '1-6': No such file or directory

possible pw found: aa6R)g ()
possible pw found: aa9{aV ()
possible pw found: aby8Xb ()
^Cpossible pw found: ac[kDL ()
^C
[analyst@secOps Zip-Files]$ /usr/bin/time -f "Temps écoulé : %e secondes" fcrackzip -vul 1-4 file-6.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)
Temps écoulé : 2.27 secondes
[analyst@secOps Zip-Files]$ /usr/bin/time -f "Temps écoulé : %e secondes" fcrackzip -vul 1-6 file-6.zip
found file 'sample-1.txt', (size cp/uc     39/    27, flags 9, chk 71fb)
found file 'sample-2.txt', (size cp/uc     39/    27, flags 9, chk 7200)
found file 'sample-3.txt', (size cp/uc     39/    27, flags 9, chk 7203)
checking pw enr06~
```