
lab3 - Network Intrusion Prevention using Suricata

Ahmed Abdelhedi

1/




2/


Mode	Explanation
accept	Suricata allows or drops the packet. Accepted packets normally leave the queue without continuing through subsequent rules in the same iptables chain.
repeat	Suricata marks the packet and sends it back to iptables for further processing, avoiding a loop through appropriate mark rules.
route	Suricata sends accepted packets to another NFQUEUE for processing by another tool.

3/When additional inspection is necessary instead of immediately allowing or dropping traffic.

4/



5/




6/

```
tp@ahmed-abdelhedi:~$ sudo iptables -F
tp@ahmed-abdelhedi:~$ sudo iptables -A OUTPUT -j NFQUEUE
tp@ahmed-abdelhedi:~$ iptables -A INPUT -j NFQUEUE
iptables v1.8.10 (nf_tables): Could not fetch rule set generation id: Permission d
enied (you must be root)
tp@ahmed-abdelhedi:~$ sudo iptables -A INPUT -j NFQUEUE
tp@ahmed-abdelhedi:~$ sudo iptables -L
Chain INPUT (policy ACCEPT)
target     prot opt source               destination
NFQUEUE    all  --  anywhere             anywhere             NFQUEUE num 0

Chain FORWARD (policy ACCEPT)
target     prot opt source               destination

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
NFQUEUE    all  --  anywhere             anywhere             NFQUEUE num 0
tp@ahmed-abdelhedi:~$
```


7/




set "inline" to "yes"

II. Preventing against ICMP echo requests


8/



9/



10/



11/

```
10/27/2026-20:00:47.555881  [Drop] [**] [1:1000001:1] Ping Detected & Blocked [**]
 [Classification: Generic ICMP event] [Priority: 3] {ICMP} 10.0.2.15:8 -> 8.8.8.8:
0
10/27/2026-20:00:48.601839  [Drop] [**] [1:1000001:1] Ping Detected & Blocked [**]
 [Classification: Generic ICMP event] [Priority: 3] {ICMP} 10.0.2.15:8 -> 8.8.8.8:
0
10/27/2026-20:00:49.625671  [Drop] [**] [1:1000001:1] Ping Detected & Blocked [**]
 [Classification: Generic ICMP event] [Priority: 3] {ICMP} 10.0.2.15:8 -> 8.8.8.8:
0
10/27/2026-20:00:50.649676  [Drop] [**] [1:1000001:1] Ping Detected & Blocked [**]
 [Classification: Generic ICMP event] [Priority: 3] {ICMP} 10.0.2.15:8 -> 8.8.8.8:
0
```

III. Filtering clear HTTP traffic

12/

```
tp@ahmed-abdelhedi: ~
  GNU nano 7.2              /var/lib/suricata/rules/custom.rules *
#alert icmp $EXTERNAL_NET any -> $HOME_NET any (itype:0; icode:0; msg:"Unauthoriz>
#alert icmp $HOME_NET any -> $EXTERNAL_NET any (msg:"Possible ICMP Flood Attack D>
#alert tcp any any -> $HOME_NET any (msg:"PDF file transfer detected"; content:"|>
#alert http any any -> $HOME_NET any (file.data; content:"|25 50 44 46 2D|"; dept>
#alert tcp any any -> $HOME_NET any (msg:"EXE file transfer detected"; content:"|>
#alert tcp $HOME_NET any -> any 25 (flow:to_server,established; pcre:"/4\d{3}(\s|>
#alert dns $HOME_NET any -> $EXTERNAL_NET 53 (msg:"Phishing Attempt: Suspicious P>
drop icmp $HOME_NET any -> 8.8.8.8 any (icode:0; itype:8; msg:"Ping Detected & Bl>
drop tcp $HOME_NET any -> $EXTERNAL_NET $HTTP_PORTS (msg:"Dropped HTTP traffic"; >
priority:1; sid:1000002; rev:1;)

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```


13/

```
tp@ahmed-abdelhedi:~$ sudo suricata -c /etc/suricata/suricata.yaml -q 0
i: suricata: This is Suricata version 8.0.6 RELEASE running in SYSTEM mode
i: threads: Threads created -> RX: 1 W: 2 TX: 1 FM: 1 FR: 1   Engine started.
^Ci: suricata: Signal Received.  Stopping engine.
^Ci: nfq: (RX-NFQ#0) Treated: Pkts 48, Bytes 3490, Errors 0
i: nfq: (RX-NFQ#0) Verdict: Accepted 44, Dropped 4, Replaced 0
```

```
tp@ahmed-abdelhedi:~$ sudo suricata -c /etc/suricata/suricata.yaml -q 0
i: suricata: This is Suricata version 8.0.6 RELEASE running in SYSTEM mode
i: threads: Threads created -> RX: 1 W: 2 TX: 1 FM: 1 FR: 1   Engine started.
```

14+15/

```
tp@ahmed-abdelhedi:~$ curl http://portquiz.net
^C
tp@ahmed-abdelhedi:~$ curl http://portquiz.net:445
<html>
<head>
<title>Outgoing Port Tester</title>
<style type="text/css">
body {
        font-family: sans-serif;
        font-size: 0.9em;
}
```




17/

```
tp@ahmed-abdelhedi:~$ curl http://portquiz.net
^C
tp@ahmed-abdelhedi:~$ curl http://portquiz.net:445
^C
tp@ahmed-abdelhedi:~$
```


Both HTTP requests are expected to be blocked because Suricata inspects the HTTP request headers, not just the TCP destination port. The User-Agent: header matches the rule on both ports 80 and 445.

This demonstrates application-layer inspection, which can identify HTTP traffic even on nonstandard ports.

18/




19/



Google uses HTTPS, which encrypts HTTP messages inside TLS. Suricata cannot see the plaintext User-Agent: header in normal HTTPS traffic, so the HTTP-specific rule does not match.

IV. TLS analysis

20/





21+22/

```
tp@ahmed-abdelhedi:~$ sudo suricata -T -c /etc/suricata/suricata.yaml
i: suricata: This is Suricata version 8.0.6 RELEASE running in SYSTEM mode
i: suricata: Configuration provided was successfully loaded. Exiting.
tp@ahmed-abdelhedi:~$
```

```
tp@ahmed-abdelhedi:~$ sudo suricata -c /etc/suricata/suricata.yaml -q 0
i: suricata: This is Suricata version 8.0.6 RELEASE running in SYSTEM mode
i: threads: Threads created -> RX: 1 W: 2 TX: 1 FM: 1 FR: 1   Engine started.
^Ci: suricata: Signal Received.  Stopping engine.
i: nfq: (RX-NFQ#0) Treated: Pkts 29288, Bytes 29094479, Errors 0
i: nfq: (RX-NFQ#0) Verdict: Accepted 28859, Dropped 429, Replaced 0
tp@ahmed-abdelhedi:~$ sudo suricata -c /etc/suricata/suricata.yaml -q 0
i: suricata: This is Suricata version 8.0.6 RELEASE running in SYSTEM mode
i: threads: Threads created -> RX: 1 W: 2 TX: 1 FM: 1 FR: 1   Engine started.
```

23/

```
tp@ahmed-abdelhedi:~$ curl -v --tlsv1.2 --tls-max 1.2 https://expired.badssl.com/
* Host expired.badssl.com:443 was resolved.
* IPv6: (none)
* IPv4: 104.154.89.105
*   Trying 104.154.89.105:443...
* Connected to expired.badssl.com (104.154.89.105) port 443
* ALPN: curl offers h2,http/1.1
* TLSv1.2 (OUT), TLS handshake, Client hello (1):
*  CAfile: /etc/ssl/certs/ca-certificates.crt
*  CApath: /etc/ssl/certs
* TLSv1.2 (IN), TLS handshake, Server hello (2):
```

24/


```
tp@ahmed-abdelhedi: ~
lassification: Potential Corporate Privacy Violation] [Priority: 1] {TCP} 10.0.2.1
5:54994 -> 151.101.129.91:80
10/27/2026-20:20:51.067121  [Drop] [**] [1:1000003:1] Dropped HTTP traffic [**] [C
lassification: Potential Corporate Privacy Violation] [Priority: 1] {TCP} 10.0.2.1
5:46818 -> 151.101.129.91:80
10/27/2026-20:20:56.094084  [Drop] [**] [1:1000003:1] Dropped HTTP traffic [**] [C
lassification: Potential Corporate Privacy Violation] [Priority: 1] {TCP} 10.0.2.1
5:42066 -> 151.101.129.91:80
10/27/2026-20:21:01.118795  [Drop] [**] [1:1000003:1] Dropped HTTP traffic [**] [C
lassification: Potential Corporate Privacy Violation] [Priority: 1] {TCP} 10.0.2.1
5:42080 -> 151.101.129.91:80
10/27/2026-20:21:06.162424  [Drop] [**] [1:1000003:1] Dropped HTTP traffic [**] [C
lassification: Potential Corporate Privacy Violation] [Priority: 1] {TCP} 10.0.2.1
5:34748 -> 151.101.129.91:80
10/27/2026-20:21:11.402232  [Drop] [**] [1:1000003:1] Dropped HTTP traffic [**] [C
lassification: Potential Corporate Privacy Violation] [Priority: 1] {TCP} 10.0.2.1
5:34764 -> 151.101.129.91:80
10/27/2026-20:21:16.552481  [Drop] [**] [1:1000003:1] Dropped HTTP traffic [**] [C
lassification: Potential Corporate Privacy Violation] [Priority: 1] {TCP} 10.0.2.1
5:58072 -> 151.101.129.91:80
10/27/2026-20:23:23.678663  [Drop] [**] [1:1000004:1] Expired TLS cert blocked [**
] [Classification: Potential Corporate Privacy Violation] [Priority: 1] {TCP} 104.
154.89.105:443 -> 10.0.2.15:47732
```

In TLS 1.2, the server certificate is ordinarily visible to a passive network inspector. In TLS 1.3, the certificate message is encrypted, so Suricata cannot inspect its expiration date without decryption.


25/



26/



27/



28/


```
10/27/2026-20:28:32.406408  [Drop] [**] [1:1000005:1] Facebook access blocked usin
g TLS SNI [**] [Classification: Potential Corporate Privacy Violation] [Priority:
1] {TCP} 10.0.2.15:42846 -> 31.13.69.35:443
```

In both conventional TLS 1.2 and TLS 1.3 handshakes, the SNI is transmitted in the ClientHello before application data encryption. Suricata can therefore identify the requested domain without decrypting HTTPS.


However, TLS 1.3 encrypts the server certificate, so Suricata cannot normally inspect the certificate's expiration date.

V. Downloaded files collection


30/




31/


tp@ahmed-abdelhedi: ~
GNU nano 7.2 /var/lib/suricata/rules/custom.rules *
#alert icmp $EXTERNAL_NET any -> $HOME_NET any (itype:0; icode:0; msg:"Unauthoriz
#alert icmp $HOME_NET any -> $EXTERNAL_NET any (msg:"Possible ICMP Flood Attack D
#alert tcp any any -> $HOME_NET any (msg:"PDF file transfer detected"; content:"|
#alert http any any -> $HOME_NET any (file.data; content:"|25 50 44 46 2D|"; dept
#alert tcp any any -> $HOME_NET any (msg:"EXE file transfer detected"; content:"|
#alert tcp $HOME_NET any -> any 25 (flow:to_server,established; pcre:"/4\d{3}(\s|
#alert dns $HOME_NET any -> $EXTERNAL_NET 53 (msg:"Phishing Attempt: Suspicious P
drop icmp $HOME_NET any -> 8.8.8.8 any (icode:0; itype:8; msg:"Ping Detected & Bl
drop tcp $HOME_NET any -> $EXTERNAL_NET any (msg:"Dropped HTTP traffic"; content:
drop tls any any -> any any (msg:"Expired TLS cert blocked"; tls_cert_expired; cl
drop tls any any -> any any (msg:"Facebook access blocked using TLS SNI"; tls.sni
alert http any any -> any any (msg:"FILE store all"; filestore; sid:1; rev:1;)

32/


tp@ahmed-abdelhedi:~$ sudo suricata -c /etc/suricata/suricata.yaml -q 0
i: suricata: This is Suricata version 8.0.6 RELEASE running in SYSTEM mode
i: threads: Threads created -> RX: 1 W: 2 TX: 1 FM: 1 FR: 1 Engine started.
^Ci: suricata: Signal Received. Stopping engine.
i: nfq: (RX-NFQ#0) Treated: Pkts 10416, Bytes 6620047, Errors 0
i: nfq: (RX-NFQ#0) Verdict: Accepted 8358, Dropped 2057, Replaced 0
tp@ahmed-abdelhedi:~$ sudo suricata -c /etc/suricata/suricata.yaml -q 0
i: suricata: This is Suricata version 8.0.6 RELEASE running in SYSTEM mode
i: threads: Threads created -> RX: 1 W: 2 TX: 1 FM: 1 FR: 1 Engine started.


33/


tp@ahmed-abdelhedi:~$ curl --noproxy '*' -L -o /tmp/test.gif http://www.google.c
om/images/branding/googlelogo/1x/googlelogo_color_272x92dp.png
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
100 5969 100 5969 0 0 83409 0 --:--:-- --:--:-- --:--:-- 84070
tp@ahmed-abdelhedi:~$

34/


```
tp@ahmed-abdelhedi:~$ curl --noproxy '*' -L -o /tmp/test.gif   http://www.google.c
om/images/branding/googlelogo/1x/googlelogo_color_272x92dp.png
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
100  5969  100  5969    0     0  59768      0 --:--:-- --:--:-- --:--:-- 59690
tp@ahmed-abdelhedi:~$ sudo find /var/log/suricata/filestore/ -type f
/var/log/suricata/filestore/57/5776cd87617eacec3bc00ebcf530d1924026033eda852f706c1
a675a98915826
tp@ahmed-abdelhedi:~$ sudo find /var/log/suricata/filestore/ -type f -exec file {}
 \;
/var/log/suricata/filestore/57/5776cd87617eacec3bc00ebcf530d1924026033eda852f706c1
a675a98915826: PNG image data, 272 x 92, 8-bit/color RGBA, non-interlaced
tp@ahmed-abdelhedi:~$
```

35/




VI. Generating and analyzing alerts in JSON format


36/



37/


tp@ahmed-abdelhedi: ~
tp@ahmed-abdelhedi:~$ wget "https://raw.githubusercontent.com/tatsuiman/malware-traffic-analysis.net/a5a261cacaf84079e4c0e0f2729c81226a27eca7/2017-05-18-WannaCry-ransomware-using-EnternalBlue-exploit.pcap"
--2026-10-28 15:57:39-- https://raw.githubusercontent.com/tatsuiman/malware-traffic-analysis.net/a5a261cacaf84079e4c0e0f2729c81226a27eca7/2017-05-18-WannaCry-ransomware-using-EnternalBlue-exploit.pcap
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.109.133, 185.199.110.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com (raw.githubusercontent.com)|185.199.109.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 37791327 (36M) [application/octet-stream]
Saving to: '2017-05-18-WannaCry-ransomware-using-EnternalBlue-exploit.pcap'
2017-05-18-WannaCry 100%[==========>] 36.04M 83.9KB/s in 4m 20s
2026-10-28 16:02:01 (142 KB/s) - '2017-05-18-WannaCry-ransomware-using-EnternalBlue-exploit.pcap' saved [37791327/37791327]
tp@ahmed-abdelhedi:~$


38/


default-rule-path: /var/lib/suricata/rules
rule-files:
- suricata.rules
- custom.rules
##
Auxiliary configuration files.
##
classification-file: /etc/suricata/classification


39/

```
tp@ahmed-abdelhedi:~$ sudo suricata \
  -r 2017-05-18-WannaCry-ransomware-using-EnternalBlue-exploit.pcap \
  -c /etc/suricata/suricata.yaml \
  -l /var/log/suricata/ \
  -k none
i: suricata: This is Suricata version 8.0.6 RELEASE running in USER mode
i: threads: Threads created -> RX: 1 W: 2 FM: 1 FR: 1   Engine started.
i: suricata: Signal Received.  Stopping engine.
i: pcap: read 1 file, 46654 packets, 37044839 bytes
tp@ahmed-abdelhedi:~$
```


40/




41+42/


tp@ahmed-abdelhedi: ~
"timestamp": "2026-09-18T14:31:00.499298+0100",
"flow_id": 1300045378253286,
"in_iface": "enp0s3",
"event_type": "mdns",
"src_ip": "10.0.2.15",
"src_port": 5353,
"dest_ip": "224.0.0.251",
"dest_port": 5353,
"proto": "UDP",
"ip_v": 4,
"pkt_src": "wire/pcap",
"mdns": {
"type": "request",
"id": 0,
"opcode": 0,
"rcode": 0,
"queries": [
{
"rrname": "_ipp._tcp.local",
"rrtype": "ptr"
},
{

44/


tp@ahmed-abdelhedi:~$ sudo sed -n '45p' /var/log/suricata/eve.json | cut -c 1-300
tp@ahmed-abdelhedi:~$ sudo jq -Rc 'fromjson? | select(.event_type == "alert" and .alert .severity == 1) | [.src_ip, .dest_ip, .alert.signature]' /var/log/suricata/eve.json | sort | uniq -c | sort -rn
1298 ["192.168.116.138","192.168.116.172","ET EXPLOIT Possible DOUBLEPULSAR Beacon Response"]
1298 ["192.168.116.138","192.168.116.149","ET EXPLOIT Possible DOUBLEPULSAR Beacon Response"]
1291 ["192.168.116.172","192.168.116.149","ET EXPLOIT Possible DOUBLEPULSAR Beacon Response"]
1291 ["192.168.116.172","192.168.116.138","ET EXPLOIT Possible DOUBLEPULSAR Beacon Response"]
1291 ["192.168.116.149","192.168.116.172","ET EXPLOIT Possible DOUBLEPULSAR Beacon Response"]
1291 ["192.168.116.149","192.168.116.138","ET EXPLOIT Possible DOUBLEPULSAR Beacon Response"]
27 ["10.0.2.15","151.101.129.91","Dropped HTTP traffic"]
16 ["10.0.2.15","151.101.193.91","Dropped HTTP traffic"]
14 ["10.0.2.15","199.232.81.91","Dropped HTTP traffic"]
11 ["192.168.116.149","192.168.116.143","ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010"]
10 ["10.0.2.15","151.101.1.91","Dropped HTTP traffic"]
9 ["192.168.116.143","192.168.116.149","ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Response"]
6 ["192.168.116.172","192.168.116.149","ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Response"]
6 ["192.168.116.149","192.168.116.172","ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010"]
4 ["192.168.116.149","192.168.116.138","ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010"]
4 ["192.168.116.138","192.168.116.149","ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010"]
4 ["10.0.2.15","35.180.86.68","Dropped HTTP traffic"]
3 ["192.168.116.149","192.168.116.138","ET EXPLOIT Possible ETERNALBLUE MS17-010


tp@ahmed-abdelhedi: ~
1 ["192.168.116.172","192.168.116.138","ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (MSF style)"]
1 ["192.168.116.172","192.168.116.138","ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (Generic Flags)"]
1 ["192.168.116.172","192.168.116.138","ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Response"]
1 ["192.168.116.172","192.168.116.138","ET EXPLOIT ETERNALBLUE Probe Vulnerable System Response MS17-010"]
1 ["192.168.116.149","192.168.116.172","ET EXPLOIT ETERNALBLUE Probe Vulnerable System Response MS17-010"]
1 ["192.168.116.149","192.168.116.138","ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (MSF style)"]
1 ["192.168.116.149","192.168.116.138","ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (Generic Flags)"]
1 ["192.168.116.149","192.168.116.138","ET EXPLOIT ETERNALBLUE Probe Vulnerable System Response MS17-010"]
1 ["192.168.116.143","192.168.116.149","ET EXPLOIT ETERNALBLUE Probe Vulnerable System Response MS17-010"]
1 ["192.168.116.138","192.168.116.172","ET EXPLOIT Possible ETERNALBLUE MS17-010 Heap Spray"]
1 ["192.168.116.138","192.168.116.172","ET EXPLOIT ETERNALBLUE Probe Vulnerable System Response MS17-010"]
1 ["192.168.116.138","192.168.116.172","ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010"]
1 ["192.168.116.138","192.168.116.149","ET EXPLOIT ETERNALBLUE Probe Vulnerable System Response MS17-010"]
1 ["192.168.116.138","192.168.116.143","ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (MSF style)"]
1 ["192.168.116.138","192.168.116.143","ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (Generic Flags)"]
1 ["192.168.1.12","10.0.2.15","Suspicious PDF: embedded JavaScript detected"]
1 ["104.154.89.105","10.0.2.15","Expired TLS cert blocked"]
1 ["10.0.2.15","91.189.91.60","Dropped HTTP traffic"]
1 ["10.0.2.15","91.189.91.58","Dropped HTTP traffic"]
1 ["10.0.2.15","185.125.190.99","Dropped HTTP traffic"]
1 ["10.0.2.15","142.251.157.119","Dropped HTTP traffic"]
1 ["10.0.2.15","142.251.151.119","Dropped HTTP traffic"]
tp@ahmed-abdelhedi:~$

45/

```
tp@ahmed-abdelhedi:~$ sudo jq -Rr 'fromjson? | select(.event_type == "alert" and (.aler
t.signature | test("ETERNALBLUE"; "i"))) | "\(.timestamp) | \(.alert.signature) | \(.sr
c_ip):\(.src_port) -> \(.dest_ip):\(.dest_port)"' /var/log/suricata/eve.json | head -n
20
2017-05-18T09:12:07.220702+0100 | ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (MSF s
tyle) | 192.168.116.149:49368 -> 192.168.116.138:445
2017-05-18T09:12:07.220702+0100 | ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (Gener
ic Flags) | 192.168.116.149:49368 -> 192.168.116.138:445
2017-05-18T09:12:07.220785+0100 | ET EXPLOIT ETERNALBLUE Probe Vulnerable System Respon
se MS17-010 | 192.168.116.138:445 -> 192.168.116.149:49368
2017-05-18T09:12:07.742819+0100 | ET EXPLOIT ETERNALBLUE Probe Vulnerable System Respon
se MS17-010 | 192.168.116.143:445 -> 192.168.116.149:49377
2017-05-18T09:12:11.553081+0100 | ET EXPLOIT ETERNALBLUE Probe Vulnerable System Respon
se MS17-010 | 192.168.116.172:445 -> 192.168.116.149:49444
2017-05-18T09:12:19.484251+0100 | ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Respons
e | 192.168.116.172:445 -> 192.168.116.149:49608
2017-05-18T09:12:21.130265+0100 | ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Respons
e | 192.168.116.172:445 -> 192.168.116.149:49608
2017-05-18T09:12:21.154914+0100 | ET EXPLOIT Possible ETERNALBLUE MS17-010 Heap Spray |
 192.168.116.149:49608 -> 192.168.116.172:445
2017-05-18T09:12:21.155613+0100 | ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010 | 192.168.
116.149:49608 -> 192.168.116.172:445
2017-05-18T09:12:25.786015+0100 | ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Respons
e | 192.168.116.143:445 -> 192.168.116.149:49767
2017-05-18T09:12:26.316396+0100 | ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Respons
e | 192.168.116.143:445 -> 192.168.116.149:49767
2017-05-18T09:12:27.462730+0100 | ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Respons
e | 192.168.116.143:445 -> 192.168.116.149:49767
2017-05-18T09:12:27.488303+0100 | ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010 | 192.168.
116.149:49767 -> 192.168.116.143:445
2017-05-18T09:12:27.963712+0100 | ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010 | 192.168.
116.149:49767 -> 192.168.116.143:445
2017-05-18T09:12:27.963824+0100 | ET EXPLOIT Possible ETERNALBLUE MS17-010 Echo Respons
e | 192.168.116.143:445 -> 192.168.116.149:49767
2017-05-18T09:12:31.317822+0100 | ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010 | 192.168.
116.149:49767 -> 192.168.116.143:445
2017-05-18T09:12:31.318842+0100 | ET EXPLOIT ETERNALBLUE Exploit M2 MS17-010 | 192.168.
```



46/

```
e | 192.168.116.172:445 -> 192.168.116.149:50742
tp@ahmed-abdelhedi:~$ sudo grep -i "ET EXPLOIT Possible ETERNALBLUE Probe MS17-010 (Gen
eric Flags)" /var/lib/suricata/rules/suricata.rules
alert smb any any -> $HOME_NET any (msg:"ET EXPLOIT Possible ETERNALBLUE Probe MS17-010
 (Generic Flags)"; flow:established,to_server; content:"|ff|SMB|25 00 00 00 00|"; offse
t:4; depth:9; content:"|00 00 00 00 00 00 00 00 00 00|"; distance:5; within:10; content
:"|23 00 00 00 07 00 5c 50 49 50 45 5c 00|"; fast_pattern; endswith; threshold: type li
mit, track by_src, count 1, seconds 30; reference:url,github.com/rapid7/metasploit-fram
ework/blob/master/modules/auxiliary/scanner/smb/smb_ms17_010.rb; classtype:trojan-activ
ity; sid:2025992; rev:3; metadata:affected_product Windows_XP_Vista_7_8_10_Server_32_64
_Bit, attack_target Client_Endpoint, created_at 2018_08_15, deployment Perimeter, malwa
re_family ETERNALBLUE, confidence Medium, signature_severity Major, tag Description_Gen
erated_By_Proofpoint_Nexus, updated_at 2024_03_07;)
tp@ahmed-abdelhedi:~$
```