
Lab - 5.3.7 - Introduction to Wireshark

Ahmed ABDELHEDI


Part 1: Install and Verify the Mininet Topology

Step 1: Verify your PC's interface addresses:

Step 2: Run the Python script to install the Mininet Topology:



Step 3: Record IP and MAC addresses for H1 and H2:




a+b:

Host-interface	IP Address	MAC Address
H1-eth0	10.0.0.11/24	2e:35:fd:ae:d0:b1
H2-eth0	10.0.0.12/24	6e: ad: 26: ab: a7:3b


Part 2: Capture and Analyze ICMP Data in Wireshark

Step 1: Examine the captured data on the same LAN

a+b:



c+d+e+f+g:



Does the Source MAC address match H1's interface?


Yes

Does the Destination MAC address in Wireshark match H2's MAC address?

Yes


Step 2: Examine the captured data on the remote LAN

a+b:



Host-interface	IP Address	MAC Address
H4-eth0	172.16.0.40/12	4e:f0:bb: 21:99:2c
R1-eth1	10.0.0.1/24	42:1b:86: f3:b4:46
R1-eth2	172.16.0.1/12	ca:f7: ff:ef:33:42

c+d::



e:

IP address: 172.16.0.40

MAC address:42: 1b : 86: f3:b4: 46

f+g:

