

Guided Exercise: Writing and Running Playbooks
Ahmed Abdelhedi


1/




2/



3/



4/



5/

```
[student@workstation playbook-basic]$ ansible-navigator run -m stdout site.yml

PLAY [Install and start Apache HTTPD] ******************************************

TASK [Gathering Facts] *********************************************************
ok: [serverc.lab.example.com]
ok: [serverd.lab.example.com]

TASK [Ensure httpd package is present] *****************************************
changed: [serverd.lab.example.com]
changed: [serverc.lab.example.com]

TASK [Correct index.html is present] *******************************************
changed: [serverd.lab.example.com]
changed: [serverc.lab.example.com]

TASK [Ensure httpd is started] *************************************************
changed: [serverd.lab.example.com]
changed: [serverc.lab.example.com]

PLAY RECAP *********************************************************************
serverc.lab.example.com    : ok=4    changed=3    unreachable=0    failed=0    skipped=0
    rescued=0    ignored=0
serverd.lab.example.com    : ok=4    changed=3    unreachable=0    failed=0    skipped=0
    rescued=0    ignored=0
[student@workstation playbook-basic]$
```

6/

```
[student@workstation playbook-basic]$ ansible-navigator run -m stdout site.yml

PLAY [Install and start Apache HTTPD] ******************************************

TASK [Gathering Facts] *********************************************************
ok: [serverc.lab.example.com]
ok: [serverd.lab.example.com]


TASK [Ensure httpd package is present] *****************************************
ok: [serverd.lab.example.com]
ok: [serverc.lab.example.com]

TASK [Correct index.html is present] *******************************************
ok: [serverd.lab.example.com]
ok: [serverc.lab.example.com]

TASK [Ensure httpd is started] *************************************************
ok: [serverd.lab.example.com]
ok: [serverc.lab.example.com]

PLAY RECAP *********************************************************************
serverc.lab.example.com    : ok=4    changed=0    unreachable=0    failed=0    skipped=0
    rescued=0    ignored=0
serverd.lab.example.com    : ok=4    changed=0    unreachable=0    failed=0    skipped=0
    rescued=0    ignored=0
[student@workstation playbook-basic]$
```

7/


[student@workstation playbook-basic]$ curl serverc.lab.example.com
This is a test page.
[student@workstation playbook-basic]$ curl serverd.lab.example.com
This is a test page.
[student@workstation playbook-basic]$ lab finish playbook-basic
Finishing lab.
· Checking lab systems ..... SUCCESS
· Cleaning up exercise ..... SUCCESS
[student@workstation playbook-basic]$