

Bug Report 1: Search Category Filtering Discrepancy

Defect Title: [Discovery-Filters] "EGP 150 & Less" quick category filter includes dishes exceeding 150 EGP

Priority / Severity Tiers: High (P1) / Major

Test Environment Baseline: Mobile App Staging – Build v4.22.0 (Android/iOS)

1.1 Scenario Preconditions

User is successfully operating an active application instance and has an explicit delivery address coordinate set in the profile header.


1.2 Action Steps to Reproduce

1. 1. Navigate directly to the main discovery feed landing home screen.
2. 2. Locate the "Explore Dishes" quick categories horizontal item grid.
3. 3. Tap on the "EGP 150 & Less" filter shortcut asset card.
4. 4. Scroll down through the generated feed catalog array and check individual item listings.

1.3 Execution Discovered Metrics

True Discovered State: The filtration logic fails to restrict items properly, loading dishes, combo meals, or promotional sets that are priced strictly higher than 150 EGP.

Expected Targeted State: The search indexing engine must parse data rules completely. Only dishes with a base price parameter less than or equal to 150 EGP should map to this target view.



Bug Report 2: Header Component Text Layout Wrapping

Defect Title: [UI-Header] "Delivering To" status text wraps into two sentences / rows unnecessarily

Priority / Severity Tiers: Medium (P2) / Minor (UX Polish Enhancement)

Test Environment Baseline: Mobile App Production Sandbox – Viewport Layout Grid

2.1 Scenario Preconditions

Application contains a long address text parameter (e.g., "Beverly Hills, Sheikh Zayed") initialized inside the location pinning module.

2.2 Action Steps to Reproduce


1. Launch the application into a running state.
2. Keep structural focus entirely on the absolute top header bar pinning widget configuration layout.

2.3 Execution Discovered Metrics

True Discovered State: The location title string wraps awkwardly into a fragmented, non-optimized double sentence composition, distorting visual symmetry.

Expected Targeted State / Suggestion: The text container wrapper configuration should handle text smoothly

. Long text layout attributes must process seamlessly on a single horizontal line through ellipsis truncation indicators or structural font scaling reduction parameters.



Bug Report 3: Localization Visual Interface Overlap

Defect Title: [UI-Localization] Arabic Right-to-Left (RTL) mode shifts card navigation arrow over rating indicators

Priority / Severity Tiers: High (P1) / Major Visual Regression

Test Environment Baseline: Mobile App Integration Build – RTL Translation Validation Engine

3.1 Scenario Preconditions

Application language setting toggle or system device locale environment profile switched to Arabic (RTL layout rules active).

3.2 Action Steps to Reproduce

1. Launch application in Arabic language context.
2. View any prominent merchant preview card asset container components on the home discovery matrix (e.g., Tabali card).
3. Inspect alignment vectors for card utility actions, rating values, and review counter strings.

3.3 Execution Discovered Metrics

True Discovered State: Mirror layout formatting errors cause the navigation link arrow asset to map directly over the restaurant ratings parameters (e.g., "4.5 (54k)"), clipping the text view and rendering it unreadable.

Expected Targeted State: When rendering layouts under RTL constraints, bounding boxes and directional link chevrons must realign properly to the opposite edge layout boundaries, preserving proper padding buffers and clear, readable tracking metrics.

