






wazuh - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2025.2-vmware-am...
wazuh
Malware_Analysis
Active Directory
May 5 17:56
Open
local_rules.xml
/var/ossec/etc/rules
local_rules.xml
ossec.conf
local_decoder.xml
process 0 of 3
<group>linux,suid_abuse,audit_command,</group>
</rule>
<rule id="110022" level="12">
<if_sid>60163</if_sid>
<field name="win.eventdata.privileges" type="pcre2">SeDebugPrivilege|SeImpersonatePrivilege|SeTakeOwnershipPrivilege|SeLoadDriverPrivilege</field>
<description>Ya 3omda [PRIVESC] Sensitive privilege assigned to $(win.eventdata.subjectUserName): $(win.eventdata.privileges)</description>
<mitre><id>T1134</id></mitre>
<group>windows,token_manipulation,</group>
</rule>
<rule id="110023" level="13">
<if_group>sysmon_event1</if_group>
<field name="win.eventdata.user" type="pcre2">NT AUTHORITY\\SYSTEM</field>
<field name="win.eventdata.parentImage" type="pcre2">\\Users\\|\\AppData\\|\\Temp\\|\\Downloads\\</field>
<description>Ya 3omda [PRIVESC] SYSTEM process $(win.eventdata.image) spawned from user directory - Token theft suspected!</description>
<mitre><id>T1134</id></mitre>
<group>windows,sysmon,token_theft,</group>
</rule>
<rule id="110024" level="10">
<if_group>sysmon_event1</if_group>
<field name="win.eventdata.commandLine" type="pcre2">schtasks.*\/create|at\.exe|taskschd</field>
<description>Ya 3omda [PRIVESC/PERSISTENCE] Scheduled task created via: $(win.eventdata.commandLine)</description>
<mitre><id>T1053.005</id></mitre>
<group>windows,persistence,scheduled_task,</group>
</rule>
<rule id="110025" level="12">
<if_sid>60144</if_sid>
<field name="win.eventdata.targetUserName" type="pcre2">Administrators|Domain Admins|Enterprise Admins|Schema Admins</field>
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



wazuh - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2025.2-vmware-am...
wazuh
Malware_Analysis
Active Directory
May 5 17:57
Open
local_rules.xml
/var/ossec/etc/rules
local_rules.xml
ossec.conf
local_decoder.xml
process 0 of 3
</rule>
</group>
<group name="privilege_escalation,audit,sysmon,">
<rule id="110020" level="12">
<if_sid>5402</if_sid>
<match>COMMAND=/bin/bash|COMMAND=/bin/sh|COMMAND=su |COMMAND=/usr/bin/python|COMMAND=/usr/bin/perl|COMMAND=chmod 777|COMMAND=chmod +s</match>
<description>Ya 3omda [PRIVESC] Suspicious sudo command executed - Possible privilege escalation attempt.</description>
<mitre><id>T1548.003</id></mitre>
<group>linux,sudo_privesc,</group>
</rule>
<rule id="110021" level="13">
<if_sid>80792</if_sid>
<list field="audit.command" lookup="match_key_value" check_value="red">etc/lists/suspicious-programs</list>
<field name="audit.euid">0</field>
<description>Ya 3omda [PRIVESC - SUID ABUSE] Suspicious binary run as root via SUID: $(audit.exe) by user $(audit.auid)</description>
<mitre><id>T1548.001</id></mitre>
<group>linux,suid_abuse,audit_command,</group>
</rule>
<rule id="110022" level="12">
<if_sid>60163</if_sid>
<field name="win.eventdata.privileges" type="pcre2">SeDebugPrivilege|SeImpersonatePrivilege|SeTakeOwnershipPrivilege|SeLoadDriverPrivilege</field>
<description>Ya 3omda [PRIVESC] Sensitive privilege assigned to $(win.eventdata.subjectUserName): $(win.eventdata.privileges)</description>
<mitre><id>T1134</id></mitre>
<group>windows,token_manipulation,</group>
</rule>
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


wazuh - VMware Workstation
File Edit View VM Tabs Help
Home
kali-linux-2025.2-vmware-am...
wazuh
Malware_Analysis
Active Directory
May 5 17:58
Open
local_rules.xml
/var/ossec/etc/rules
local_rules.xml
ossec.conf
local_decoder.xml
process 0 of 3
<!--
WAZUH CUSTOM DETECTION RULES - Ahmed-Emad-Nasr
Coverage: Windows | Linux | Network | Web
Threats: BruteForce | Malware | PrivEsc |
LateralMovement | WebAttacks | Exfil
-->
<group name="authentication,brute_force,local,">
<!-- SSH Brute Force - Multiple failures in short time -->
<rule id="110001" level="10" frequency="8" timeframe="60">
<if_matched_sid>5716</if_matched_sid>
<same_source_ip />
<description>Ya 3omda [BRUTE FORCE] SSH: $(srcip) failed $(frequency) times in $(timeframe)s - Possible brute force attack.</description>
<mitre><id>T1110.001</id></mitre>
<group>authentication_failures,pci_dss_10.2.4,pci_dss_10.2.5,gdpr_IV_35.7.d,</group>
</rule>
<!-- SSH Brute Force - Critical threshold -->
<rule id="110002" level="14" frequency="20" timeframe="120">
<if_matched_sid>5716</if_matched_sid>
<same_source_ip />
<description>Ya 3omda [CRITICAL BRUTE FORCE] SSH: $(srcip) failed $(frequency) times - Active brute force in progress!</description>
<mitre><id>T1110.001</id></mitre>
<group>authentication_failures,pci_dss_10.2.4,</group>
</rule>
<!-- RDP Brute Force - Windows -->
<rule id="110003" level="10" frequency="6" timeframe="60">
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


wazuh - VMware Workstation
May 5 17:05
Wazuh
Not Secure localhost/app/threat-hunting#/overview/?tab=general&tabView=events&agentId=003&_a=(filters:!(),query:(language:kuery,query:''))&_g=(filters:!(),refreshInterval:(pause:!t,
Threat Hunting
Active-Directory
API
default
timestamp per 30 minutes
96 hits
May 4, 2026 @ 16:05:04.329 - May 5, 2026 @ 16:05:04.330
Export Formatted
Reset view
1141 available fields
Columns
Density
1 fields sorted
Full screen
timestamp
agent.name
rule.description
rule.level
rule.id
May 5, 2026 @ 17:02:49.623 Active-Directory Software protection service scheduled successfully. 3 60642
May 5, 2026 @ 17:02:24.715 Active-Directory Executable dropped in Windows root folder 6 92217
May 5, 2026 @ 17:02:23.454 Active-Directory Executable dropped in Windows root folder 6 92217
May 5, 2026 @ 17:02:23.453 Active-Directory Executable dropped in Windows root folder 6 92217
May 5, 2026 @ 17:02:17.064 Active-Directory Executable dropped in Windows root folder 6 92217
May 5, 2026 @ 17:02:17.046 Active-Directory Executable dropped in Windows root folder 6 92217
May 5, 2026 @ 17:02:16.988 Active-Directory Executable dropped in Windows root folder 6 92217
May 5, 2026 @ 17:01:56.355 Active-Directory Service startup type was changed 3 61104
May 5, 2026 @ 17:01:29.046 Active-Directory SCA summary: CIS Microsoft Windows Server 2019 Benchmark v2.0.0: Score less than 30% (24) 9 19005
May 5, 2026 @ 17:01:25.084 Active-Directory Ya 3omda [PROCESS INJECTION] Code injection detected into C:\\Windows\\System32\\csrss.exe by C:\\Program Files\\VMware\\VMware Tools\\vmtoolsd 14 110062
May 5, 2026 @ 17:01:18.238 Active-Directory Software protection service scheduled successfully. 3 60642
May 5, 2026 @ 17:01:14.269 Active-Directory CIS Microsoft Windows Server 2019 Benchmark v2.0.0: Ensure 'Accounts: Guest account status' is set to 'Disabled' (MS only).: Status changed from passed to 'not... 5 19012
May 5, 2026 @ 17:01:14.110 Active-Directory CIS Microsoft Windows Server 2019 Benchmark v2.0.0: Ensure 'Maximum password age' is set to '365 or fewer days, but not 0'.: Status changed from passed to 'n... 5 19012
May 5, 2026 @ 17:01:07.620 Active-Directory Discovery activity executed 3 92031
May 5, 2026 @ 17:01:07.589 Active-Directory Discovery activity executed 3 92031
Rows per page: 15
1 2 3 4 5 6 7
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Wazuh - VMware Workstation
May 5 17:05
Wazuh
Not Secure localhost/app/threat-hunting#/overview/?tab=general&tabView=events&agentId=003&_a=(filters:!(),query:(language:kuery,query:''))&_g=(filters:!(),refreshInterval:(pause:!t,
Threat Hunting
Active-Directory
API
default
Document Details
View surrounding documents
View single document
data.win.system.channel Microsoft-Windows-Sysmon/Operational
data.win.system.computer active-directory
data.win.system.eventID 8
data.win.system.eventRecordID 1012
data.win.system.keywords 0x8000000000000000
data.win.system.level 4
data.win.system.message "CreateRemoteThread detected:
RuleName: -
UtcTime: 2026-05-05 14:01:24.855
SourceProcessGuid: {31376777-f81a-69f9-c800-000000000400}
SourceProcessId: 5340
SourceImage: C:\Program Files\VMware\VMware Tools\vmtoolsd.exe
data.win.system.opcode 0
data.win.system.processID 2344
data.win.system.providerGuid {5770385f-c22a-43e0-bf4c-06f5698ffbd9}
data.win.system.providerName Microsoft-Windows-Sysmon
data.win.system.severityValue INFORMATION
data.win.system.systemTime 2026-05-05T14:01:24.8566586002
data.win.system.task 8
data.win.system.threadID 1280
data.win.system.version 2
decoder.name windows_eventchannel
full_log {"win":{"system":{"providerName":"Microsoft-Windows-Sysmon","providerGuid":"{5770385f-c22a-43e0-bf4c-06f5698ffbd9}","eventID":"8","version":"2","level":"4","task":"8","opcode":"0","keywords":"0x8000000000000000","systemTime":"2026-05-05T14:01:24.8566586002","ev
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Wazuh - VMware Workstation
May 5 17:05
Wazuh
Not Secure localhost/app/threat-hunting#/overview/?tab=general&tabView=events&agentId=003&_a=(filters:!(),query:(language:kuery,query:''))&_g=(filters:!(),refreshInterval:(pause:!t,
Threat Hunting
Active-Directory
API
default
Document Details
View surrounding documents
View single document
Table
JSON
_index wazuh-alerts-4.x-2026.05.05
agent.id 003
agent.ip 192.168.10.131
agent.name Active-Directory
data.win.eventdata.newThreadId 4288
data.win.eventdata.sourceImage C:\\Program Files\\VMware\\VMware Tools\\vmtoolsd.exe
data.win.eventdata.sourceProcessGuid {31376777-f81a-69f9-c800-000000000400}
data.win.eventdata.sourceProcessId 5340
data.win.eventdata.sourceUser ACTIVE-DIRECTOR\\Administrator
data.win.eventdata.startAddress 0xFFFFDE8E147F2EF0
data.win.eventdata.targetImage C:\\Windows\\System32\\csrss.exe
data.win.eventdata.targetProcessGuid {31376777-f6b8-69f9-0800-000000000400}
data.win.eventdata.targetProcessId 488
data.win.eventdata.targetUser NT AUTHORITY\\SYSTEM
data.win.eventdata.utcTime 2026-05-05 14:01:24.855
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


wazuh - VMware Workstation
File Edit View VM Tabs Help
Apr 24 17:39
Wazuh
localhost/app/threat-hunting#/overview/?tab=general&tabView=events&agentId=001&_a=(filters:!(),query:(language:kuery,query:''))&_g=(filters:!(),refreshInterval:(pause:!t,value:0),time:(
Threat Hunting
kali
API
default
Dashboard
Events
kali (001)
Search
DQL
Last 24 hours
Show dates
Refresh
manager.name: wazuh
agent.id: 001
Add filter
Count
timestamp per 30 minutes
251 hits
Apr 23, 2026 @ 16:38:55.956 - Apr 24, 2026 @ 16:38:55.956
Export Formatted
Reset view
642 available fields
Columns
Density
1 fields sorted
Full screen
timestamp
agent.name
rule.description
rule.level
rule.id
Apr 24, 2026 @ 17:38:41.285 kali VirusTotal: Alert - No records in VirusTotal database 3 87103
Apr 24, 2026 @ 17:38:38.933 kali Ya 3omdaa Hellppp File added to /root directory. 7 100201
Apr 24, 2026 @ 17:36:59.781 kali Host-based anomaly detection event (rootcheck). 7 510
Apr 24, 2026 @ 17:36:59.779 kali Host-based anomaly detection event (rootcheck). 7 510
Apr 24, 2026 @ 17:36:59.777 kali Host-based anomaly detection event (rootcheck). 7 510
Apr 24, 2026 @ 17:36:59.775 kali Host-based anomaly detection event (rootcheck). 7 510
Apr 24, 2026 @ 17:36:59.772 kali Host-based anomaly detection event (rootcheck). 7 510
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

```
<!--

╔═══════════════════════════════════════════════════════════════════════════════╗
  ║       WAZUH CUSTOM DETECTION RULES - Ahmed-Emad-Nasr      ║
  ║       Coverage: Windows | Linux | Network | Web           ║
  ║       Threats: BruteForce | Malware | PrivEsc |           ║
  ║              LateralMovement | WebAttacks | Exfil         ║
  ╚═══════════════════════════════════════════════════════════════════════════════╝

-->

<group name="authentication,brute_force,local,">

  <!-- SSH Brute Force - Multiple failures in short time -->
  <rule id="110001" level="10" frequency="8" timeframe="60">
    <if_matched_sid>5716</if_matched_sid>
    <same_source_ip />
    <description>Ya 3omda [BRUTE FORCE] SSH: $(srcip) failed $(frequency) times in
$(timeframe)s - Possible brute force attack.</description>
    <mitre><id>T1110.001</id></mitre>
    <group>authentication_failures,pci_dss_10.2.4,pci_dss_10.2.5,gdpr_IV_35.7.d,</group>
  </rule>

  <!-- SSH Brute Force - Critical threshold -->
  <rule id="110002" level="14" frequency="20" timeframe="120">
```

```
    <if_matched_sid>5716</if_matched_sid>
    <same_source_ip />
    <description>Ya 3omda [CRITICAL BRUTE FORCE] SSH: $(srcip) failed $(frequency) times - Active brute force in progress!</description>
    <mitre><id>T1110.001</id></mitre>
    <group>authentication_failures,pci_dss_10.2.4,</group>
  </rule>

  <!-- RDP Brute Force - Windows -->
  <rule id="110003" level="10" frequency="6" timeframe="60">
    <if_matched_sid>60122</if_matched_sid>
    <same_source_ip />
    <description>Ya 3omda [BRUTE FORCE] RDP: $(srcip) failed $(frequency) times - Possible RDP brute force.</description>
    <mitre><id>T1110.001</id></mitre>
    <group>authentication_failures,windows,</group>
  </rule>

  <!-- Windows Failed Logon - Multiple accounts (password spray) -->
  <rule id="110004" level="12" frequency="10" timeframe="120">
    <if_matched_sid>60106</if_matched_sid>
    <same_source_ip />
    <different_user />
    <description>Ya 3omda [PASSWORD SPRAY] Multiple accounts targeted from $(srcip) - Password spray attack detected!</description>
    <mitre><id>T1110.003</id></mitre>
    <group>authentication_failures,windows,password_spray,</group>
```

```
  </rule>

  <!-- Successful login after multiple failures (brute force success) -->
  <rule id="110005" level="14">
    <if_matched_sid>110001</if_matched_sid>
    <same_source_ip />
    <description>Ya 3omda [BRUTE FORCE SUCCESS] $(srcip) succeeded after multiple failures - Possible account compromise!</description>
    <mitre><id>T1110.001</id></mitre>
    <group>authentication_success,brute_force_success,</group>
  </rule>

  <!-- Account lockout triggered -->
  <rule id="110006" level="8">
    <if_sid>60204</if_sid>
    <description>Ya 3omda [LOCKOUT] Account $(win.system.computer) was locked out - Brute force may be occurring.</description>
    <mitre><id>T1110</id></mitre>
    <group>windows,account_lockout,</group>
  </rule>

</group>

<group name="malware,ransomware,syscheck,">

  <rule id="110010" level="15" frequency="50" timeframe="30">
    <if_matched_sid>550</if_matched_sid>
```

```
  <description>Ya 3omda [RANSOMWARE] Mass file modification detected ($(frequency) files in $(timeframe)s) - Possible ransomware encryption!</description>
  <mitre><id>T1486</id></mitre>
  <group>ransomware,pci_dss_11.5,</group>
 </rule>

 <rule id="110011" level="14">
  <if_sid>554</if_sid>
  <field name="file" type="pcre2">\.locked$|\.encrypted$|\.crypted$|\.crypt$|\.enc$|\.pay2decrypt$|\.WNCRY$|\.wnry$|\.wcry$|\.wannacry$|\.zepto$|\.cerber$|\.locky$|\.petya$</field>
  <description>Ya 3omda [RANSOMWARE] Ransomware file extension detected: $(file) - Immediate action required!</description>
  <mitre><id>T1486</id></mitre>
  <group>ransomware,</group>
 </rule>

 <rule id="110012" level="14">
  <if_sid>554</if_sid>
  <field name="file" type="pcre2">HOW_TO_DECRYPT|README_FOR_DECRYPT|DECRYPT_INSTRUCTION|RECOVERY_KEY|YOUR_FILES|how_to_recover|HELP_DECRYPT|decrypt_info</field>
  <description>Ya 3omda [RANSOMWARE NOTE] Ransom note file created: $(file) - Files may already be encrypted!</description>
  <mitre><id>T1486</id></mitre>
  <group>ransomware,</group>
 </rule>
```

```
 <rule id="110013" level="12">
  <if_sid>554</if_sid>
  <field name="file" type="pcre2">^/tmp/.*\.sh$|^/tmp/.*\.py$|^/tmp/.*\.elf$|^/dev/shm/|^/var/tmp/.*\.sh$</field>
  <description>Ya 3omda [MALWARE] Executable file dropped in suspicious location: $(file)</description>
  <mitre><id>T1059</id></mitre>
  <group>malware,linux,</group>
 </rule>

 <rule id="110014" level="12">
  <if_sid>554</if_sid>
  <field name="file" type="pcre2">\\Temp\\.*\.(exe|dll|bat|vbs|ps1|hta)$|\\AppData\\Local\\Temp\\.*\.(exe|dll)</field>
  <description>Ya 3omda [MALWARE] Executable dropped in Windows Temp: $(file)</description>
  <mitre><id>T1059</id></mitre>
  <group>malware,windows,</group>
 </rule>

 <rule id="110015" level="15">
  <if_sid>108001</if_sid>
  <description>Ya 3omda [YARA HIT] Malware confirmed by YARA: $(yara_rule) in file $(yara_scanned_file) - Auto-remediation triggered.</description>
  <mitre><id>T1204</id></mitre>
  <group>malware,yara,</group>
```

```
  </rule>

</group>

<group name="privilege_escalation,audit,sysmon,">

  <rule id="110020" level="12">
    <if_sid>5402</if_sid>
    <match>COMMAND=/bin/bash|COMMAND=/bin/sh|COMMAND=su
|COMMAND=/usr/bin/python|COMMAND=/usr/bin/perl|COMMAND=chmod
777|COMMAND=chmod +s</match>
    <description>Ya 3omda [PRIVESC] Suspicious sudo command executed - Possible
privilege escalation attempt.</description>
    <mitre><id>T1548.003</id></mitre>
    <group>linux,sudo_privesc,</group>
  </rule>

  <rule id="110021" level="13">
    <if_sid>80792</if_sid>
    <list field="audit.command" lookup="match_key_value"
check_value="red">etc/lists/suspicious-programs</list>
    <field name="audit.euid">0</field>
    <description>Ya 3omda [PRIVESC - SUID ABUSE] Suspicious binary run as root via SUID:
$(audit.exe) by user $(audit.auid)</description>
    <mitre><id>T1548.001</id></mitre>
    <group>linux,suid_abuse,audit_command,</group>
  </rule>
```

```
 <rule id="110022" level="12">
  <if_sid>60163</if_sid>
  <field name="win.eventdata.privileges" type="pcre2">SeDebugPrivilege|SeImpersonatePrivilege|SeTakeOwnershipPrivilege|SeLoadDriverPrivilege</field>
  <description>Ya 3omda [PRIVESC] Sensitive privilege assigned to $(win.eventdata.subjectUserName): $(win.eventdata.privileges)</description>
  <mitre><id>T1134</id></mitre>
  <group>windows,token_manipulation,</group>
 </rule>

 <rule id="110023" level="13">
  <if_group>sysmon_event1</if_group>
  <field name="win.eventdata.user" type="pcre2">NT AUTHORITY\\SYSTEM</field>
  <field name="win.eventdata.parentImage" type="pcre2">\\Users\\|\\AppData\\|\\Temp\\|\\Downloads\\</field>
  <description>Ya 3omda [PRIVESC] SYSTEM process $(win.eventdata.image) spawned from user directory - Token theft suspected!</description>
  <mitre><id>T1134</id></mitre>
  <group>windows,sysmon,token_theft,</group>
 </rule>

 <rule id="110024" level="10">
  <if_group>sysmon_event1</if_group>
  <field name="win.eventdata.commandLine" type="pcre2">schtasks.*\/create|at\.exe|taskschd</field>
```

```
  <description>Ya 3omda [PRIVESC/PERSISTENCE] Scheduled task created via: $(win.eventdata.commandLine)</description>
  <mitre><id>T1053.005</id></mitre>
  <group>windows,persistence,scheduled_task,</group>
 </rule>

 <rule id="110025" level="12">
  <if_sid>60144</if_sid>
  <field name="win.eventdata.targetUserName" type="pcre2">Administrators|Domain Admins|Enterprise Admins|Schema Admins</field>
  <description>Ya 3omda [PRIVESC] User added to privileged group $(win.eventdata.targetUserName) by $(win.eventdata.subjectUserName)!</description>
  <mitre><id>T1078.002</id></mitre>
  <group>windows,account_manipulation,</group>
 </rule>

</group>

<group name="lateral_movement,c2,sysmon,suricata,">

 <rule id="110030" level="13">
  <if_group>sysmon_event1</if_group>
  <field name="win.eventdata.image" type="pcre2">\\psexec\.exe|\\psexec64\.exe|\\paexec\.exe|\\remcom\.exe</field>
  <description>Ya 3omda [LATERAL MOVEMENT] Remote execution tool detected: $(win.eventdata.image) - PsExec-style attack!</description>
  <mitre><id>T1021.002</id></mitre>
```

```
  <group>windows,lateral_movement,psexec,</group>
 </rule>

 <rule id="110031" level="12">
  <if_group>sysmon_event1</if_group>
  <field name="win.eventdata.parentImage" type="pcre2">\\WmiPrvSE\.exe</field>
  <field name="win.eventdata.image"
type="pcre2">\\cmd\.exe|\\powershell\.exe|\\cscript\.exe|\\wscript\.exe</field>
  <description>Ya 3omda [LATERAL MOVEMENT] WMI spawned suspicious child:
$(win.eventdata.image) - WMI abuse detected!</description>
  <mitre><id>T1047</id></mitre>
  <group>windows,wmi_abuse,</group>
 </rule>

 <rule id="110032" level="14">
  <if_sid>60103</if_sid>
  <field name="win.eventdata.logonType">3</field>
  <field name="win.eventdata.authenticationPackageName">NTLM</field>
  <field name="win.eventdata.workstationName"
negate="yes">$(win.system.computer)</field>
  <description>Ya 3omda [PASS-THE-HASH] NTLM network logon from external
workstation $(win.eventdata.workstationName) - PtH suspected!</description>
  <mitre><id>T1550.002</id></mitre>
  <group>windows,pass_the_hash,</group>
 </rule>

 <rule id="110033" level="12" frequency="200" timeframe="60">
```

```
    <if_matched_sid>100007</if_matched_sid>
    <same_source_ip />
    <description>Ya 3omda [C2 - DNS TUNNEL] Excessive DNS queries from $(srcip): $(frequency) queries in $(timeframe)s - DNS tunneling/C2 suspected!</description>
    <mitre><id>T1071.004</id></mitre>
    <group>c2,dns_tunneling,</group>
  </rule>

  <rule id="110034" level="11" frequency="20" timeframe="300">
    <if_matched_sid>100002</if_matched_sid>
    <same_source_ip />
    <description>Ya 3omda [C2 BEACONING] Regular connections from $(srcip) to same destination - C2 beacon pattern detected!</description>
    <mitre><id>T1071.001</id></mitre>
    <group>c2,beaconing,</group>
  </rule>

  <rule id="110035" level="14">
    <if_group>sysmon_event1</if_group>
    <field name="win.eventdata.commandLine" type="pcre2">DownloadString|DownloadFile|WebClient|Invoke-Expression|IEX|Net\.WebClient|Start-BitsTransfer|curl.*\-o|wget.*\-O</field>
    <description>Ya 3omda [C2 DOWNLOAD] PowerShell download cradle detected: $(win.eventdata.commandLine) - Possible C2 stage 1!</description>
    <mitre><id>T1059.001</id></mitre>
    <group>windows,powershell,download_cradle,</group>
  </rule>
```

```
  <rule id="110036" level="11" frequency="5" timeframe="60">
    <if_matched_sid>18107</if_matched_sid>
    <same_source_ip />
    <different_user />
    <description>Ya 3omda [LATERAL MOVEMENT - SMB] Multiple SMB auth attempts to different targets from $(srcip) - Possible lateral movement!</description>
    <mitre><id>T1021.002</id></mitre>
    <group>smb,lateral_movement,</group>
  </rule>

</group>

<group name="web_attacks,appsec,">

  <rule id="110040" level="10">
    <if_sid>31108</if_sid>

<url>union.*select|select.*from|insert.*into|drop.*table|exec.*xp_|INFORMATION_SCHEMA|benchmark\(|sleep\(|waitfor.*delay|0x[0-9a-f]{4}|char\([0-9]</url>
    <description>Ya 3omda [SQLi] SQL Injection attempt from $(srcip) - URL: $(url)</description>
    <mitre><id>T1190</id></mitre>
    <group>sqli,web_attack,pci_dss_6.5.1,</group>
  </rule>

  <rule id="110041" level="8">
```

<if_sid>31108</if_sid>

<url>%3Cscript|javascript:|onerror=|onload=|alert\(|document\.cookie|eval\(|fromCharCode</url>

<description>Ya 3omda [XSS] Cross-Site Scripting attempt from $(srcip)</description>

<mitre><id>T1059.007</id></mitre>

<group>xss,web_attack,pci_dss_6.5.7,</group>

</rule>

<rule id="110042" level="12">

<if_sid>31108</if_sid>

<url>\.\./\.\./|%2e%2e%2f|%252e%252e|/etc/passwd|/etc/shadow|/proc/self/|boot\.ini|win\.ini</url>

<description>Ya 3omda [LFI] Local File Inclusion attempt from $(srcip) - Possible path traversal!</description>

<mitre><id>T1083</id></mitre>

<group>lfi,path_traversal,web_attack,</group>

</rule>

<rule id="110043" level="14">

<if_sid>31108</if_sid>

<url>cmd=|exec=|system\(|passthru\(|shell_exec\(|popen\(|proc_open\(|eval\(base64|phpinfo\(\)|/bin/bash|/bin/sh|cmd\.exe|powershell</url>

<description>Ya 3omda [RCE] Remote Code Execution attempt from $(srcip) - Critical web attack!</description>

<mitre><id>T1190</id></mitre>

```
  <group>rce,web_attack,</group>
 </rule>

 <rule id="110044" level="8" frequency="100" timeframe="60">
  <if_matched_sid>31108</if_matched_sid>
  <same_source_ip />
  <description>Ya 3omda [WEB SCAN] $(srcip) sending $(frequency) requests/min - Web scanner or directory brute force!</description>
  <mitre><id>T1595.003</id></mitre>
  <group>web_scan,reconnaissance,</group>
 </rule>

 <rule id="110045" level="7" frequency="50" timeframe="30">
  <if_matched_sid>31151</if_matched_sid>
  <same_source_ip />
  <description>Ya 3omda [ENUM] $(srcip) caused $(frequency) HTTP 404/403 errors in $(timeframe)s - Possible directory enumeration!</description>
  <mitre><id>T1595</id></mitre>
  <group>web_scan,reconnaissance,</group>
 </rule>

 <rule id="110046" level="14">
  <if_sid>100004</if_sid>
  <field name="alert.category" type="pcre2">Web Application Attack|A Network Trojan was Detected|Attempted  User Privilege Gain</field>
  <description>Ya 3omda [SURICATA WEB ATTACK] Critical web attack: $(alert.signature) from $(src_ip)</description>
```

```
  <mitre><id>T1190</id></mitre>
  <group>suricata,web_attack,</group>
 </rule>

</group>

<group name="exfiltration,data_theft,">

 <rule id="110050" level="12">
  <if_sid>100002</if_sid>
  <field name="bytes_toserver" type="pcre2">\b([5-9][0-9]{7}|[0-9]{9,})\b</field>
  <description>Ya 3omda [EXFILTRATION] Large outbound transfer from $(src_ip): $(bytes_toserver) bytes - Data exfiltration suspected!</description>
  <mitre><id>T1048</id></mitre>
  <group>data_exfil,network,</group>
 </rule>

 <rule id="110051" level="13">
  <if_sid>80784</if_sid>
  <field name="audit.file.name" type="pcre2">passwd|shadow|id_rsa|\.pem|\.pfx|\.kdbx|credentials|secret|\.env|config\.php|web\.config|\.htpasswd</field>
  <description>Ya 3omda [EXFILTRATION] Sensitive file accessed by $(audit.auid): $(audit.file.name) - Possible data staging!</description>
  <mitre><id>T1552.001</id></mitre>
  <group>linux,credential_access,sensitive_file,</group>
 </rule>
```

```
  <rule id="110052" level="11">
    <if_group>sysmon_event1</if_group>
    <field name="win.eventdata.commandLine" type="pcre2">\.zip|\.rar|\.7z|\.tar|compress|archiv</field>
    <description>Ya 3omda [EXFILTRATION STAGING] Archive of user data created: $(win.eventdata.commandLine)</description>
    <mitre><id>T1560.001</id></mitre>
    <group>windows,data_staging,</group>
  </rule>

  <rule id="110053" level="11">
    <if_sid>100002</if_sid>
    <field name="dest_port" type="pcre2">21|22|443|8080|8443</field>
    <field name="bytes_toserver" type="pcre2">\b([1-9][0-9]{6,})\b</field>
    <description>Ya 3omda [EXFILTRATION] Significant outbound transfer on port $(dest_port) from $(src_ip) - Check for cloud upload!</description>
    <mitre><id>T1567</id></mitre>
    <group>exfiltration,network,</group>
  </rule>

  <rule id="110054" level="9">
    <if_group>sysmon_event1</if_group>
    <field name="win.eventdata.image" type="pcre2">\\clip\.exe|\\snippingtool\.exe|\\screenshot</field>
    <description>Ya 3omda [EXFILTRATION] Screen capture or clipboard tool used: $(win.eventdata.image) - Possible data collection!</description>
```

```
  <mitre><id>T1113</id></mitre>
  <group>windows,screen_capture,collection,</group>
 </rule>

 <rule id="110055" level="13">
  <if_sid>100007</if_sid>
  <field name="dns.rrname" type="pcre2">.\{50,\}</field>
  <description>Ya 3omda [DNS EXFIL] Suspicious long DNS query ($(dns.rrname)) - Possible DNS exfiltration!</description>
  <mitre><id>T1048.003</id></mitre>
  <group>dns_exfil,c2,</group>
 </rule>

</group>

<group name="defense_evasion,sysmon,">

 <rule id="110060" level="14">
  <if_sid>60612</if_sid>
  <description>Ya 3omda [DEFENSE EVASION] Windows Event Log CLEARED by $(win.system.computer) - Active attack cover-up!</description>
  <mitre><id>T1070.001</id></mitre>
  <group>windows,log_tampering,</group>
 </rule>

 <rule id="110061" level="13">
  <if_group>sysmon_event1</if_group>
```

```
  <field name="win.eventdata.commandLine" type="pcre2">-
[Ee][Nn][Cc]|FromBase64String|[A-Za-z0-9+/]{100,}={0,2}</field>

  <description>Ya 3omda [OBFUSCATION] Encoded/obfuscated PowerShell command
detected  - Malicious script suspected!</description>

  <mitre><id>T1027</id></mitre>

  <group>windows,powershell,obfuscation,</group>

 </rule>


 <rule id="110062" level="14">

  <if_group>sysmon_event8</if_group>

  <field name="win.eventdata.targetImage"
type="pcre2">\\lsass\.exe|\\svchost\.exe|\\explorer\.exe|\\winlogon\.exe|\\csrss\.exe</field
>

  <description>Ya 3omda [PROCESS INJECTION] Code injection detected into
$(win.eventdata.targetImage) by $(win.eventdata.sourceImage)!</description>

  <mitre><id>T1055</id></mitre>

  <group>windows,process_injection,</group>

 </rule>


 <rule id="110063" level="15">

  <if_group>sysmon_event1</if_group>

  <field name="win.eventdata.commandLine"
type="pcre2">vssadmin.*delete|wmic.*shadowcopy.*delete|bcdedit.*recoveryenabled.*no|
wbadmin.*delete</field>

  <description>Ya 3omda [RANSOMWARE/DESTRUCTION] Shadow copies being deleted:
$(win.eventdata.commandLine) - CRITICAL!</description>

  <mitre><id>T1490</id></mitre>

  <group>windows,ransomware,backup_deletion,</group>
```

```
  </rule>

  <rule id="110064" level="13">
    <if_group>sysmon_event1</if_group>
    <field name="win.eventdata.commandLine"
type="pcre2">AmsiUtils|amsiInitFailed|amsi\.dll|Bypass.*AMSI|AMSI.*Bypass|Set-
MpPreference.*DisableRealtimeMonitoring</field>
    <description>Ya 3omda [AV BYPASS] AMSI/Defender bypass attempt detected:
$(win.eventdata.commandLine)</description>
    <mitre><id>T1562.001</id></mitre>
    <group>windows,av_bypass,defense_evasion,</group>
  </rule>

</group>

<group name="linux,persistence,rootkit,audit,">

  <rule id="110070" level="10">
    <if_sid>554</if_sid>
    <field name="file" type="pcre2">/etc/cron\.|/var/spool/cron/|/etc/crontab</field>
    <description>Ya 3omda [PERSISTENCE] Crontab modified: $(file) - Possible persistence
mechanism installed!</description>
    <mitre><id>T1053.003</id></mitre>
    <group>linux,cron_persistence,</group>
  </rule>

  <rule id="110071" level="12">
```

```
  <if_sid>554</if_sid>
  <field name="file" type="pcre2">\.ssh/authorized_keys|\.ssh/config</field>
  <description>Ya 3omda [PERSISTENCE] SSH authorized_keys modified: $(file) - Backdoor key may have been added!</description>
  <mitre><id>T1098.004</id></mitre>
  <group>linux,ssh_persistence,</group>
 </rule>

 <rule id="110072" level="14">
  <if_sid>554</if_sid>
  <field name="file" type="pcre2">/etc/ld\.so\.preload|/etc/profile\.d/|/etc/environment</field>
  <description>Ya 3omda [ROOTKIT] Critical system file modified: $(file) - Possible LD_PRELOAD rootkit!</description>
  <mitre><id>T1574.006</id></mitre>
  <group>linux,rootkit,</group>
 </rule>

 <rule id="110073" level="13">
  <if_sid>80700</if_sid>
  <match>insmod|modprobe|rmmod</match>
  <description>Ya 3omda [ROOTKIT] Kernel module operation detected - Possible rootkit loading!</description>
  <mitre><id>T1547.006</id></mitre>
  <group>linux,kernel_module,rootkit,</group>
 </rule>
```

```
  <rule id="110074" level="14">
    <if_sid>550</if_sid>
    <field name="file"
type="pcre2">/etc/passwd|/etc/shadow|/etc/sudoers|/etc/group</field>
    <description>Ya 3omda [ACCOUNT MANIPULATION] Critical auth file modified: $(file) -
Possible backdoor account!</description>
    <mitre><id>T1136.001</id></mitre>
    <group>linux,account_manipulation,</group>
  </rule>

</group>

<group name="network,anomaly,suricata,">

  <rule id="110080" level="10" frequency="20" timeframe="10">
    <if_matched_sid>100003</if_matched_sid>
    <same_source_ip />
    <description>Ya 3omda [PORT SCAN] $(srcip) scanning multiple ports ($(frequency) in
$(timeframe)s) - Network reconnaissance!</description>
    <mitre><id>T1046</id></mitre>
    <group>port_scan,reconnaissance,</group>
  </rule>

  <rule id="110081" level="15" frequency="5" timeframe="300">
    <if_matched_sid>100004</if_matched_sid>
    <same_source_ip />
```

```
  <description>Ya 3omda [CRITICAL NETWORK] Multiple critical Suricata alerts from $(srcip) - Active attack campaign!</description>
  <mitre><id>T1595</id></mitre>
  <group>suricata,active_attack,</group>
 </rule>

 <rule id="110082" level="11">
  <if_sid>100008</if_sid>
  <field name="tls.sni" type="pcre2">\.onion|torproject\.org|protonvpn|nordvpn|mullvad|hidemy\.name</field>
  <description>Ya 3omda [C2 EVASION] TOR/VPN/Proxy connection detected from $(src_ip) to $(tls.sni) - C2 evasion attempt!</description>
  <mitre><id>T1090.003</id></mitre>
  <group>tor,proxy,c2_evasion,</group>
 </rule>

 <rule id="110083" level="10" frequency="50" timeframe="60">
  <if_matched_sid>100002</if_matched_sid>
  <same_source_ip />
  <field name="proto">ICMP</field>
  <description>Ya 3omda [ICMP EXFIL] Excessive ICMP from $(srcip) - Possible ICMP tunneling/exfiltration!</description>
  <mitre><id>T1095</id></mitre>
  <group>icmp_tunnel,exfiltration,</group>
 </rule>

</group>
```

```
<group name="virustotal,">
  <rule id="100092" level="12">
    <if_sid>657</if_sid>
    <match>Successfully removed threat</match>
    <description>$(parameters.program) removed threat located at
$(parameters.alert.data.virustotal.source.file)</description>
  </rule>

  <rule id="100093" level="12">
    <if_sid>657</if_sid>
    <match>Error removing threat</match>
    <description>Error removing threat located at
$(parameters.alert.data.virustotal.source.file)</description>
  </rule>
</group>

<!-- Suricata Rules -->
<group name="suricata,netflow">
      <rule id="100002" level="3">
            <if_sid>86600</if_sid>
            <options>no_full_log</options>
            <description>Suricata Traffic - $(event_type).</description>
      </rule>
</group>
<group name="suricata,suricata_severity2">
      <rule id="100003" level="10">
```

```
        <if_sid>86601</if_sid>
        <field name="alert.severity">2</field>
        <options>no_full_log</options>
        <description>Suricata Alert - $(alert.signature). Signature ID:
$(alert.signature_id).</description>
    </rule>
</group>
<group name="suricata,suricata_severity1">
    <rule id="100004" level="12">
        <if_sid>86601</if_sid>
        <field name="alert.severity">1</field>
        <options>no_full_log</options>
        <description>Suricata Alert - $(alert.signature). Signature ID:
$(alert.signature_id).</description>
    </rule>
</group>
<group name="suricata,suricata_severity3">
    <rule id="100005" level="5">
        <if_sid>86601</if_sid>
        <field name="alert.severity">3</field>
        <options>no_full_log</options>
        <description>Suricata Alert - $(alert.signature). Signature ID:
$(alert.signature_id).</description>
    </rule>
</group>
<group name="suricata,suricata_http">
    <rule id="100006" level="3">
```

```
        <if_sid>86602</if_sid>
        <options>no_full_log</options>
        <description>Suricata HTTP Traffic.</description>
    </rule>
</group>
<group name="suricata,suricata_dns">
    <rule id="100007" level="3">
        <if_sid>86603</if_sid>
        <options>no_full_log</options>
        <description>Suricata DNS Traffic.</description>
    </rule>
</group>
<group name="suricata,suricata_tls">
    <rule id="100008" level="3">
        <if_sid>86604</if_sid>
        <options>no_full_log</options>
        <description>Suricata TLS Traffic.</description>
    </rule>
</group>
<group name="suricata,active_response,">
 <rule id="100009" level="3">
   <location>wazuh_suricata</location>
   <description>Wazuh Suricata Blocked IP</description>
   <options>no_full_log</options>
 </rule>
</group>
```