Contact Person

Full name
Ahmed Emad Nasr

Job title / role
Incident Response Analyst

Department / team
Security Operations Center (SOC)

Email address
Ahmed.em.nasr@gmail.com

Phone number
+201018166445

The Incident

Date and time discovered:
February 25, 2024 (Based on auth.log timestamps)

How was the incident detected? (E.g., user report, monitoring system alert)

Log analysis and PCAP review (LetsDefend Brute Force Attacks Challenge).

Detailed description of the incident (include what occurred, where, and how):

A multi-vector Brute Force attack (MITRE ID: T1110) was executed against the server at IP address 51.116.96.181. The attacker targeted three distinct services:

1. **HTTP:** A brute-force attack targeted the index.php directory, successfully compromising the credentials web-hacker:admin12345.
2. **RDP:** The attacker attempted to compromise 7 user accounts via RDP, originating from a machine with the clientName t3m0-virtual-ma.
3. **SSH:** 7480 unsuccessful SSH connection attempts were recorded. However, a successful SSH login was observed for the user mmox at 11:43:54.

Was the incident ongoing at the time of report?

☐ Yes ☒ No

Have any files, accounts, or systems been compromised?

☒ Yes ☐ No

If yes, please describe:

The web application account (web-hacker) and an SSH user account (mmox) were successfully compromised.

Notification

Was your supervisor or manager notified?

☒ Yes ☐ No

Date/time of notification:
April 6, 2026

Was the IT/security team alerted?

☒ Yes ☐ No

If yes, who was contacted and how? (e.g., email, phone, ticket)
Security team via standard reporting procedures / lab portal.

Containment Measures

What immediate actions were taken to contain the threat? (E.g., system shutdown, network isolation)

(Recommended based on findings) Isolation of the affected server (51.116.96.181) from the network. Blocking of the attacker IP addresses identified in the logs (e.g., the source of the SSH and RDP traffic).

Were any user accounts disabled, firewalls updated, or services suspended?

☒ Yes ☐ No

If yes, provide details:

(Recommended based on findings) Immediate suspension and password reset for the compromised accounts web-hacker and mmox.

Impacted Services Measures

List any systems, devices, or applications affected by the incident:

Server 51.116.96.181 (Specifically Web service/PHP, RDP, and SSH).

Estimated number of affected users, if applicable:

2 successfully compromised accounts, 7 targeted RDP accounts.

Was there any known data loss or exposure?

☒ Yes ☐ No

If yes, describe the type of data (e.g., personal info, credentials, financial):

Unauthorized system access was achieved via SSH and a web portal, indicating potential exposure of internal server data and further lateral movement capabilities.

Preliminary Analysis *(Optional)*

Suspected cause or entry point (e.g., phishing email, unpatched software):


Weak passwords and lack of rate-limiting/account lockout policies, allowing a Brute Force attack (T1110) to succeed.


Was the threat internal, external, or unknown?


☐ Internal ☒ External ☐ Unknown


Submitted by:


Ahmed Emad Nasr	Ahmed Emad Nasr	
Name	**Signature**	**Date submitted**


Brute Force Attacks - Le
ip-172-31-12-96.us-eas
vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Files
Mon Apr 6 14:54
root
ChallengeFile
Home
Desktop
ChallengeFile
Recent
Starred
Home
Documents
Downloads
Music
Pictures
Videos
Trash
Other Locations
BruteForce
BruteForce.7z



Brute Force Attacks - Le
ip-172-31-12-96.us-eas
vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Wireshark
Mon Apr 6 14:57
BruteForce.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
No. Time Source Destination Protocol Length Info
1 0.000000 192.168.190.137 51.116.96.181 TCP 74 50306 → 3389 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=1388683853 TSecr=0 WS=128
2 0.002519 192.168.190.137 51.116.96.181 TCP 74 50310 → 3389 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=1388683856 TSecr=0 WS=128
3 0.008929 192.168.190.137 51.116.96.181 TCP 74 50316 → 3389 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=1388683862 TSecr=0 WS=128
4 0.011968 192.168.190.137 51.116.96.181 TCP 74 50324 → 3389 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM TSval=1388683865 TSecr=0 WS=128
5 0.065377 51.116.96.181 192.168.190.137 TCP 60 3389 → 50306 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460
6 0.065435 192.168.190.137 51.116.96.181 TCP 54 50306 → 3389 [ACK] Seq=1 Ack=1 Win=64240 Len=0
7 0.065593 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
8 0.065870 51.116.96.181 192.168.190.137 TCP 60 3389 → 50306 [ACK] Seq=1 Ack=43 Win=64240 Len=0
9 0.072300 51.116.96.181 192.168.190.137 TCP 60 3389 → 50310 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460
10 0.072368 192.168.190.137 51.116.96.181 TCP 54 50310 → 3389 [ACK] Seq=1 Ack=1 Win=64240 Len=0
11 0.072548 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
12 0.072844 51.116.96.181 192.168.190.137 TCP 60 3389 → 50310 [ACK] Seq=1 Ack=43 Win=64240 Len=0
13 0.074661 51.116.96.181 192.168.190.137 TCP 60 3389 → 50324 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460
14 0.074661 51.116.96.181 192.168.190.137 TCP 60 3389 → 50316 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460
15 0.074721 192.168.190.137 51.116.96.181 TCP 54 50324 → 3389 [ACK] Seq=1 Ack=1 Win=64240 Len=0
16 0.074799 192.168.190.137 51.116.96.181 TCP 54 50316 → 3389 [ACK] Seq=1 Ack=1 Win=64240 Len=0
17 0.074908 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
18 0.075029 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
Frame 11: 96 bytes on wire (768 bits), 96 bytes captured (768 bits)
Ethernet II, Src: VMware_a5:4d:50 (00:0c:29:a5:4d:50), Dst: VMware_fd:30:2a (00:50:56:fd:30
Internet Protocol Version 4, Src: 192.168.190.137, Dst: 51.116.96.181
Transmission Control Protocol, Src Port: 50310, Dst Port: 3389, Seq: 1, Ack: 1, Len: 42
TPKT, Version: 3, Length: 42
ISO 8073/X.224 COTP Connection-Oriented Transport Protocol
Remote Desktop Protocol
0000 00 50 56 fd 30 2a 00 0c 29 a5 4d 50 08 00 45 00
0010 00 52 c3 f3 40 00 40 06 63 57 c0 a8 be 89 33 74
0020 60 b5 c4 86 0d 3d da 9a 1f 75 37 8e 05 57 50 18
0030 fa f0 13 a0 00 00 03 00 00 2a 25 e0 00 00 00 00
0040 00 43 6f 6f 6b 69 65 3a 20 6d 73 74 73 68 61 73
0050 68 3d 74 33 6d 30 0d 0a 01 00 08 00 03 00 00 00
Cookie: mstshas
h=t3m0
BruteForce.pcap
Packets: 23237 · Displayed: 23237 (100.0%)
Profile: Default



Brute Force Attacks - Le
ip-172-31-12-96.us-eas
vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Wireshark
Mon Apr 6 15:00
BruteForce.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
http.request
No. Time Source Destination Protocol Length Info
20947 177.623189 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20959 177.824962 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20972 178.028310 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20985 178.232694 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20998 178.440526 192.168.190.137 51.116.96.181 HTTP 86 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
21011 178.636566 192.168.190.137 51.116.96.181 HTTP 88 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
21024 178.832298 192.168.190.137 51.116.96.181 HTTP 93 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.026069 192.168.190.137 51.116.96.181 HTTP 84 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.227874 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.427092 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.625902 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.818338 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.012686 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.020054 192.168.190.137 91.189.91.96 HTTP 141 GET / HTTP/1.1
180.209894 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.411165 192.168.190.137 51.116.96.181 HTTP 84 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.628000 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
Frame 20947: 85 bytes on wire (680 bits), 85 bytes captured (680 bits)
Ethernet II, Src: VMware_a5:4d:50 (00:0c:29:a5:4d:50), Dst: VMware_fd:30:2a (00:50:56:fd:30
Internet Protocol Version 4, Src: 192.168.190.137, Dst: 51.116.96.181
Transmission Control Protocol, Src Port: 57764, Dst Port: 80, Seq: 224, Ack: 1, Len: 31
[2 Reassembled TCP Segments (254 bytes): #20945(223), #20947(31)]
Hypertext Transfer Protocol
HTML Form URL Encoded: application/x-www-form-urlencoded
0000 00 50 56 fd 30 2a 00 0c 29 a5 4d 50 08 00 45 00
0010 00 47 0f 58 40 00 40 06 17 fe c0 a8 be 89 33 74
0020 60 b5 e1 a4 00 50 cc 50 9a 69 34 75 7a d1 50 18
0030 fa f0 13 95 00 00 75 73 65 72 6e 61 6d 65 3d 74
0040 33 6d 30 26 70 61 73 73 77 6f 72 64 3d 54 65 73
0050 74 54 65 73 74
Frame (85 bytes)
Reassembled TCP (254 bytes)
Request: Boolean
Packets: 23237 · Displayed: 176 (0.8%)
Profile: Default


vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Wireshark
Mon Apr 6 15:01
BruteForce.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
http.request
No. Time Source Destination Protocol Length Info
20947 177.623189 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20959 177.824962 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20972 178.028310 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20985 178.232694 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20998 178.440526 192.168.190.137 51.116.96.181 HTTP 86 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
21011 178.636566 192.168.190.137 51.116.96.181 HTTP 88 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
21024 178.832298 192.168.190.137 51.116.96.181 HTTP 93 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.026069 192.168.190.137 51.116.96.181 HTTP 84 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.227874 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.427092 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.625902 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.818338 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.012686 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.020054 192.168.190.137 91.189.91.96 HTTP 141 GET / HTTP/1.1
180.209894 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.411165 192.168.190.137 51.116.96.181 HTTP 84 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.628000 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
Frame 20947: 85 bytes on wire (680 bits), 85 bytes captured (680 bits)
Ethernet II, Src: VMware_a5:4d:50 (00:0c:29:a5:4d:50), Dst: VMware_fd:30:2a (00:50:56:fd:30
Internet Protocol Version 4, Src: 192.168.190.137, Dst: 51.116.96.181
Transmission Control Protocol, Src Port: 57764, Dst Port: 80, Seq: 224, Ack: 1, Len: 31
[2 Reassembled TCP Segments (254 bytes): #20945(223), #20947(31)]
Hypertext Transfer Protocol
HTML Form URL Encoded: application/x-www-form-urlencoded
0000 00 50 56 fd 30 2a 00 0c 29 a5 4d 50 08 00 45 00
0010 00 47 0f 58 40 00 40 06 17 fe c0 a8 be 89 33 74
0020 60 b5 e1 a4 00 50 cc 50 9a 69 34 75 7a d1 50 18
0030 fa f0 13 95 00 00 75 73 65 72 6e 61 6d 65 3d 74
0040 33 6d 30 26 70 61 73 73 77 6f 72 64 3d 54 65 73
0050 74 54 65 73 74
Frame (85 bytes)
Reassembled TCP (254 bytes)
Request: Boolean
Packets: 23237 · Displayed: 176 (0.8%)
Profile: Default



Brute Force Attacks - Le
ip-172-31-12-96.us-eas
vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Wireshark
Mon Apr 6 15:11
BruteForce.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
http
Packet details
Narrow & Wide
Case sensitive
String
>correct
Find
Cancel
No. Time Source Destination Protocol Length Info
22145 196.912686 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
22158 197.120668 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
22171 197.356905 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
22184 197.558330 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
22197 197.781206 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
22210 198.007741 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
198.216265 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
198.424493 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
198.688269 51.116.96.181 192.168.190.137 HTTP 561 HTTP/1.1 200 OK (text/html)
198.912593 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
199.118243 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
199.369222 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
199.578697 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
199.848227 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
200.083887 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
200.284486 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
200.494720 51.116.96.181 192.168.190.137 HTTP 562 HTTP/1.1 200 OK (text/html)
Settings
based text data: text/html (16 lines)
<!DOCTYPE html>\n
<html>\n
<head>\n
<title>Fake Login Page</title>\n
</head>\n
<body>\n
<h2>Login</h2>\n
Correct <form method="post">\n
<label for="username">Username:</label>
\n
<input type="text" id="username" name="username">
\n
<label for="password">Password:</label>
\n
<input type="password" id="password" name="password">


\n
<input type="submit" value="Login">\n
</form>\n
</body>\n
</html>\n
0060 32 3e 0a 20 20 20 20 3c 70 20 73 74 79 6c 65 3d 2>. < p style=
0070 27 63 6f 6c 6f 72 3a 20 67 72 65 65 6e 3b 27 3e 'color: green;'>
0080 43 6f 72 72 65 63 74 3c 2f 70 3e 20 20 20 20 3c Correct< /p> <
0090 66 6f 72 6d 20 6d 65 74 68 6f 64 3d 22 70 6f 73 form met hod="pos
00a0 74 22 3e 0a 20 20 20 20 20 20 20 20 3c 6c 61 62 t">. <lab
00b0 65 6c 20 66 6f 72 3d 22 75 73 65 72 6e 61 6d 65 el for=" username
00c0 22 3e 55 73 65 72 6e 61 6d 65 3a 3c 2f 6c 61 62 ">Userna me:</lab
00d0 65 6c 3e 3c 62 72 3e 0a 20 20 20 20 20 20 20 20 el>
·
00e0 3c 69 6e 70 75 74 20 74 79 70 65 3d 22 74 65 78 <input t ype="tex
00f0 74 22 20 69 64 3d 22 75 73 65 72 6e 61 6d 65 22 t" id="u sername"
0100 20 6e 61 6d 65 3d 22 75 73 65 72 6e 61 6d 65 22 name="u sername"
0110 3e 3c 62 72 3e 0a 20 20 20 20 20 20 20 20 3c 6c >
· <l
0120 61 62 65 6c 20 66 6f 72 3d 22 70 61 73 73 77 6f abel for ="passwo
0130 72 64 22 3e 50 61 73 73 77 6f 72 64 3a 3c 2f 6c rd">Pass word:</l
0140 61 62 65 6c 3e 3c 62 72 3e 0a 20 20 20 20 20 20 abel>
·
0150 20 20 3c 69 6e 70 75 74 20 74 79 70 65 3d 22 70 <input type="p
0160 61 73 73 77 6f 72 64 22 20 69 64 3d 22 70 61 73 assword" id="pas
Frame (561 bytes)
Uncompressed entity body (472 bytes)
Text item (text), 65 byte(s)
Packets: 23237 · Displayed: 352 (1.5%)
Profile: Default



vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Wireshark
Mon Apr 6 15:01
BruteForce.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
http.request
No. Time Source Destination Protocol Length Info
20947 177.623189 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20959 177.824962 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20972 178.028310 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20985 178.232694 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
20998 178.440526 192.168.190.137 51.116.96.181 HTTP 86 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
21011 178.636566 192.168.190.137 51.116.96.181 HTTP 88 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
21024 178.832298 192.168.190.137 51.116.96.181 HTTP 93 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.026069 192.168.190.137 51.116.96.181 HTTP 84 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.227874 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.427092 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.625902 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
179.818338 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.012686 192.168.190.137 51.116.96.181 HTTP 85 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.020054 192.168.190.137 91.189.91.96 HTTP 141 GET / HTTP/1.1
180.209894 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.411165 192.168.190.137 51.116.96.181 HTTP 84 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.628000 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
180.818155 192.168.190.137 51.116.96.181 HTTP 83 POST /index.php HTTP/1.1 (application/x-www-form-urlencoded)
Settings
20947: 85 bytes on wire (680 bits), 85 bytes captured (680 bits)
et II, Src: VMware_a5:4d:50 (00:0c:29:a5:4d:50), Dst: VMware_fd:30:2a (00:50:56:fd:30
et Protocol Version 4, Src: 192.168.190.137, Dst: 51.116.96.181
Transmission Control Protocol, Src Port: 57764, Dst Port: 80, Seq: 224, Ack: 1, Len: 31
[2 Reassembled TCP Segments (254 bytes): #20945(223), #20947(31)]
Hypertext Transfer Protocol
HTML Form URL Encoded: application/x-www-form-urlencoded
Form item: "username" = "t3m0"
Form item: "password" = "TestTest"
0000 00 50 56 fd 30 2a 00 0c 29 a5 4d 50 08 00 45 00 ·PV·0*··)·MP··E·
0010 00 47 0f 58 40 00 40 06 17 fe c0 a8 be 89 33 74 ·G·X@·@· ·····3t
0020 60 b5 e1 a4 00 50 cc 50 9a 69 34 75 7a d1 50 18 `····P·P ·i4uz·P·
0030 fa f0 13 95 00 00 75 73 65 72 6e 61 6d 65 3d 74 ····us ername=t
0040 33 6d 30 26 70 61 73 73 77 6f 72 64 3d 54 65 73 3m0&pass word=Tes
0050 74 54 65 73 74 tTest
Frame (85 bytes)
Reassembled TCP (254 bytes)
Request: Boolean
Packets: 23237 · Displayed: 176 (0.8%)
Profile: Default



vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Wireshark
Mon Apr 6 15:11
Wireshark · Follow HTTP Stream (tcp.stream eq 352) · BruteForce.pcap
POST /index.php HTTP/1.1
Host: 51.116.96.181
User-Agent: python-requests/2.31.0
Accept-Encoding: gzip, deflate
Accept: */*
Connection: keep-alive
Content-Length: 39
Content-Type: application/x-www-form-urlencoded
username=web-hacker&password=admin12345HTTP/1.1 200 OK
Date: Sun, 25 Feb 2024 12:39:29 GMT
Server: Apache/2.4.52 (Ubuntu)
Vary: Accept-Encoding
Content-Encoding: gzip
Content-Length: 255
Keep-Alive: timeout=5, max=100
Connection: Keep-Alive
Content-Type: text/html; charset=UTF-8
<!DOCTYPE html>
<html>
<head>
<title>Fake Login Page</title>
</head>
<body>
<h2>Login</h2>
Correct
<form method="post">
<label for="username">Username:</label>
<input type="text" id="username" name="username">
<label for="password">Password:</label>
<input type="password" id="password" name="password">


<input type="submit" value="Login">
</form>
</body>
</html>
1 client pkt(s), 1 server pkt(s), 1 turn(s).
Entire conversation (986 bytes)
Show data as ASCII
Stream 352
Find:
Find Next
Help
Filter Out This Stream
Print
Save as...
Back
Close
Text item (text), 65 byte(s)
Profile: Default



vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Wireshark
Mon Apr 6 15:15
BruteForce.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
rdp && ip.src==192.168.190.137
Packet details
Narrow & Wide
Case sensitive
String
clientName
Find
Cancel
No. Time Source Destination Protocol Length Info
7 0.065593 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
11 0.072548 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
17 0.074908 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
18 0.075029 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
23 0.159367 192.168.190.137 51.116.96.181 RDP 509 ClientData
28 0.174450 192.168.190.137 51.116.96.181 RDP 509 ClientData
0.182641 192.168.190.137 51.116.96.181 RDP 509 ClientData
0.188565 192.168.190.137 51.116.96.181 RDP 509 ClientData
0.239771 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
0.321793 192.168.190.137 51.116.96.181 RDP 509 ClientData
0.964770 192.168.190.137 51.116.96.181 RDP 413 ClientInfo[Malformed Packet]
1.066396 192.168.190.137 51.116.96.181 RDP 227 New License Request
1.078159 192.168.190.137 51.116.96.181 RDP 413 ClientInfo[Malformed Packet]
1.086668 192.168.190.137 51.116.96.181 RDP 409 ClientInfo[Malformed Packet]
1.092512 192.168.190.137 51.116.96.181 RDP 415 ClientInfo[Malformed Packet]
1.125708 192.168.190.137 51.116.96.181 RDP 413 ClientInfo[Malformed Packet]
1.166781 192.168.190.137 51.116.96.181 RDP 604 Confirm Active PDU
MULTIPOINT-COMMUNICATION-SERVICE T.125
ConnectMCSPDU: connect-initial (101)
GENERIC-CONFERENCE-CONTROL T.124
Remote Desktop Protocol
ClientData
clientCoreData
headerType: clientCoreData (0xc001)
headerLength: 234
versionMajor: 12
versionMinor: 8
desktopWidth: 1024
desktopHeight: 768
colorDepth: 8 bits-per-pixel (bpp) (0xca01)
SASSequence: 43523
keyboardLayout: 1033
clientBuild: 18363
clientName: t3m0-virtual-ma
00d0 04 00 00 bb 47 00 00 74 00 33 00 6d 00 30 00 2d
00e0 00 76 00 69 00 72 00 74 00 75 00 61 00 6c 00 2d
00f0 00 6d 00 61 00 00 00 04 00 00 00 00 00 00 00 0c
0100 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0110 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0120 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0130 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0140 00 00 00 01 ca 01 00 00 00 00 00 18 00 0f 00 e3
0150 05 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0160 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0170 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0180 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0190 00 07 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01a0 00 00 00 00 00 00 00 00 00 04 c0 0c 00 0d 00 00
01b0 00 00 00 00 00 02 c0 0c 00 1b 00 00 00 00 00 00
01c0 00 03 c0 2c 00 03 00 00 00 72 64 70 64 72 00 00
01d0 00 00 00 80 c0 72 64 70 73 6e 64 00 00 00 00 00
01e0 c0 64 72 64 79 6e 76 63 00 00 00 80 c0 06 c0 08
01f0 00 00 00 00 00 0a c0 08 00 00 00 00 00
clientName (rdp.client.name), 32 byte(s)
Packets: 23237 · Displayed: 1918 (8.3%)
Profile: Default



vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Wireshark
Mon Apr 6 15:15
BruteForce.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
rdp && ip.src==192.168.190.137
Packet details
Narrow & Wide
Case sensitive
String
clientName
Find
Cancel
No. Time Source Destination Protocol Length Info
7 0.065593 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
11 0.072548 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
17 0.074908 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
18 0.075029 192.168.190.137 51.116.96.181 RDP 96 Cookie: mstshash=t3m0, Negotiate Request
23 0.159367 192.168.190.137 51.116.96.181
28 0.174450 192.168.190.137 51.116.96.181
2 0.182641 192.168.190.137 51.116.96.181
Settings
Clipboard
t3m0-virtual-ma
Clear
ConnectMCSPDU: connect-initial (101)
GENERIC-CONFERENCE-CONTROL T.124
Remote Desktop Protocol
ClientData
clientCoreData
headerType: clientCoreData (0xc001)
headerLength: 234
versionMajor: 12
versionMinor: 8
desktopWidth: 1024
desktopHeight: 768
colorDepth: 8 bits-per-pixel (bpp) (0xca01)
SASSequence: 43523
keyboardLayout: 1033
clientBuild: 18363
clientName: t3m0-virtual-ma
Expand Subtrees
Collapse Subtrees
Expand All
Collapse All
Apply as Column Ctrl+Shift+I
Apply as Filter
Prepare as Filter
Conversation Filter
Colorize with Filter
Follow
Copy
Show Packet Bytes... Ctrl+Shift+O
Export Packet Bytes... Ctrl+Shift+X
Wiki Protocol Page
Filter Field Reference
Protocol Preferences
Decode As... Ctrl+Shift+U
Go to Linked Packet
Show Linked Packet in New Window
All Visible Items
All Visible Selected Tree Items
Description
Field Name
Value
As Filter
Copy Bytes as Hex + ASCII Dump
...as Hex Dump
...as Printable Text
...as a Hex Stream
...as a Base64 String
...as MIME Data
...as C String
clientName (rdp.client.name), 32 byte(s)
Profile: Default



vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Text Editor
Mon Apr 6 15:17
Open
auth.log
~/Desktop/ChallengeFile/BruteForce
Save
9 Feb 24 09:52:21 chall sudo: mmox : TTY=pts/0 ; PWD=/var/www/html ; USER=root ; COMMAND=/usr/bin/apt install net-tools
10 Feb 24 09:52:21 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by mmox(uid=1000)
11 Feb 24 09:52:26 chall sudo: pam_unix(sudo:session): session closed for user root
12 Feb 24 09:52:43 chall sshd[1759]: Received disconnect from 196.136.60.15 port 13586:11: disconnected by user
13 Feb 24 09:52:43 chall sshd[1759]: Disconnected from user mmox 196.136.60.15 port 13586
14 Feb 24 09:52:43 chall sshd[1657]: pam_unix(sshd:session): session closed for user mmox
15 Feb 24 09:52:43 chall systemd-logind[729]: Session 1 logged out. Waiting for processes to exit.
16 Feb 24 09:52:43 chall systemd-logind[729]: Removed session 1.
17 Feb 24 09:52:53 chall systemd: pam_unix(systemd-user:session): session closed for user mmox
18 Feb 24 10:11:43 chall systemd-logind[612]: New seat seat0.
19 Feb 24 10:11:43 chall systemd-logind[612]: Watching system buttons on /dev/input/event0 (AT Translated Set 2 keyboard)
20 Feb 24 10:11:43 chall sshd[736]: Server listening on 0.0.0.0 port 22.
21 Feb 24 10:11:43 chall sshd[736]: Server listening on :: port 22.
Settings
24 10:13:55 chall sshd[1039]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=196.136.60.15
user=mmox
24 10:13:57 chall sshd[1039]: Failed password for mmox from 196.136.60.15 port 32976 ssh2
24 10:14:03 chall sshd[1039]: Failed password for mmox from 196.136.60.15 port 32976 ssh2
24 10:14:08 chall sshd[1039]: Accepted password for mmox from 196.136.60.15 port 32976 ssh2
24 10:14:08 chall sshd[1039]: pam_unix(sshd:session): session opened for user mmox(uid=1000) by (uid=0)
24 10:14:09 chall systemd-logind[612]: New session 1 of user mmox.
24 10:14:09 chall systemd: pam_unix(systemd-user:session): session opened for user mmox(uid=1000) by (uid=0)
24 10:17:01 chall CRON[1190]: pam_unix(cron:session): session opened for user root(uid=0) by (uid=0)
24 10:17:01 chall CRON[1190]: pam_unix(cron:session): session closed for user root
24 10:23:43 chall sudo: root : PWD=/var/lib/waagent/Microsoft.CPlat.Core.LinuxPatchExtension-1.6.50 ; USER=root ; COMMAND=/usr/bin/id
24 10:23:43 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by (uid=0)
24 10:23:43 chall sudo: pam_unix(sudo:session): session closed for user root
24 10:23:43 chall sudo: root : PWD=/var/lib/waagent/Microsoft.CPlat.Core.LinuxPatchExtension-1.6.50 ; USER=root ; COMMAND=/usr/sbin/-waagent --version
35 Feb 24 10:23:43 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by (uid=0)
36 Feb 24 10:23:43 chall sudo: pam_unix(sudo:session): session closed for user root
37 Feb 24 10:23:43 chall sudo: root : PWD=/var/lib/waagent/Microsoft.CPlat.Core.LinuxPatchExtension-1.6.50 ; USER=root ; COMMAND=/usr/sbin/-waagent --version
38 Feb 24 10:23:43 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by (uid=0)
Plain Text
Tab Width: 8
Ln 12, Col 23
INS



Brute Force Attacks - Le
ip-172-31-12-96.us-eas
vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Text Editor
Mon Apr 6 15:20
Open
*auth.log
~/Desktop/ChallengeFile/BruteForce
Save
Accepted password
27 of 27
root
ChallengeFile
Settings
waagent --version
21731 Feb 25 11:43:45 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by (uid=0)
21732 Feb 25 11:43:46 chall sudo: pam_unix(sudo:session): session closed for user root
21733 Feb 25 11:43:46 chall sudo: root : PWD=/var/lib/waagent/Microsoft.CPlat.Core.LinuxPatchExtension-1.6.50 ; USER=root ; COMMAND=/usr/sbin/-
waagent --version
21734 Feb 25 11:43:46 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by (uid=0)
21735 Feb 25 11:43:46 chall sudo: pam_unix(sudo:session): session closed for user root
21736 Feb 25 11:43:54 chall sshd[981]: Accepted password for mmox from 41.38.160.33 port 54464 ssh2
21737 Feb 25 11:43:54 chall sshd[981]: pam_unix(sshd:session): session opened for user mmox(uid=1000) by (uid=0)
21738 Feb 25 11:43:54 chall systemd-logind[578]: New session 1 of user mmox.
21739 Feb 25 11:43:54 chall systemd: pam_unix(systemd-user:session): session opened for user mmox(uid=1000) by (uid=0)
21740 Feb 25 11:44:17 chall sudo: mmox : TTY=pts/0 ; PWD=/home/mmox ; USER=root ; COMMAND=/usr/bin/systemctl status xrdp
21741 Feb 25 11:44:17 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by mmox(uid=1000)
21742 Feb 25 11:44:21 chall sudo: pam_unix(sudo:session): session closed for user root
21743 Feb 25 11:45:00 chall sudo: mmox : TTY=pts/0 ; PWD=/home/mmox ; USER=root ; COMMAND=/usr/bin/nano /etc/xrdp/xrdp.ini
21744 Feb 25 11:45:00 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by mmox(uid=1000)
21745 Feb 25 11:45:26 chall sudo: pam_unix(sudo:session): session closed for user root
21746 Feb 25 11:45:35 chall sudo: mmox : TTY=pts/0 ; PWD=/home/mmox ; USER=root ; COMMAND=/usr/bin/systemctl restart xrdp
21747 Feb 25 11:45:35 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by mmox(uid=1000)
21748 Feb 25 11:45:37 chall sudo: pam_unix(sudo:session): session closed for user root
21749 Feb 25 11:45:45 chall sudo: mmox : TTY=pts/0 ; PWD=/home/mmox ; USER=root ; COMMAND=/usr/bin/systemctl start xrdp
21750 Feb 25 11:45:45 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by mmox(uid=1000)
21751 Feb 25 11:45:45 chall sudo: pam_unix(sudo:session): session closed for user root
21752 Feb 25 11:45:49 chall sudo: mmox : TTY=pts/0 ; PWD=/home/mmox ; USER=root ; COMMAND=/usr/bin/systemctl status xrdp
21753 Feb 25 11:45:49 chall sudo: pam_unix(sudo:session): session opened for user root(uid=0) by mmox(uid=1000)
21754 Feb 25 11:46:00 chall xrdp-sesman[1176]: pam_unix(xrdp-sesman:session): session opened for user mmox(uid=1000) by (uid=0)
21755 Feb 25 11:46:00 chall systemd-logind[578]: New session c1 of user mmox.
21756 Feb 25 11:46:03 chall polkitd(authority=local): Registered Authentication Agent for unix-session:c1 (system bus name :1.47 [/usr/lib/-
policykit-1-gnome/polkit-gnome-authentication-agent-1], object path /org/gnome/PolicyKit1/AuthenticationAgent, locale C.UTF-8)
21757 Feb 25 11:48:02 chall sshd[1462]: Unable to negotiate with 139.59.71.253 port 48274: no matching cipher found. Their offer: aes128-
gcm@openssh.com,chacha20-poly1305@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr [preauth]
21758 Feb 25 11:48:55 chall sshd[1458]: fatal: Timeout before authentication for 218.92.0.25 port 14440
Plain Text
Tab Width: 8
Ln 21736, Col 34
INS



Brute Force Attacks - Le
ip-172-31-12-96.us-eas
vnc.letsdefend.net/vnc.html?autoconnect=true&host=proxy.letsdefend.net&port=443&password=letsdefend&path=18.223.196
Activities
Text Editor
Mon Apr 6 15:21
Open
*auth.log
~/Desktop/ChallengeFile/BruteForce
Save
Failedpasswor
6917 of 7480
root
ChallengeFile
Settings
gcm@openssh.com,chacha20-poly1305@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr [preauth]
21758 Feb 25 11:48:55 chall sshd[1458]: fatal: Timeout before authentication for 218.92.0.25 port 14440
21759 Feb 25 11:49:20 chall sshd[1114]: Received disconnect from 41.38.160.33 port 54464:11: disconnected by user
21760 Feb 25 11:49:20 chall sshd[1114]: Disconnected from user mmox 41.38.160.33 port 54464
21761 Feb 25 11:49:20 chall sshd[981]: pam_unix(sshd:session): session closed for user mmox
21762 Feb 25 11:49:20 chall systemd-logind[578]: Session 1 logged out. Waiting for processes to exit.
21763 Feb 25 11:49:54 chall sshd[1479]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=61.177.172.140
user=root
21764 Feb 25 11:49:56 chall sshd[1479]: Failed password for root from 61.177.172.140 port 11241 ssh2
21765 Feb 25 11:49:58 chall sshd[1479]: Failed password for root from 61.177.172.140 port 11241 ssh2
21766 Feb 25 11:50:02 chall sshd[1479]: Failed password for root from 61.177.172.140 port 11241 ssh2
21767 Feb 25 11:50:03 chall sshd[1479]: Received disconnect from 61.177.172.140 port 11241:11: [preauth]
21768 Feb 25 11:50:03 chall sshd[1479]: Disconnected from authenticating user root 61.177.172.140 port 11241 [preauth]
21769 Feb 25 11:50:03 chall sshd[1479]: PAM 2 more authentication failures; logname= uid=0 euid=0 tty=ssh ruser= rhost=61.177.172.140 user=root
21770 Feb 25 11:50:05 chall sshd[1481]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=61.177.172.140
user=root
21771 Feb 25 11:50:07 chall sshd[1481]: Failed password for root from 61.177.172.140 port 18762 ssh2
21772 Feb 25 11:50:12 chall sshd[1481]: message repeated 2 times: [Failed password for root from 61.177.172.140 port 18762 ssh2]
21773 Feb 25 11:50:13 chall sshd[1481]: Received disconnect from 61.177.172.140 port 18762:11: [preauth]
21774 Feb 25 11:50:13 chall sshd[1481]: Disconnected from authenticating user root 61.177.172.140 port 18762 [preauth]
21775 Feb 25 11:50:13 chall sshd[1481]: PAM 2 more authentication failures; logname= uid=0 euid=0 tty=ssh ruser= rhost=61.177.172.140 user=root
21776 Feb 25 11:50:14 chall sshd[1483]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=61.177.172.140
user=root
21777 Feb 25 11:50:17 chall sshd[1483]: Failed password for root from 61.177.172.140 port 17543 ssh2
21778 Feb 25 11:50:22 chall sshd[1483]: message repeated 2 times: [Failed password for root from 61.177.172.140 port 17543 ssh2]
21779 Feb 25 11:50:23 chall sshd[1483]: Received disconnect from 61.177.172.140 port 17543:11: [preauth]
21780 Feb 25 11:50:23 chall sshd[1483]: Disconnected from authenticating user root 61.177.172.140 port 17543 [preauth]
21781 Feb 25 11:50:23 chall sshd[1483]: PAM 2 more authentication failures; logname= uid=0 euid=0 tty=ssh ruser= rhost=61.177.172.140 user=root
21782 Feb 25 11:51:20 chall sshd[1488]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=218.92.0.24
user=root
21783 Feb 25 11:51:22 chall sshd[1488]: Failed password for root from 218.92.0.24 port 26913 ssh2
21784 Feb 25 11:51:30 chall sshd[1488]: message repeated 2 times: [Failed password for root from 218.92.0.24 port 26913 ssh2]
Plain Text
Tab Width: 8
Ln 21764, Col 35
INS


Brute Force Attacks - Le
ip-172-31-12-96.us-eas
Brute Force, Technique T
attack.mitre.org/techniques/T1110/
MITRE | ATT&CK
Matrices
Tactics
Techniques
Defenses
CTI
Resources
Benefactors
Contribute
Blog
Search
ATT&CK v19 will be released April 28th! Check out this blog post for information on the planned deprecation of Enterprise's Defense Evasion tactic in the upcoming release.
TECHNIQUES
Adversary-in-the-Middle
Brute Force
Password Guessing
Password Cracking
Password Spraying
Credential Stuffing
Credentials from Password Stores
Exploitation for Credential Access
Forced Authentication
Forge Web Credentials
Input Capture
Modify Authentication Process
Multi-Factor Authentication Interception
Multi-Factor Authentication Request Generation
Network Sniffing
OS Credential Dumping
Home > Techniques > Enterprise > Brute Force
Brute Force
Sub-techniques (4)
Adversaries may use brute force techniques to gain access to accounts when passwords are unknown or when password hashes are obtained.[1] Without knowledge of the password for an account or set of accounts, an adversary may systematically guess the password using a repetitive or iterative mechanism.[2] Brute forcing passwords can take place via interaction with a service that will check the validity of those credentials or offline against previously acquired credential data, such as password hashes.
Brute forcing credentials may take place at various points during a breach. For example, adversaries may attempt to brute force access to Valid Accounts within a victim environment leveraging knowledge gathered from other post-compromise behaviors such as OS Credential Dumping, Account Discovery, or Password Policy Discovery. Adversaries may also combine brute forcing activity with behaviors such as External Remote Services as part of Initial Access.
If an adversary guesses the correct password but fails to login to a compromised account due to location-based conditional access policies, they may change their infrastructure until they match the victim's location and therefore bypass those policies.[3]
ID: T1110
Sub-techniques: T1110.001, T1110.002, T1110.003, T1110.004
Tactic: Credential Access
Platforms: Containers, ESXi, IaaS, Identity Provider, Linux, Network Devices, Office Suite, SaaS, Windows, macOS
Contributors: Alfredo Oliveira, Trend Micro; David Fiser, @anu4is, Trend Micro; Ed Williams, Trustwave, SpiderLabs; Magno Logan, @magnologan, Trend Micro; Mohamed Kmal; ReliaQuest; Yossi Weizman, Azure Defender Research Team
Version: 2.8
Created: 31 May 2017
Last Modified: 24 October 2025
Version Permalink
Procedure Examples
ID
Name
Description


Brute Force Attacks - Le
ip-172-31-12-96.us-eas
app.letsdefend.io/challenge/brute-force-attacks
PASSW**
Brute Force Attacks
You've gained a new badge!
Share with
Show Me!


Brute Force Attacks - Le
ip-172-31-12-96.us-eas
app.letsdefend.io/challenge/brute-force-attacks
LetsDefend
NOW PART OF HACKTHEBOX
Home
Learn
Practice
Challenge
Pricing
VIP+ for free
Questions
Progress
100%
Correct
What is the IP address of the server targeted by the attacker's brute-force attack?
51.116.96.181
Completed
Get unstuck?
Correct
Which directory was targeted by the attacker's brute-force attempt?
index.php
Completed
Get unstuck?
Correct
Identify the correct username and password combination used for login.
Answer Format: username:password
web-hacker:admin12345
Completed
Get unstuck?


Brute Force Attacks - Le
ip-172-31-12-96.us-eas
app.letsdefend.io/challenge/brute-force-attacks
LetsDefend
NOW PART OF HACKTHEBOX
Home
Learn
Practice
Challenge
Pricing
VIP+ for free
Get unstuck?
Correct
When did the user last successfully log in via SSH, and who was it?
Answer Format: username:time (HH:MM:SS)
mmox:11:43:54
Completed
Get unstuck?
Correct
How many unsuccessful SSH connection attempts were made by the attacker?
7480
Completed
Get unstuck?
Correct
What technique is used to gain access?
Answer Format: MitreID
T1110
Completed
Get unstuck?


Brute Force Attacks - Le
ip-172-31-12-96.us-eas
app.letsdefend.io/challenge/brute-force-attacks
LetsDefend
NOW PART OF HACKTHEBOX
Home
Learn
Practice
Challenge
Pricing
VIP+ for free
Correct
Identify the correct username and password combination used for login.
Answer Format: username:password
web-hacker:admin12345
Completed
Get unstuck?
Correct
How many user accounts did the attacker attempt to compromise via RDP brute-force?
7
Completed
Get unstuck?
Correct
What is the "clientName" of the attacker's machine?
t3m0-virtual-ma
Completed
Get unstuck?
Correct
When did the user last successfully log in via SSH, and who was it?
Answer Format: username:time (HH:MM:SS)