Malware Analysis Report: Overlay Payload Extraction

Author: Ahmed Emad Nasr **Date:** April 7, 2026

Category: Malware Analysis / Reverse Engineering

Executive Summary

This report details the static analysis of a suspicious executable file disguised as a PDF document. The investigation revealed that the initial file acts as a loader, utilizing multiple obfuscation techniques to evade detection. The primary malicious payload (Stage 2) was discovered hidden within the file's Overlay section, padded with null bytes to break standard signature detection. Manual extraction and reconstruction of the PE file exposed a secondary executable utilizing timestomping and high entropy, confirming its malicious nature.

Indicators of Compromise (IoCs)

Based on the provided static analysis, the following hashes were identified:

- **Original Dropper/Loader (Stage 1):**
    - **Filename:** singlefilehost.exe
    - **SHA-256:** DCE2488DDC3AB45FE8DF1C2BB3E21CD11D4E697E94E0E2A88B4BFD35C6516055
- **Extracted Payload (Stage 2):**
    - **Filename:** overlay.dump / tkfgk435jkdgf.dll
    - **SHA-256:** 160D0260FD2DF7DA4381AB01E87D7C047D4A381C59D35FE1B60F0ABE162A915A

Phase 1: Initial Static Analysis (Stage 1)

Initial inspection of the target file (singlefilehost.exe) was conducted using **PeStudio**, revealing several critical anomalies and indicators of malicious intent:

1. Social Engineering & Masquerading

- **Icon Masking:** The executable utilizes a standard PDF file icon to deceive the user into believing it is a legitimate document.

- **Digital Certificate Anomalies:** The file is signed with a legitimate but expired Microsoft certificate (Microsoft Code Signing PCA 2010, valid from Jan 2022 to Jun 2023). This technique is often used to bypass rudimentary security checks that blindly trust digitally signed binaries.

2. File Structure Anomalies

- **Suspicious Original Filename:** The version information reveals an original filename of tkfgk435jkdgf.dll, which consists of random characters, a common trait of packer or builder tools.
- **Abnormal Section Permissions:** The PE headers show multiple sections with Execute permissions (e.g., .text and .CLR_UEF). A standard, uncompiled executable typically contains only one executable section containing the code. This indicates a packed or self-extracting architecture.

3. Payload Concealment (Overlay & Resources)

- **Massive Overlay:** The most significant finding was an Overlay section comprising **87.52%** of the total file size.
- **Executable Resource:** A resource named MINIDUMP_... was identified as a 64-bit executable file.
- The overall high entropy combined with the massive overlay strongly suggested that the actual malicious payload was appended to the end of the file rather than being contained within the standard PE sections.

Phase 2: Advanced Static Analysis & Manual Unpacking

To investigate the contents of the hidden data, the Overlay section was dumped to a separate file (overlay.dump) for manual analysis using **HxD (Hex Editor)**.

Obfuscation via Null Byte Padding

- Initial inspection of the dumped overlay did not immediately reveal standard PE magic bytes at offset 0x00.
- Upon closer inspection within the hex editor, the standard DOS header magic bytes 4D 5A (MZ) were located further down in the hex dump.
- **Evasion Technique:** The malware author prepended numerous Null Bytes (00) to the beginning of the embedded executable. This is a deliberate technique designed

to break automated static analysis tools and simplistic YARA rules that expect the MZ header to be at the exact beginning of the file.

Payload Reconstruction

- The prepended null bytes were manually deleted using the hex editor, shifting the MZ header to the beginning of the file (offset 0x00), thereby successfully reconstructing the embedded PE file for further analysis.


Phase 3: Stage 2 Payload Analysis


The reconstructed executable (Stage 2 payload) was re-analyzed in PeStudio, revealing further malicious artifacts:


- **Timestomping:** The compilation timestamp in the PE header was explicitly altered to a future date (Thu Nov 10 05:28:50 2061 UTC). This is a known anti-forensics technique used to disrupt timeline analysis and bypass age-based heuristics.
- **Debug Artifacts:** A hardcoded debug path was extracted: C:\Users\admin\source\repos\SDCBundle\SDCBundle\obj\Release\net6.0-win-x64\tkfgk435jkdgf.pdb This provides valuable intelligence regarding the malware author's development environment (project name SDCBundle, user admin, compiled for .NET 6.0 x64).
- **High Entropy:** The extracted payload maintains a high entropy (6.730), suggesting that this stage might still contain encrypted configurations or further packed components.


Conclusion


The analyzed file is a sophisticated **Loader/Dropper**. It relies on social engineering (PDF masquerading) and certificate abuse to achieve initial execution. Its primary function is to unpack and execute a hidden Stage 2 payload located in its overlay section. The malware demonstrates clear evasion techniques, specifically null-byte padding to obscure the embedded PE header and timestomping to frustrate forensic analysis.



Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
Home
Attacker
Malware_Analysis
Recycle Bin
Regshot-x6... - Shortcut
Regshot-x8... - Shortcut
Regshot-x6... - Shortcut
Regshot-x8... - Shortcut
Microsoft Edge
CFF Explorer.ex...
Malware Analys...
pestudio.exe - Shortcut
HxD
die.exe - Shortcut
PE-bear.exe - Shortcut
exeinfope.... - Shortcut
System Informer
singlefilehost.exe
singlefilehost
unload.dll
unload.zip
singlefileho...
1:52 PM
4/7/2026
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\singlefilehost.exe (read-only)
file settings about
c:\users\eng-ahmed\desktop\singlefilehost.exe
indicators (wait...)
footprints (wait...)
virustotal (offline)
dos-header (size > 64 bytes)
dos-stub (size > 184 bytes)
rich-header (tooling > Visual Studio 2008)
file-header (executable > 64-bit)
optional-header (subsystem > GUI)
directories (count > 10)
sections (wait...)
libraries (count > 18)
imports (flag > 68)
exports (count > 4)
thread-local-storage (callback > 2)
.NET (n/a)
resources (signature > executable)
strings (wait...)
debug (streams > 3)
manifest (n/a)
version (FileDescription > tkfgk435jkdgf)
certificate (n/a)
overlay (signature > unknown)
property
value
file
file > sha256
DCE2488DDC3AB45FE8DF1C2BB3E21CD11D4E697E94E0E2A88B4BFD35C6516055
file > first 32 bytes (hex)
4D 5A 90 00 03 00 00 00 04 00 00 00 FF FF 00 00 B8 00 00 00 00 00 00 00 40 00 00 00 00 00 00 00
file > first 32 bytes (text)
MZ.....@.....
file > info
size: 76191157 bytes, entropy: 6.726
file > type
executable, 64-bit, GUI
file > version
1.0.0.0
file > description
tkfgk435jkdgf
entry-point > first 32 bytes (hex)
48 83 EC 28 E8 E3 03 00 00 48 83 C4 28 E9 6A FE FF FF CC CC 83 25 55 B6 1D 00 00 C3 48 89 5C 24
entry-point > location
0x005A0E60 (section[.text])
file > signature
Microsoft Linker 14.29
stamps
stamp > compiler
Tue Jan 24 05:31:29 2023 (UTC)
stamp > debug
Tue Jan 24 05:31:29 2023 (UTC)
stamp > resource
n/a
stamp > import
n/a
stamp > export
n/a
names
file > name
c:\users\eng-ahmed\desktop\singlefilehost.exe
debug > file
D:\a_work\1\s\artifacts\obj\coreclr\windows.x64.Release\Corehost.Static\singlefilehost.pdb
export > original-file-name
singlefilehost.exe
version > original-file-name
tkfgk435jkdgf.dll
manifest
n/a
.NET > module > name
n/a
certificate > program-name
n/a
Weird Name
sha256 > DCE2488DDC3AB45FE8DF1C2BB3E21CD11D4E697E94E0E2A88B4BFD35C6516055
cpu > 64-bit
file > type > executable
subsystem > GUI
entry-point > 0x005A0E60
1:56 PM
4/7/2026
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
Home
Attacker
Malware_Analysis
Recycle Bin
Regshot-x6... - Shortcut
Regshot-x8... - Shortcut
Regshot-x6... - Shortcut
Regshot-x8... - Shortcut
Microsoft Edge
CFF Explorer.ex...
Malware Analys...
pestudio.exe - Shortcut
HxD
die.exe - Shortcut
PE-bear.exe - Shortcut
exeinfope.... - Shortcut
System Informer
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\singlefilehost.exe (read-only)
file settings about
c:\users\eng-ahmed\desktop\singlefilehost.exe
indicators (wait...)
footprints (wait...)
virustotal (offline)
dos-header (size > 64 bytes)
dos-stub (size > 184 bytes)
rich-header (tooling > Visual Studio 2008)
file-header (executable > 64-bit)
optional-header (subsystem > GUI)
directories (count > 10)
sections (files > 3)
libraries (count > 18)
imports (flag > 68)
exports (count > 4)
thread-local-storage (callback > 2)
.NET (n/a)
resources (signature > executable)
strings (wait...)
debug (streams > 3)
manifest (n/a)
version (FileDescription > tkfgk435jkdgf)
certificate (n/a)
overlay (signature > unknown)
name | instance (12) | signature (2) | location (from-to) | size (1341222 bytes) | footprint (sha256) | entropy | language (1)
icon | 1 | icon | 0x007C2350 - 0x007C415C | 0x00001E0C (7692 bytes) | 4415C8AEFBA4FD8DF2F674A0600544E3... | 7.860 | neutral (0x00000000)
version | 1 | version | 0x00909758 - 0x00909A7C | 0x00000324 (804 bytes) | 3C928C5EBBC6513F1FAE852216BAE02E... | 5.352 | neutral (0x00000000)
icon | 2 | icon | 0x007C415C - 0x007C5062 | 0x00000F06 (3846 bytes) | 3778606641963 6EE97728F644BBE21605F... | 7.869 | neutral (0x00000000)
icon | 3 | icon | 0x007C5064 - 0x007C586E | 0x0000080A (2058 bytes) | E24617E010128 2E79198E647EFCBEF4FA... | 7.841 | neutral (0x00000000)
icon-group | 32512 | icon-group | 0x009096F0 - 0x00909758 | 0x00000068 (104 bytes) | 7F26DBA5D9ECFDAD6D54F3032336BEC... | 2.856 | neutral (0x00000000)
icon | 4 | icon | 0x007C5870 - 0x007C5E94 | 0x00000624 (1572 bytes) | 47559FC0734ABD14D0BCEF88584DC621... | 7.821 | neutral (0x00000000)
icon | 5 | icon | 0x007C5E94 - 0x007C62F2 | 0x0000045E (1118 bytes) | 08F914A11DE37F81668C71701C8523415... | 7.724 | neutral (0x00000000)
icon | 6 | icon | 0x007C62F4 - 0x007C6628 | 0x00000334 (820 bytes) | 137A7C20A0396E0136ED542C3573B2737... | 7.685 | neutral (0x00000000)
icon | 7 | icon | 0x007C6628 - 0x007C684C | 0x00000224 (548 bytes) | 3F60D30DBA384C4BEEDD9F014E3FAA09... | 7.464 | neutral (0x00000000)
rcdata | CLRDEBUGINFO | unknown | 0x007C684C - 0x007C6870 | 0x00000024 (36 bytes) | 65D7BE87243D34E501B6AC01173950D0... | 4.205 | neutral (0x00000000)
rcdata | COREXTERNAL... | unknown | 0x007C6870 - 0x007C6878 | 0x00000008 (776 bytes) | 5BC45318348DB0D837F13823B0774452B... | 4.946 | neutral (0x00000000)
rcdata | MINIDUMP_E... | executable (cpu: 64-bit) | 0x007C6B78 - 0x009096E0 | 0x00142B78 (1321848 ... | 879C3AFB740CED8A6653780 1DCC0184... | 6.370 | neutral (0x00000000)
sha256 > DCE2488DDC3AB45FE8DF1C2BB3E21CD11D4E697E94E0E2A88B4BFD35C6516055
cpu > 64-bit
file > type > executable
subsystem > GUI
entry-point > 0x005A0E60
1:57 PM
4/7/2026
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
Ahmed Emad Nasr
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\singlefilehost.exe (read-only)
file settings about
c:\users\eng-ahmed\desktop\singlefilehost.exe
indicators (wait...)
footprints (wait...)
virustotal (offline)
dos-header (size > 64 bytes)
dos-stub (size > 184 bytes)
rich-header (tooling > Visual Studio 2008)
file-header (executable > 64-bit)
optional-header (subsystem > GUI)
directories (count > 10)
sections (files > 3)
libraries (count > 18)
imports (flag > 68)
exports (count > 4)
thread-local-storage (callback > 2)
.NET (n/a)
resources (signature > executable)
strings (wait...)
debug (streams > 3)
manifest (n/a)
version (FileDescription > tkfgk435jkdgf)
certificate (n/a)
overlay (signature > unknown)
property
value
overlay > sha256
wait...
entropy
6.730
overlay > location
0x00910E00 - 0x048A95B5
size
0x3F987B5 (66684853 bytes)
signature
unknown
first 32 bytes (hex)
00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 0...
first 32 bytes (text)
file > ratio
87.52 %
why there is data after file ended
and also high entrophy and
weird Signature 😒😒
sha256 > DCE2488DDC3AB45FE8DF1C2BB3E21CD11D4E697E94E0E2A88B4BFD35C6516055
cpu > 64-bit
file > type > executable
subsystem > GUI
entry-point > 0x005A0E60
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



Malware_Analysis - VMware Workstation
Ahmed Emad Nasr
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\singlefilehost.exe (read-only)
Normal .exe only has one excute section which is .text why this has 2 !!



Malware_Analysis - VMware Workstation
Ahmed Emad Nasr
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\singlefilehost.exe (read-only)
So I Dumped Resources File For More Analysis



Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
Ahmed Emad Nasr
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\resources.dump (read-only)
file settings about
c:\users\eng-ahmed\desktop\resources.dump
property value
certificate
revision 0x0200 (WIN_CERT_REVISION_2_0)
type 0x0002 (WIN_CERT_TYPE_X509)
file-offset (from) 0x00140600
file-offset (to) 0x00142B78
size-certificate 0x2578 (9592 bytes)
size-PKCS7 0x2566 (9574 bytes)
size-PKCS7-null-padding 6 bytes
certificate > sha256 EA68C77EE6F30041B584E10A53F5CC3318517103942693 1D2A5B2D46B670E13C
details
name .NET DAC
signature-info This digital signature is OK.
issued-by Microsoft Code Signing PCA 2010
stamp > signing Tue Jan 24 07:34:04 2023
valid-from Thu Jun 30 19:37:21 2022
valid-to Fri Jun 30 19:37:21 2023
serial-number 33000004C25B61FB3E70B428C40000000004C2
thumbprint n/a
signature-algorithm sha256RSA
program-name Microsoft
email n/a
more-info-url http://www.microsoft.com
tail
Even Tho Its an malware still has legitimate Certificate from microsoft even if it is expired
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
Ahmed Emad Nasr
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\singlefilehost.exe (read-only)
file settings about
c:\users\eng-ahmed\desktop\singlefilehost.exe
property value
overlay > sha256 wait...
entropy 6.730
overlay > location 0x00910E00 - 0x048A95B5
size 0x3F987B5 (66684853 bytes)
signature unknown
first 32 bytes (hex) 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 0...
first 32 bytes (text) .....
file > ratio 87.52 %
dump to file
delete
I Also Dumped Overlay Section for further analysis
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
HxD - [C:\Users\Eng-Ahmed\Desktop\overlay.dump]
File Edit Search View Analysis Tools Window Help
Ahmed Emad Nasr
overlay.dump
Offset (h) 00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F Decoded text
00000200 4D 5A 90 00 03 00 00 00 04 00 00 00 FF FF 00 00 MZ..........ÿÿ..
00000210 B8 00 00 00 00 00 00 00 40 00 00 00 00 00 00 00 ....@.......
00000220 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000230 00 00 00 00 00 00 00 00 00 00 00 00 80 00 00 00 ....€...
00000240 0E 1F BA 0E 00 B4 09 CD 21 B8 01 4C CD 21 54 68 ..º..´.Í!¸.LÍ!Th
00000250 69 73 20 70 72 6F 67 72 61 6D 20 63 61 6E 6E 6F is program canno
00000260 74 20 62 65 20 72 75 6E 20 69 6E 20 44 4F 53 20 t be run in DOS
00000270 6D 6F 64 65 2E 0D 0D 0A 24 00 00 00 00 00 00 00 mode....$.......
00000280 50 45 00 00 64 86 02 00 9B 93 C8 AC 00 00 00 00 PE..dt..›"È¬....
00000290 00 00 00 00 F0 00 22 00 0B 02 30 00 00 AA 5D 00 ....ð."...0..ª].
000002A0 00 4C 00 00 00 00 00 00 00 00 00 00 20 00 00 00 .L..........
000002B0 00 00 00 40 01 00 00 00 00 20 00 00 00 02 00 00 ...@..... ......
000002C0 04 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00 ....
000002D0 00 40 5E 00 00 02 00 00 00 00 00 00 02 00 60 85 .@^...........`…
000002E0 00 00 40 00 00 00 00 00 00 40 00 00 00 00 00 00 ..@......@......
000002F0 00 00 10 00 00 00 00 00 00 20 00 00 00 00 00 00 ....
i found out it is an excutable file
because of magic bytes 4D5A (MZ)
and many Null Bytes at beginning
Special editors
Data inspector
Binary (8 bit) 00000000
Int8 go to: 0
UInt8 go to: 0
Int16 go to: 0
UInt16 go to: 0
Int24 go to: 0
UInt24 go to: 0
Int32 go to: 0
UInt32 go to: 0
Int64 go to: 0
UInt64 go to: 0
LEB128 go to: 0
ULEB128 go to: 0
AnsiChar / char8_t
WideChar / char16_t
UTF-8 code point (U+0000)
Single (float32) 0
Double (float64) 0
OLETIME 12/30/1899
FILETIME 1/1/1601
DOS date Invalid
DOS time 12:00:00 AM
DOS time & date Invalid
time_t (32 bit) 1/1/1970
time_t (64 bit) 1/1/1970
GUID {00000000-0000-0000-0000-00000
Disassembly (x86-16) add [bx+si],al
Disassembly (x86-32) add [eax],al
Disassembly (x86-64) add [rax],al
Byte order
Little endian
Big endian
Hexadecimal basis (for integral numbers)
Offset(h): 0
Block(h): 0-1FF
Length(h): 200
Overwrite
2:07 PM
4/7/2026
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
HxD - [C:\Users\Eng-Ahmed\Desktop\overlay.dump]
File Edit Search View Analysis Tools Window Help
Ahmed Emad Nasr
overlay.dump
Offset (h) 00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F Decoded text
00000000 4D 5A 90 00 03 00 00 00 04 00 00 00 FF FF 00 00 MZ..........ÿÿ..
00000010 B8 00 00 00 00 00 00 00 40 00 00 00 00 00 00 00 ....@.......
00000020 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000030 00 00 00 00 00 00 00 00 00 00 00 00 80 00 00 00 ....€...
00000040 0E 1F BA 0E 00 B4 09 CD 21 B8 01 4C CD 21 54 68 ..º..´.Í!¸.LÍ!Th
00000050 69 73 20 70 72 6F 67 72 61 6D 20 63 61 6E 6E 6F is program canno
00000060 74 20 62 65 20 72 75 6E 20 69 6E 20 44 4F 53 20 t be run in DOS
00000070 6D 6F 64 65 2E 0D 0D 0A 24 00 00 00 00 00 00 00 mode....$.......
00000080 50 45 00 00 64 86 02 00 9B 93 C8 AC 00 00 00 00 PE..dt..›"È¬....
00000090 00 00 00 00 F0 00 22 00 0B 02 30 00 00 AA 5D 00 ....ð."...0..ª].
000000A0 00 4C 00 00 00 00 00 00 00 00 00 00 20 00 00 00 .L..........
000000B0 00 00 00 40 01 00 00 00 00 20 00 00 00 02 00 00 ...@..... ......
000000C0 04 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00 ....
000000D0 00 40 5E 00 00 02 00 00 00 00 00 00 02 00 60 85 .@^...........`…
000000E0 00 00 40 00 00 00 00 00 00 40 00 00 00 00 00 00 ..@......@......
000000F0 00 00 10 00 00 00 00 00 00 20 00 00 00 00 00 00 ....
00000100 00 00 00 00 10 00 00 00 00 00 00 00 00 00 00 00 ....
00000110 00 00 00 00 00 00 00 00 00 00 E0 5D 00 94 4A 00 ....à]..”J.
00000120 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000130 00 00 00 00 00 00 00 00 50 C7 5D 00 54 00 00 00 ....PÇ].T...
00000140 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000150 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000160 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000170 00 00 00 00 00 00 00 00 00 00 20 00 00 48 00 00 ....H...
00000180 00 00 00 00 00 00 00 00 00 2E 74 65 78 74 00 00 ....text..
00000190 40 A8 5D 00 00 20 00 00 00 AA 5D 00 00 02 00 00 @¨]. ...ª]......
000001A0 00 00 00 00 00 00 00 00 00 00 00 00 20 00 00 60 ....`
000001B0 2E 72 73 72 63 00 00 00 94 4A 00 00 00 E0 5D 00 .rsrc...”J...à].
000001C0 00 4C 00 00 00 AC 5D 00 00 00 00 00 00 00 00 00 .L...¬].........
000001D0 00 00 00 00 40 00 00 40 00 00 00 00 00 00 00 00 ....@..@........
000001E0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
000001F0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000200 48 00 00 00 02 00 05 00 B0 29 00 00 F0 11 40 00 H.......°)..ð.@.
00000210 01 00 00 00 2A 00 00 06 A0 3B 40 00 B0 8B 1D 00 ....*... ;@.°‹..
00000220 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000230 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 ....
00000240 00 00 00 00 00 00 00 00 22 02 28 14 00 00 0A 00 ....".(.....
00000250 2A 62 02 28 14 00 00 0A 00 02 17 8D 2B 00 00 01 *b.(........+...
00000260 25 16 03 9C 7D 01 00 00 04 2A 3E 02 28 14 00 00 %..œ}....*>.(...
00000270 0A 00 02 03 7D 01 00 00 04 2A 3E 02 28 14 00 00 ....}....*>.(...
00000280 0A 00 02 03 7D 02 00 00 04 2A 6A 02 28 15 00 00 ....}....*j.(...
00000290 0A 00 00 02 03 28 16 00 00 0A 28 17 00 00 0A 7D .....(....(....}
000002A0 03 00 00 04 2A 00 00 13 30 02 00 12 00 00 00 00 ....*...0.......
000002B0 01 00 00 11 00 02 7B 03 00 00 04 03 6F 18 00 00 ......{.....o...
000002C0 0A 0A 2B 00 06 2A 00 00 13 30 03 00 0E 00 00 00 ..+..*...0......
000002D0 02 00 00 11 00 02 03 04 73 09 00 00 06 0A 2B 00 ....s.....+.
000002E0 06 2A 00 00 13 30 03 00 0E 00 00 00 02 00 00 11 .*...0..........
000002F0 00 03 02 04 73 0A 00 00 06 0A 2B 00 06 2A A2 02 ....s.....+..*¢.
So I removed null bytes and made it
excutable for further investigation 🤔
Special editors
Data inspector
Binary (8 bit) 01001101
Int8 go to: 77
UInt8 go to: 77
Int16 go to: 23117
UInt16 go to: 23117
Int24 go to: 9460301
UInt24 go to: 9460301
Int32 go to: 9460301
UInt32 go to: 9460301
Int64 go to: 12894362189
UInt64 go to: 12894362189
LEB128 go to: -51
ULEB128 go to: 77
AnsiChar / char8_t M
WideChar / char16_t
UTF-8 code point M (U+004D)
Single (float32) 1.32567052633505E-38
Double (float64) 6.3706613826192 3E-314
OLETIME 12/30/1899
FILETIME 1/1/1601 12:21:29 AM
DOS date 2/13/2025
DOS time 11:18:26 AM
DOS time & date 4/16/1980 11:18:26 AM
time_t (32 bit) 4/20/1970 11:51:41 AM
time_t (64 bit) 8/10/2378 7:16:29 AM
GUID {00905A4D-0003-0000-0400-0000
Disassembly (x86-16) dec bp
Disassembly (x86-32) dec ebp
Disassembly (x86-64) pop r10
Byte order
Little endian
Big endian
Hexadecimal basis (for integral numbers)
Offset(h): 0
* Modified *
Overwrite
2:08 PM
4/7/2026
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\overlay.dump (read-only)
file settings about
c:\users\eng-ahmed\desktop\overlay.dump
property value
file
file > sha256 160D9266FD2DF7DA4581AB01E87D7C047D4A381C59D35FE1E60F0ABE162A915A
file > first 32 bytes (hex) 4D 5A 90 00 03 00 00 00 04 00 00 00 FF FF 00 00 B8 00 00 00 00 00 00 00 40 00 00 00 00 00 00 00
file > first 32 bytes (text) MZ.....@.....
file > info size: 66684341 bytes, entropy: 6.730
file > type executable, 64-bit, GUI
file > version 1.0.0.0
file > description tkfgk435jkdgf
entry-point > first 32 bytes (hex) 4D 5A 90 00 03 00 00 00 04 00 00 00 FF FF 00 00 B8 00 00 00 00 00 00 00 40 00 00 00 00 00 00 00
entry-point > location 0x00000000
file > signature Microsoft Linker 48.0
stamps
stamp > compiler Thu Nov 10 05:28:59 2061 (UTC)
stamp > debug Thu Dec 24 04:11:14 2082 (UTC)
stamp > resource n/a
stamp > import n/a
stamp > export n/a
names
file > name c:\users\eng-ahmed\desktop\overlay.dump
debug > file C:\Users\admin\source\repos\SDCBundle\SDCBundle\obj\Release\net6.0\win-x64\tkfgk435jkdgf.pdb
export n/a
version > original-file-name tkfgk435jkdgf.dll
manifest n/a
.NET > module > name tkfgk435jkdgf.dll
certificate > program-name n/a
WOW compiled date in 2061
and also weird name and debug date
and high entrophy
sha256 > 160D9266FD2DF7DA4581AB01E87D7C047D4A381C59D35FE1E60F0ABE162A915A
cpu > 64-bit
file > type > executable
subsystem > GUI
entry-point > 0x00000000
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Malware_Analysis - VMware Workstation
File Edit View VM Tabs Help
Ahmed Emad Nasr
pestudio 9.61 - Malware Initial Assessment - www.winitor.com | c:\users\eng-ahmed\desktop\overlay.dump (read-only)
file settings about
c:\users\eng-ahmed\desktop\overlay.dump
property value
overlay > sha256 wait...
entropy 6.780
overlay > location 0x005DF800 - 0x03F985B5
size 0x39B8DB5 (60526005 bytes)
signature unknown
first 32 bytes (hex) 7B 0D 0A 20 20 22 72 75 6E 74 69 6D 65 4F 70 74 69 6F 6E 73 22 3A 20 7B 0D 0...
first 32 bytes (text) {.... "runtimeOptions": {.... "t
file > ratio 90.76 %
overlay (signature > unknown)
Even this File Has Data after it has
Ended and weird Signature its 1000% malware
sha256 > 160D9266FD2DF7DA4581AB01E87D7C047D4A381C59D35FE1E60F0ABE162A915A
cpu > 64-bit
file > type > executable
subsystem > GUI
entry-point > 0x00000000
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.