



/v3/api-docs

Explore

OpenAPI definition

v0 OAS3

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

borrow-controllers



PUT /api/return/{bookId}/patron/{patronId}



Parameters

Try it out

Name	Description
------	-------------

bookId * required

integer(\$int32)
(path)

bookId

patronId * required

integer(\$int32)
(path)

patronId

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

/

Code	Description	Links
	<p>Controls Accept header.</p> <p>Example Value Schema</p> <p>string</p>	
400	<p>Bad Request</p> <p>Media type</p> <div><input type="text" value="*/"/></div> <p>Example Value Schema</p> <pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre>	No links

POST

/api/borrow/{bookId}/patron/{patronId}

⌵

Parameters

Try it out

Name	Description
<div><div>bookId * required</div><div>integer(\$int32)</div><div>(path)</div></div>	<div>bookId</div>
<div><div>patronId * required</div><div>integer(\$int32)</div><div>(path)</div></div>	<div>patronId</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div>	No links

Code	Description	Links
	<div><div>*/*</div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div></div><div>string</div></div>	
400	<div><div>Bad Request</div><div>Media type</div><div><div>*/*</div></div><div><div>Example Value</div><div>Schema</div></div><div><div>{</div><div> "additionalProp1": "string",</div><div> "additionalProp2": "string",</div><div> "additionalProp3": "string"</div><div>}</div></div></div>	No links

patron-controllers



GET	/api/patrons/{id}	
Parameters		Try it out
Name	Description	
id * required	<div><div>id</div></div>	
integer(\$int32)		
(path)		
Responses		
Code	Description	Links
200	OK	No links
	Media type	

Code

Description

Links

`/**`

Controls Accept header.

Example Value Schema

```
{}
```

400

Bad Request

No links

Media type

`/**`

Example Value Schema

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

PUT

/api/patrons/{id}



Parameters

Try it out

Name

Description

id * required

integer(\$int32)
(path)

id

Request body required

application/json

Example Value Schema

```
{
  "name": "Uy",
  "contactInformation": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><input type="text" value="*/"/></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div>string</div>	No links
400	<div>Bad Request</div> <div>Media type</div> <div><input type="text" value="*/"/></div> <div><div>Example Value</div><div>Schema</div></div> <div><pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre></div>	No links

DELETE	/api/patrons/{id}	⌵
Parameters	<div>Try it out</div>	
<div><div>Name</div><div>Description</div></div>	<div><div>id <div><div>*</div> required</div></div><div>integer(\$int32)</div><div>(path)</div></div> <div><input type="text" value="id"/></div>	
Responses		

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>string</div>	No links
400	<div>Bad Request</div> <div>Media type<div>*/*</div></div> <div>Example Value Schema</div> <div><pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre></div>	No links

POST

/api/patrons

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "name": "NiWNhFAfuatyyQPJzspbMIlSkGxZrwZlfwvHUnhpOiXkEtHzOfapACMVFBvdRMGJPWlctK",
  "contactInformation": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div><div>*/*</div></div><div>Controls Accept header.</div></div> <div><div>Example Value</div><div>Schema</div><div>string</div></div>	No links
400	<div>Bad Request</div> <div>Media type<div><div>*/*</div></div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre></div></div>	No links

GET	/api/patrons/	⌵
Parameters		<div>Try it out</div>
No parameters		
Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type<div><div>*/*</div></div><div>Controls Accept header.</div></div> <div><div>Example Value</div><div>Schema</div></div>	No links

Code	Description	Links
	<pre>[{ "name": "KjNAYLwfAlwYAIqqcZIQjKFXDMSCTOeiIQctteRzGtBwTMNGDJIZmVkVuMMqXzrsGL", "contactInformation": "string" }]</pre>	
400	Bad Request	No links
	<div>Media type</div> <div><input type="text" value="*/"/></div> <div>Example Value Schema</div> <div><pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre></div>	

book-controllers

GET	/api/books/{id}	
Parameters		<div>Try it out</div>
<div>Name</div> <div>id * required</div> <div>integer(\$int32)</div> <div>(path)</div>	<div>Description</div> <div><input type="text" value="id"/></div>	
Responses		
Code	Description	Links
200	OK	No links
	<div>Media type</div>	

Code

Description

Links

`/*`

Controls Accept header.

Example Value Schema

```
{
  "title": "Nrq0Uq0ISvxf2S9tBL09erJcULQso9w3e03zxkebp2jpPH843pjYRmsfSdBg
Eu7whkHRS59BmF40ER6BL1LD1zJ4B1Ca",
  "author": "IuH0EqBAHtNMQOCtFe",
  "publicationYear": 0,
  "isbn": "string"
}
```

400

Bad Request

No links

Media type

`/*`

Example Value Schema

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

PUT

/api/books/{id}



Parameters

Try it out

Name

Description

id * required

integer(\$int32)
(path)

id

Request body required

application/json

Example Value Schema

```
{
  "title": "VhSYeeScTeTsMXylH321kXisf2P3DPz3cpk",
  "author": "MTZYkJQtuyTiuuXKrUgenspkZxovAQymDtpbBTkYTeLNZBHVfZyqQrUbptgUfMbBYditrykwyYoHJQbDEcPla
in0Uqj",
  "publicationYear": 0,
}
```

```
"isbn": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><input type="text" value="*/"/></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>string</div>	No links
400	<div>Bad Request</div> <div>Media type</div> <div><input type="text" value="*/"/></div> <div>Example Value Schema</div> <div><pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre></div>	No links

DELETE `/api/books/{id}`



Parameters

Try it out

Name	Description
------	-------------

id * required
integer(\$int32)
(path)

id

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>string</div>	No links
400	<div>Bad Request</div> <div>Media type</div> <div><div>*/*</div></div> <div>Example Value Schema</div> <div><pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre></div>	No links

GET /api/books/ ^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div>	No links

Code	Description	Links
	<div><div>*/*</div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div></div><div><pre>[{ "title": "B4yr3mLRUvACAG5dr1Tm4nDmGM7e495t0sPzQh3NuMTkh9EndhhsAtXw", "author": "DEqEnktwHxZSAEzXeSDyYCgiXmZGtuCL", "publicationYear": 0, "isbn": "string" }]</pre></div></div>	
400	<div>Bad Request</div> <div>Media type</div> <div><div>*/*</div><div><div>Example Value</div><div>Schema</div></div><div><pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre></div></div>	No links

POST

/api/books/

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "title": "EYDqhx1FSBksIT0YkVWADZQ8qMZRw6tw7YkjSGj4yxSvy95r",
  "author": "rQBvCCxBZYG1vNvRrbK1fUzcFcgMLFUOrMLVDOWQWsbvkLGBqboEK",
  "publicationYear": 0,
  "isbn": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div>string</div>	No links
400	<div>Bad Request</div> <div>Media type</div> <div><div>*/*</div></div> <div><div>Example Value</div><div>Schema</div></div> <div><pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre></div>	No links

Schemas

PatronDTO

{

name

[...]

contactInformation

[...]

}

BookDTO

{

title

[...]

author

[...]

publicationYear

[...]

isbn

[...]

}