

Patient

MONIRA ALQAHTANI
Female - 42 Years
1070313208

Order

Reservation ID: 4971811
Branch: CC016 Murjan,
Jeddah

Test

Requested: 7
Completed: 7
Pending: 0

Referral

Client: Sema company

Registered At 07/23/26 14:46 Collected At 07/23/26 14:46 Received At 07/23/26 16:47 Reported At 07/23/26 19:21

Liver Function

Aspartate Amino Transferase (AST), Serum

20.32 U/L

N

Reference Range :

5 - 34

Reported At 07/23/26 19:21

Validated by System

Approved by SHERIF YEHIA YOUSSEIF

Alanine Amino Trasferase (ALT), Serum

16.01 U/L

N

Reference Range :

≤ 35

Reported At 07/23/26 19:21

Validated by System

Approved by SHERIF YEHIA YOUSSEIF



920022723
www.delta-medlab.com
info@delta-medlab.com
License No: 2600032113



Validated By: Approved By:

Dr. Sherif Yehia
Dr. Sherif Yehia
Clinical Pathologist

Dr. Sherif Yehia
Dr. Sherif Yehia
Clinical Pathologist



Patient

MONIRA ALQAHTANI
Female - 42 Years
1070313208

Order

Reservation ID: 4971811
Branch: CC016 Murjan,
Jeddah

Test

Requested: 7
Completed: 7
Pending: 0

Referral

Client: Sema company

Registered At 07/23/26 14:46 Collected At 07/23/26 14:46 Received At 07/23/26 16:47 Reported At 07/23/26 19:21

Lipid Profile

Triglycerides

0.74 mmol/L 65.54 mg/dL

Reference Range :

● Desirable	< 1.7	< 150.57
● Borderline	1.7 - 2.25	150.57 - 199.28
● High	2.26 - 5.64	200.17 - 499.53
● Very High	≥ 5.65	≥ 500.42

Reported At 07/23/26 19:21

Validated by SHERIF YEHIA YOUSSEIF

Approved by SHERIF YEHIA YOUSSEIF

Cholesterol, Serum

3.71 mmol/L 143.47 mg/dL

Reference Range :

● Desirable	< 5.2	< 201.08
● Borderline	5.2 - 6.2	201.08 - 239.75
● High	≥ 6.2	≥ 239.75

Reported At 07/23/26 19:21

Validated by System

Approved by SHERIF YEHIA YOUSSEIF



920022723
www.delta-medlab.com
info@delta-medlab.com
License No: 2600032113



Validated By: Approved By:

Dr. Sherif Yehia
Dr. Sherif Yehia
Clinical Pathologist

Dr. Sherif Yehia
Dr. Sherif Yehia
Clinical Pathologist



Patient

MONIRA ALQAHTANI
Female - 42 Years
1070313208

Order

Reservation ID: 4971811
Branch: CC016 Murjan,
Jeddah

Test

Requested: 7
Completed: 7
Pending: 0

Referral

Client: Sema company

Cholesterol - HDL, Serum

1.2 mmol/L 46.45 mg/dL

L

Reference Range :

- High Risk
- Low Risk
- Optimal

< 1.04 < 40.26
1.04 - 1.55 40.26 - 60
> 1.55 > 60

Reported At

07/23/26 19:21

Validated by

SHERIF YEHIA YOUSSEIF

Approved by

SHERIF YEHIA YOUSSEIF

Cholesterol - LDL, Serum

2.55 mmol/L 98.46 mg/dL

N

Reference Range :

- Optimal
- Near Optimal
- Borderline
- High
- Very High

< 2.59 < 100
2.59 - 3.34 100 - 128.96
3.35 - 4.11 129.34 - 158.69
4.12 - 4.89 159.07 - 188.8
≥ 4.9 ≥ 189.19

Reported At

07/23/26 19:21

Validated by

System

Approved by

SHERIF YEHIA YOUSSEIF



920022723
www.delta-medlab.com
info@delta-medlab.com
License No: 2600032113



Validated By:

Approved By:

Dr. Sherif Yehia
Dr. Sherif Yehia
Clinical Pathologist

Dr. Sherif Yehia
Dr. Sherif Yehia
Clinical Pathologist



Patient	Order	Test	Referral
MONIRA ALQAHTANI Female - 42 Years 1070313208	Reservation ID: 4971811 Branch: CC016 Murjan, Jeddah	Requested: 7 Completed: 7 Pending: 0	Client: Sema company

Registered At 07/23/26 14:46 Collected At 07/23/26 14:46 Received At 07/23/26 16:47 Reported At 07/23/26 17:00

Hematology

Complete Blood Count (CBC)

Test Name	Result	Normal Range	Units
WBCs	7.33	4 - 11	10 ³ /uL
Red blood cell (RBC) count	4.53	3.8 - 4.8	x10 ⁶ /uL
Hemoglobin	14.43	12 - 16	g/dl
Hematocrit (HCT)	42.4	36 - 46	%
MCV	93.6	76 - 97	fl
MCH	31.9	27 - 32	Pg
MCHC	34.0	31.8 - 35.4	g/dl
RDW-CV	13.4	11 - 15	%
Platelets	380.7	150 - 450	10 ³ /uL
Mean Platelet Volume (MPV)	8.49	8 - 12	fl

Differential count	Result	Normal Range	Units
Neutrophils%	52.18	40 - 75	%
Lymphocytes%	36.27	15 - 45	%
Monocytes%	5.52	0 - 8	%
Eosinophils%	5.76	0 - 4	%
Basophils%	0.27	0 - 2	%
Neutrophils#	3.82	2 - 7	10 ³ /uL
Lymphocytes#	2.66	0.8 - 4	10 ³ /uL
Monocytes#	0.40	0.12 - 1.2	10 ³ /uL
Eosinophils#	0.42	0.04 - 0.5	10 ³ /uL
Basophils#	0.02	0 - 0.1	10 ³ /uL

Reported At 07/23/26 17:00 Validated by HANI AHMED ABUSEEDA Approved by HANI AHMED ABUSEEDA



920022723
www.delta-medlab.com
info@delta-medlab.com
License No: 2600032113



Validated By: Approved By:

Dr. Sherif Yehia
Clinical Pathologist

Dr. Sherif Yehia
Clinical Pathologist

