

```
tsvc/s241 · s241.c · default · claude-haiku-4-5-20251001 · no-change · RIGHT = the program the agent built, then dropped (never shipped)
```

```
-1 / +11 lines of 176      · 2 parallel region(s) added      · 3 of 3 candidate(s) kept      · RESTRUCTURING (6 code line(s) added, 1 removed)      · restructuring level 0
```

BEFORE

132

133

```
134 static real t_kernel s241(void)
```

135

```
136     for (int nl = 0; nl < R; nl++) {
```

```
137     for (int i = 0; i < LEN 1D-1; i++) {
```

```
138     a[i] = b[i] * c[i] * d[i];
```

```
139         b[i] = a[i] * a[i+1] * d[i];
```

140 }

```
141 pb mix(nl);
```

142

```
143     return (real t)0;
```

144

145

THE PROGRAM THE AGENT BUILT, THEN DROPPED

132

133

```
134 static real t_kernel s241(void)
```

135

```
136     for (int nl = 0; nl < R; nl++) {
```

```
137     real t *a old = (real t*)malloc((size t)LEN 1D * sizeof(real t));
```

```
138     memcpy(a_old, a, (size_t)LEN_ID * sizeof(real_t));
```

```
140         #pragma omp parallel for
```

```
141     for (int i = 0; i < LEN 1D-1; i++) {
```

```
142         a[i] = b[i] * c[i] * d[i];
```

143 }

```
145      #pragma omp parallel for shared(a old)
```

```
146     for (int i = 0; i < LEN ID-1; i++) {
```

```
147         b[i] = a[i] * a_old[i+1] * d[i];
```

```
150      free(a old);
```

```
151 pb mix(nl);
```

152

```
153     return (real t)0;
```

154

155

file