

-2 / +5 lines of 13 · 1 parallel region(s) added · 4 of 12 candidate(s) kept · RESTRUCTURING (4 code line(s) added, 2 removed) · restructuring level 0

BEFORE	AFTER	file
1#include "data.h"	1#include "data.h"	
2	2	
3real_t kernel_k19(void)	3real_t kernel_k19(void)	
4{	4{	
5for (int nl = 0; nl < iterations; nl++) {	5for (int nl = 0; nl < iterations; nl++) {	
6for (long i = 1; i < LEN_1D; i++) {	6u[ju[1]] += v[kv[1]] * c[1];	
7u[ju[i]] += v[kv[i]] * c[i];	7#pragma omp parallel for	
	8for (long i = 1; i < LEN_1D - 1; i++) {	
8v[jv[i]] = u[ku[i]] * d[i] + c[i];	9v[jv[i]] = u[ku[i]] * d[i] + c[i];	
	10u[ju[i+1]] += v[kv[i+1]] * c[i+1];	
9}	11}	
	12v[jv[LEN_1D-1]] = u[ku[LEN_1D-1]] * d[LEN_1D-1] + c[LEN_1D-1];	
10dummy(a, b, c, d, e);	13dummy(a, b, c, d, e);	
11}	14}	
12return (real_t)0;	15return (real_t)0;	
13}	16}	