

BEFORE

132 }  
133  
134 static real\_t kernel\_s121(void)  
135 {  
136 int j;  
  
137 for (int nl = 0; nl < R; nl++) {  
  
138 for (int i = 0; i < LEN\_1D-1; i++) {  
139 j = i + 1;  
140 a[i] = a[j] + b[i];  
  
141 }  
142 pb\_mix(nl);  
143 }  
  
144 return (real\_t)0;  
145 }  
146  
147 int main(int argc, char\*\* argv)  
148 {

THE PROGRAM THE AGENT BUILT, THEN DROPPED

132 }  
133  
134 static real\_t kernel\_s121(void)  
135 {  
136 int j;  
137 real\_t \*temp = (real\_t\*)malloc((size\_t)LEN\_1D \* sizeof(real\_t));  
138 if (!temp) return (real\_t)0;  
139  
140 for (int nl = 0; nl < R; nl++) {  
141 #pragma omp parallel for private(j) shared(temp)  
142 for (int i = 0; i < LEN\_1D-1; i++) {  
143 j = i + 1;  
144 temp[i] = a[j] + b[i];  
145 }  
146 #pragma omp parallel for shared(temp)  
147 for (int i = 0; i < LEN\_1D-1; i++) {  
148 a[i] = temp[i];  
149 }  
150 pb\_mix(nl);  
151 }  
152 free(temp);  
153 return (real\_t)0;  
154 }  
155  
156 int main(int argc, char\*\* argv)  
157 {

red = removed   green = added   yellow = parallel region (#pragma omp)

right strip = the whole file: green where changed, yellow where a parallel region now is