

tsvc/s127 · s127.c · default · claude-haiku-4-5-20251001 · FASTER · RIGHT = attempt 2 of 3, rejected by the gate at 'tsan'

-6 / +3 lines of 180 · 1 parallel region(s) added · 2 of 3 candidate(s) kept · RESTRUCTURING (2 code line(s) added, 6 removed) · restructuring level 0

BEFORE	ATTEMPT 2 OF 3, REJECTED BY THE GATE AT 'TSAN'	file
131 #endif	131 #endif	
132 }	132 }	
133	133	
134 static real_t kernel_s127(void)	134 static real_t kernel_s127(void)	
135 {	135 {	
136 int j;		
137 for (int nl = 0; nl < R; nl++) {	136 for (int nl = 0; nl < R; nl++) {	
138 j = -1;	137 #pragma omp parallel for	
139 for (int i = 0; i < LEN_1D/2; i++) {	138 for (int i = 0; i < LEN_1D/2; i++) {	
140 j++;	139 a[2*i] = b[i] + c[i] * d[i];	
141 a[j] = b[i] + c[i] * d[i];	140 a[2*i + 1] = b[i] + d[i] * e[i];	
142 j++;		
143 a[j] = b[i] + d[i] * e[i];		
144 }	141 }	
145 pb_mix(nl);	142 pb_mix(nl);	
146 }	143 }	
147 return (real_t)0;	144 return (real_t)0;	
148 }	145 }	