

-1 / +7 lines of 114 · 2 parallel region(s) added · 1 of 2 candidate(s) kept · restructuring level 0

BEFORE	AFTER	file
55 static	55 static	
56 void kernel_floyd_warshall(int n,	56 void kernel_floyd_warshall(int n,	
57 DATA_TYPE POLYBENCH_2D(path,N,N,n,n))	57 DATA_TYPE POLYBENCH_2D(path,N,N,n,n))	
58 {	58 {	
59 int i, j, k;	59 int i, j, k;	
	60 DATA_TYPE temp[N][N];	
60	61	
61 #pragma scop	62 #pragma scop	
62 for (k = 0; k < _PB_N; k++)	63 for (k = 0; k < _PB_N; k++)	
63 {	64 {	
	65 #pragma omp parallel for collapse(2) private(j) firstprivate(n)	
64 for(i = 0; i < _PB_N; i++)	66 for(i = 0; i < _PB_N; i++)	
65 for (j = 0; j < _PB_N; j++)	67 for (j = 0; j < _PB_N; j++)	
66 path[i][j] = path[i][j] < path[i][k] + path[k][j] ?	68 temp[i][j] = path[i][j] < path[i][k] + path[k][j] ?	
67 path[i][j] : path[i][k] + path[k][j];	69 path[i][j] : path[i][k] + path[k][j];	
	70 #pragma omp parallel for collapse(2) private(j) firstprivate(n)	
	71 for(i = 0; i < _PB_N; i++)	
	72 for (j = 0; j < _PB_N; j++)	
	73 path[i][j] = temp[i][j];	
	74 }	
68 }	75 #pragma endscop	
69 #pragma endscop	76	
70	77 }	
71 }	78	
72		