

-0 / +2 lines of 126 · 2 parallel region(s) added · 1 of 1 candidate(s) kept · restructuring level 0

BEFORE	AFTER	file
65 int t, i, j;	65 int t, i, j;	
66	66	
67 #pragma scop	67 #pragma scop	
68 for (t = 0; t < _PB_TSTEPS; t++)	68 for (t = 0; t < _PB_TSTEPS; t++)	
69 {	69 {	
	70 #pragma omp parallel for private(j) firstprivate(n)	
70 for (i = 1; i < _PB_N - 1; i++)	71 for (i = 1; i < _PB_N - 1; i++)	
71 for (j = 1; j < _PB_N - 1; j++)	72 for (j = 1; j < _PB_N - 1; j++)	
72 B[i][j] = 0.2 * (A[i][j] + A[i][j-1] + A[i][1+j] + A[1+i][j] + A[i-1][j])	73 B[i][j] = 0.2 * (A[i][j] + A[i][j-1] + A[i][1+j] + A[1+i][j] + A[i-1][j])	
	74 #pragma omp parallel for private(j) firstprivate(n)	
73 for (i = 1; i < _PB_N-1; i++)	75 for (i = 1; i < _PB_N-1; i++)	
74 for (j = 1; j < _PB_N-1; j++)	76 for (j = 1; j < _PB_N-1; j++)	
75 A[i][j] = B[i][j];	77 A[i][j] = B[i][j];	
76 }	78 }	
77 #pragma endscop	79 #pragma endscop	