

-1 / +5 lines of 13 · 2 parallel region(s) added · 6 of 6 candidate(s) kept · RESTRUCTURING (3 code line(s) added, 1 removed) · restructuring level 0

BEFORE	AFTER	file
<pre>1 #include "data.h" 2 3 real_t kernel_k19(void) 4 { 5 for (int nl = 0; nl < iterations; nl++) {</pre>	<pre>1 #include "data.h" 2 3 real_t kernel_k19(void) 4 { 5 for (int nl = 0; nl < iterations; nl++) {</pre>	
	<pre>6 #pragma omp parallel for 7 for (long i = 1; i < LEN_1D; i++) { 8 v[jv[i]] = u[ku[i]] * d[i] + c[i]; 9 }</pre>	
<pre>6 for (long i = 1; i < LEN_1D; i++) { 7 u[ju[i]] += v[kv[i]] * c[i]; 8 v[jv[i]] = u[ku[i]] * d[i] + c[i];</pre>	<pre>10 #pragma omp parallel for 11 for (long i = 1; i < LEN_1D; i++) { 12 u[ju[i]] += v[kv[i]] * c[i];</pre>	
<pre>9 } 10 dummy(a, b, c, d, e); 11 } 12 return (real_t)0; 13 }</pre>	<pre>13 } 14 dummy(a, b, c, d, e); 15 } 16 return (real_t)0; 17 }</pre>	