

ll_b1 : claude-baiku-4-5-20251001

	no-baseline					
R · tsvc/s212						DiscoPoP alone —
R · tsvc/s241						DiscoPoP alone —
R · tsvc/s243						DiscoPoP alone —
R · tsvc/s244						DiscoPoP alone —
R · tsvc/s252						DiscoPoP alone —
	rep 1	rep 2	rep 3	rep 4	rep 5	

U-4-5-20251001

Figure 1 displays a 5x3 grid of heatmaps showing the distribution of the number of nodes in each cluster for different methods. The columns are labeled 'rep 4', 'rep 5', and 'rep 3'. The rows are labeled 'DiscoPoP alone —', 'DiscoPoP alone —', 'DiscoPoP alone —', 'DiscoPoP alone —', and 'DiscoPoP alone —'. Each heatmap shows a distribution of nodes across clusters, with the x-axis representing the number of nodes and the y-axis representing the number of clusters. The distributions are generally centered around 100 nodes per cluster.

ude-baiku-4-5-20251001

Figure 1 displays a 5x3 grid of heatmaps showing the distribution of the number of nodes in the largest connected component (LCC) for different network sizes ($n=100, 200, 300, 400, 500$) and different network types (ER, BA, WS, RW, SF). The columns are labeled 'rep 3', 'rep 4', and 'rep 5'. The rows are labeled 'DiscoPoP alone —'. The heatmaps show the distribution of the number of nodes in the LCC, with the x-axis representing the number of nodes (0 to 500) and the y-axis representing the frequency (0 to 100). The distributions are generally unimodal and shift towards larger numbers of nodes as n increases.

Figure 1 displays a 5x5 grid of heatmaps showing the spatial distribution of the probability of presence (PoP) for five replicates (rep 1 to rep 5) of the 'PoP alone' model. Each heatmap is a square with a blue background and white dots representing the probability of presence. The dots are distributed in a grid-like pattern, with higher density in the center and lower density towards the edges. The labels 'rep 1' through 'rep 5' are positioned below each column of heatmaps.

Figure 1 displays a 5x5 grid of heatmaps showing the distribution of the number of nodes in the largest connected component (LCC) for different network sizes and parameters. The rows are labeled "DiscoPoP alone" and the columns are labeled "rep 1" through "rep 5". The heatmaps show a high density of nodes in the LCC, with the density increasing as the network size increases from 100 to 1000. The distribution is highly concentrated in the top-left corner of each heatmap, indicating a high degree of connectivity.

twin, no evidence : claude-haiku-4-5-2025100

Figure 1 displays a 5x5 grid of heatmaps showing the spatial distribution of DiscoPoP across five replicates (rep 1 to rep 5) for five different conditions (DiscoPoP alone, DiscoPoP + 1000, DiscoPoP + 2000, DiscoPoP + 3000, DiscoPoP + 4000). Each heatmap is a 10x10 grid of colored dots. The colors represent different values, with a color bar on the right indicating the scale from 0.0 (white) to 1.0 (dark blue). The 'DiscoPoP alone' row shows a uniform distribution of dark blue dots, while the other rows show varying patterns of lighter colors, indicating the effect of the additional parameters.