

# AWS Certified Cloud Practitioner

## By Stéphane Maarek



COURSE →



EXTRA PRACTICE EXAMS →

# Disclaimer: These slides are copyrighted and strictly for personal use only

- This document is reserved for people enrolled into the [AWS Certified Cloud Practitioner Course](#)
- Please do not share this document, it is intended for personal use and exam preparation only, thank you.
- Best of luck for the exam and happy learning!

# Table of Contents

- [What is Cloud Computing?](#)
- [AWS Identity & Access Management](#)
- [Amazon EC2](#)
- [Amazon EC2 Instance Storage](#)
- [Elastic Load Balancing & Auto Scaling Group](#)
- [Amazon S3](#)
- [Databases & Analytics](#)
- [Other Compute Services](#)
- [Deploying & Managing Infrastructure at Scale](#)
- [Global Infrastructure](#)
- [Cloud Integration](#)

# Table of Contents

- [Cloud Monitoring](#)
- [Amazon VPC](#)
- [Security & Compliance](#)
- [Machine Learning](#)
- [Account Management, Billing, & Support](#)
- [Advanced Identity](#)
- [Other AWS Services](#)
- [AWS Architecting & EcoSystem](#)
- [Exam Preparation](#)
- [Congratulations](#)

# AWS Certified Cloud Practitioner Course

## CLF-C02

# Welcome! We're starting in 5 minutes



- We're going to prepare for the **Cloud Practitioner exam – CLF-C02**
  - It's a challenging certification, so this course will be long and interesting
  - Basic IT knowledge is helpful, but I will explain everything
- 
- We will cover over **40 AWS services** (out of the 200+ in AWS)
  - AWS / IT Beginners welcome! (but take your time, it's not a race)
  - **Learn by doing** – key learning technique!  
This course mixes both theory & hands on

# Sample question: Certified Cloud Practitioner

**Which AWS service would simplify the migration of a database to AWS?**

- A) AWS Storage Gateway                          <= we will learn
  - B) AWS Database Migration Service            <= correct answer
  - C) Amazon EC2                                  <= we will learn
  - D) Amazon AppStream 2.0                      <= distractor (over 200 services in AWS)
- 
- <https://explore.skillbuilder.aws/learn/course/external/view/elearning/14050/aws-certified-cloud-practitioner-official-practice-question-set-clf-c02-english>

# About me

- I'm Stephane!
- I'm AWS Certified
- Worked with AWS many years: built websites, apps, streaming platforms
- Veteran Instructor on AWS (Certifications, CloudFormation, Lambda, EC2...)
- You can find me on
  - LinkedIn: <https://www.linkedin.com/in/stephanemaarek>
  - Instagram: <https://Instagram.com/stephanemaarek>
  - Medium: <https://medium.com/@stephane.maarek>
  - Twitter: <https://twitter.com/stephanemaarek>
  - GitHub: <https://github.com/simplesteph>



★ 4.7 Instructor Rating  
◐ 673,815 Reviews  
◑ 2,173,080 Students  
▶ 56 Courses

# Your AWS Certification journey

## FOUNDATIONAL

**Six months** of fundamental AWS Cloud and industry knowledge



## PROFESSIONAL

**Two years** of experience designing, operating, and troubleshooting solutions using the AWS Cloud



## ASSOCIATE

**One year** of experience solving problems and implementing solutions using the AWS Cloud




## SPECIALTY

Technical AWS Cloud experience in the Specialty domain as specified in the exam guide



# Estimated Cost for this Course

- Most of the services we'll use will be within the AWS Free Tier = \$0
- If I use a service which will cost you money, I will mention it
- You can read more about the AWS Free Tier at:  
<https://aws.amazon.com/free/>



# Udemy Tips

# What is Cloud Computing Section

There are various best practices that you can follow which can help you build an application in the cloud. The notable ones are:

1. Design for failure
2. Decouple your components
3. Implement elasticity
4. Think parallel

-----  
Which of the following cloud best practices reinforces the use of the Service-Oriented Architecture (SOA) design principle?


Design for failure.

Think parallel.

Decouple your components. (Correct)

Implement elasticity.



# How websites work



Clients have IP addresses


Servers have IP addresses

# Just like when you're sending post mail!




# What is a server composed of?


- Compute: CPU
- Memory: RAM



- Storage: Data



- Database: Store data in a structured way




- Network: Routers, switch, DNS server




# IT Terminology

- **Network:** cables, routers and servers connected with each other
- **Router:** A networking device that forwards data packets between computer networks. They know where to send your packets on the internet!
- **Switch:** Takes a packet and send it to the correct server / client on your network




# Traditionally, how to build infrastructure



# Problems with traditional IT approach


- Pay for the rent for the data center
- Pay for power supply, cooling, maintenance
- Adding and replacing hardware takes time
- Scaling is limited
- Hire 24/7 team to monitor the infrastructure
- How to deal with disasters? (earthquake, power shutdown, fire...)
- Can we externalize all this?



# What is Cloud Computing?



- Cloud computing is the **on-demand delivery** of **compute power, database storage, applications, and other IT resources** via the internet , overcomming the problems of traditional IT
- Through a cloud services platform with **pay-as-you-go pricing**
- You can provision exactly the right type and size of computing resources you need
- You can access as many resources as you need, **almost instantly**
- Simple way to access **servers, storage, databases** and a set of application services
- Amazon Web Services **owns** and maintains the network-connected hardware required for these application services, while you provision and use what you need via a web application.



# You've been using some Cloud services




**Gmail**

- E-mail cloud service
- Pay for ONLY your emails stored (no infrastructure, etc.)



**Dropbox**

- Cloud Storage Service
- Originally built on AWS



**Netflix**

- Built on AWS
- Video on Demand

# The Deployment Models of the Cloud

## Private Cloud:

- Cloud services used by a single organization, not exposed to the public.
- Complete control
- Security for sensitive applications
- Meet specific business needs




## Public Cloud:

- Cloud resources owned and operated by a third-party cloud service provider delivered over the Internet.
- Six Advantages of Cloud Computing




## Hybrid Cloud:

- Keep some servers on premises and extend some capabilities to the Cloud
- Control over sensitive assets in your private infrastructure
- Flexibility and cost-effectiveness of the public cloud




# The Five Characteristics of Cloud Computing

- On-demand self service:
  - Users can provision resources and use them without human interaction from the service provider
- Broad network access:
  - Resources available over the network, and can be accessed by diverse client platforms
- Multi-tenancy and resource pooling:
  - Multiple customers can share the same infrastructure and applications with security and privacy
  - Multiple customers are serviced from the same physical resources
- Rapid elasticity and scalability:
  - Automatically and quickly acquire and dispose resources when needed
  - Quickly and easily scale based on demand
- Measured service:
  - Usage is measured, users pay correctly for what they have used



# Six Advantages of Cloud Computing

- Trade capital expense (**CAPEX**) for operational expense (**OPEX**)
  - Pay On-Demand: don't own hardware
  - Reduced Total Cost of Ownership (TCO) & Operational Expense (OPEX)
- Benefit from massive economies of scale
  - Prices are reduced as AWS is more efficient due to large scale
- Stop guessing capacity
  - Scale based on actual measured usage
- Increase speed and agility
- Stop spending money running and maintaining data centers
- Go global in minutes: leverage the AWS global infrastructure



# Problems solved by th

- **Flexibility:** change resource type
- **Cost-Effectiveness:** pay as you go
- **Scalability:** accommodate larger workloads by adding additional nodes
- **Elasticity:** ability to scale out and scale-in when needed
- **High-availability and fault-tolerance:** build across data centers
- **Agility:** rapidly develop, test and launch software

When a company uses AWS and decouple from their on-premises data center, they will be able to have which of the following benefits? (Select TWO.)

Decrease your TCO. **(Correct)**

Replace low variable costs with upfront capital expenses (CAPEX).

Massive discounts for bare metal servers from Amazon.com.

Deferred payments to their operational expenditures.

Reduce time to market. **(Correct)**

Which of the following is a key financial benefit of migrating systems hosted on your on-premises data center to AWS?

Opportunity to replace variable capital expenses (CAPEX) with low upfront costs.


Opportunity to replace upfront capital expenses (CAPEX) with low variable costs. **(Correct)**

Opportunity to replace variable operational expenses (OPEX) with low upfront capital expenses (CAPEX).

Opportunity to replace upfront operational expenses (OPEX) with low variable operational expenses (OPEX).

# Types of Cloud Computing

- Infrastructure as a Service (IaaS)
  - Provide building blocks for cloud IT
  - Provides networking, computers, data storage space
  - Highest level of flexibility
  - Easy parallel with traditional on-premises IT
- Platform as a Service (PaaS)
  - Removes the need for your organization to manage the underlying infrastructure
  - Focus on the deployment and management of your applications
- Software as a Service (SaaS)
  - Completed product that is run and managed by the service provider



## On-premises

## Infrastructure as a Service (IaaS)

## Platform as a Service (PaaS)

## Software as a Service (SaaS)

Applications

Data

Runtime

Middleware

O/S

Virtualization

Servers

Storage

Networking

Applications

Data

Runtime

Middleware

O/S

Virtualization

Servers

Storage

Networking

Applications

Data

Runtime

Middleware

O/S

Virtualization

Servers

Storage

Networking

Applications

Data

Runtime

Middleware

O/S

Virtualization

Servers

Storage

Networking


Managed by you

Managed by others

# Example of Cloud Computing Types

- **Infrastructure as a Service:**

- Amazon EC2 (on AWS)
- GCP, Azure, Rackspace, Digital Ocean, Linode



- **Platform as a Service:**

- Elastic Beanstalk (on AWS)
- Heroku, Google App Engine (GCP), Windows Azure (Microsoft)



- **Software as a Service:**

- Many AWS services (ex: Rekognition for Machine Learning)
- Google Apps (Gmail), Dropbox, Zoom




# Pricing of the Cloud – Quick Overview

- AWS has 3 pricing fundamentals, following the pay-as-you-go pricing model
- **Compute:**
  - Pay for compute time
- **Storage:**
  - Pay for data stored in the Cloud
- **Data transfer OUT of the Cloud:**
  - Data transfer IN is free
  - Solves the expensive issue of traditional IT



# AWS Cloud History



# AWS Cloud Number Facts

- In 2023, AWS had \$90 billion in annual revenue
- AWS accounts for 31% of the market in Q1 2024 (Microsoft is 2nd with 25%)
- Pioneer and Leader of the AWS Cloud Market for the 13th consecutive year
- Over 1,000,000 active users


Figure 1: Magic Quadrant for Strategic Cloud Platform Services



Gartner Magic Quadrant

# AWS Cloud Use Cases

- AWS enables you to build sophisticated, scalable applications
- Applicable to a diverse set of industries
- Use cases include
  - Enterprise IT, Backup & Storage, Big Data analytics
  - Website hosting, Mobile & Social Apps
  - Gaming




ACTIVISION

NETFLIX

# AWS Global Infrastructure

- AWS Regions
- AWS Availability Zones
- AWS Data Centers
- AWS Edge Locations / Points of Presence
- <https://infrastructure.aws/>




# AWS Regions

- AWS has Regions all around the world
- Names can be us-east-1, eu-west-3...
- A region is a cluster of data centers
- Most AWS services are region-scoped

Which of the following are regarded as regional services in AWS? (Select TWO.)

- |                             |
|-----------------------------|
| Amazon EC2                  |
| Amazon Route 53             |
| AWS Security Token Service  |
| <b>AWS Batch (Correct)</b>  |
| <b>Amazon EFS (Correct)</b> |



AWS Security Token Service and Amazon Route 53 are both incorrect because these are considered global services.

Amazon EC2 is incorrect because this is considered as a zonal service since it is tied to a particular Availability Zone where it was launched.

US East (N. Virginia) us-east-1

US East (Ohio) us-east-2

US West (N. California) us-west-1

US West (Oregon) us-west-2

---

Africa (Cape Town) af-south-1

---

Asia Pacific (Hong Kong) ap-east-1

Asia Pacific (Mumbai) ap-south-1

Asia Pacific (Seoul) ap-northeast-2

Asia Pacific (Singapore) ap-southeast-1

Asia Pacific (Sydney) ap-southeast-2

Asia Pacific (Tokyo) ap-northeast-1

---

Canada (Central) ca-central-1

---

Europe (Frankfurt) eu-central-1

Europe (Ireland) eu-west-1

Europe (London) eu-west-2

Europe (Paris) eu-west-3

Europe (Stockholm) eu-north-1

---

Middle East (Bahrain) me-south-1

---

South America (São Paulo) sa-east-1

# How to choose an AWS Region?


If you need to launch a new application,  
where should you do it?



- **Compliance** with data governance and legal requirements: data never leaves a region without your explicit permission
- **Proximity** to customers: reduced latency
- **Available services** within a Region: new services and new features aren't available in every Region
- **Pricing**: pricing varies region to region and is transparent in the service pricing page


# AWS Availability Zones

- Each region has many availability zones (usually 3, min is 3, max is 6). Example:
  - ap-southeast-2a
  - ap-southeast-2b
  - ap-southeast-2c
- Each availability zone (AZ) is one or more discrete data centers with redundant power, networking, and connectivity
- They're separate from each other, so that they're isolated from disasters
- They're connected with high bandwidth, ultra-low latency networking



# AWS Points of Presence (Edge Locations)

- Amazon has 400+ Points of Presence (400+ Edge Locations & 10+ Regional Caches) in 90+ cities across 40+ countries
- Content is delivered to end users with lower latency



<https://aws.amazon.com/cloudfront/features/>

# Tour of the AWS C

- AWS has Global Services:
  - Identity and Access Management
  - Route 53 (DNS service)
  - CloudFront (Content Delivery Network)
  - WAF (Web Application Firewall)
- Most AWS services are Region
  - Amazon EC2 (Infrastructure as a Service)
  - Elastic Beanstalk (Platform as a Service)
  - Lambda (Function as a Service)
  - Rekognition (Software as a Service)
- Region Table: <https://aws.amazon.com/about-aws/global-infrastructure/regional-product-services>

A customer needs to organize and consolidate information based on criteria specified in tags or resources in AWS. Which of the following services would you recommend to satisfy this requirement?

**AWS Resource Groups** (Correct)

**AWS Directory Service**

**AWS IAM Group**

**AWS CloudTrail**


AWS Resource Groups lets you organize AWS resources such as Amazon EC2 instances, Amazon Relational Database Service databases, and Amazon S3 buckets into groups using criteria that you define as tags. A resource group is a collection of resources that match the resource types specified in a query and share one or more tags or portions of tags. You can create a group of resources based on their roles in your cloud infrastructure, lifecycle stages, regions, application layers, or virtually any criteria.



# Shared Responsibility Model diagram

CUSTOMER = RESPONSIBILITY FOR THE SECURITY IN THE CLOUD

AWS = RESPONSIBILITY FOR THE SECURITY OF THE CLOUD




<https://aws.amazon.com/compliance/shared-responsibility-model/>

# AWS Acceptable Use Policy

- <https://aws.amazon.com/aup/>
- No Illegal, Harmful, or Offensive Use or Content
- No Security Violations
- No Network Abuse
- No E-Mail or Other Message Abuse

## What are web services?

A **web service** is any piece of software that makes itself available over the internet and uses a **standardized format**—such as Extensible Markup Language (XML) or JavaScript Object Notation (JSON)—for the request and the response of an **application programming interface (API) interaction**.



© 2022, Amazon Web Services, Inc. or its affiliates. All rights reserved.

23

## What is AWS?

- AWS is a **secure cloud platform** that offers a **broad set of global cloud-based products**.
- AWS provides you with **on-demand access** to compute, storage, network, database, and other IT resources and management tools.
- AWS offers **flexibility**.
- You **pay only for the individual services you need**, for **as long as you use them**.
- AWS services **work together** like building blocks.

AWS

© 2022, Amazon Web Services, Inc. or its affiliates. All rights reserved.

## Categories of AWS services



© 2022, Amazon Web Services, Inc. or its affiliates. All rights reserved.

25

As you learned so far in this module, cloud computing offers many advantages over the traditional model. However, for most organizations, cloud adoption does not happen instantly. Technology is one thing, but an organization also consists of people and processes, and these three elements must all be in alignment for successful cloud adoption. Cloud computing introduces a significant shift in how technology is obtained, used, and managed. It also shifts how organizations budget and pay for technology services. Cloud adoption requires that fundamental changes are discussed and considered across an entire organization. It also requires that stakeholders across all organizational units—both within and outside IT—support these new changes. In this last section, you learn about the AWS CAF, which was created to help organizations design and travel an accelerated path to successful cloud adoption.


# IAM Section

The AWS Cloud Adoption Framework (AWS CAF) provides guidance and best practices to help organizations identify gaps in skills and processes. It also helps organizations build a comprehensive approach to cloud computing—both across the organization and throughout the IT lifecycle—to accelerate successful cloud adoption.

At the highest level, the AWS CAF organizes guidance into six areas of focus, called perspectives. Perspectives span people, processes, and technology. Each perspective consists of a set of capabilities, which covers distinct responsibilities that are owned or managed by functionally related stakeholders.

Capabilities within each perspective are used to identify which areas of an organization require attention. By identifying gaps, prescriptive work streams can be created that support a successful cloud journey.

### Six core perspectives



Focus on **business** capabilities



Focus on **technical** capabilities

# IAM: Users & Groups



- IAM = Identity and Access Management, **Global** service
- Root account created by default, shouldn't be used or shared
- Users are people within your organization, and can be grouped
- Groups only contain users, not other groups
- Users don't have to belong to a group, and user can belong to multiple groups




# IAM: Permissions

- Users or Groups can be assigned JSON documents called policies
- These policies define the permissions of the users
- In AWS you apply the **least privilege principle**: don't give more permissions than a user needs

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Effect": "Allow",  
      "Action": "ec2:Describe*",  
      "Resource": "*"  
    },  
    {  
      "Effect": "Allow",  
      "Action": "elasticloadbalancing:Describe*",  
      "Resource": "*"  
    },  
    {  
      "Effect": "Allow",  
      "Action": [  
        "cloudwatch>ListMetrics",  
        "cloudwatch:GetMetricStatistics",  
        "cloudwatch:Describe"  
      ],  
      "Resource": "*"  
    }  
  ]  
}
```



# IAM Policies inheritance



Which of the following are the best practices that can help secure your AWS resources using the AWS Identity and Access Management (IAM) service? (Select TWO.)

Grant least privilege. (Correct)

Lock away your AWS account root user access keys. (Correct)

Grant most privilege.

Use Inline Policies instead of Customer Managed Policies.

Use Bastion Hosts.

# IAM Policies Structure

- Consists of
  - **Version:** policy language version, always include “2012-10-17”
  - **Id:** an identifier for the policy (optional)
  - **Statement:** one or more individual statements (required)
- Statements consists of
  - **Sid:** an identifier for the statement (optional)
  - **Effect:** whether the statement allows or denies access (Allow, Deny)
  - **Principal:** account/user/role to which this policy applied to
  - **Action:** list of actions this policy allows or denies
  - **Resource:** list of resources to which the actions applied to
  - **Condition:** conditions for when this policy is in effect (optional)

```
{  
  "Version": "2012-10-17",  
  "Id": "S3-Account-Permissions",  
  "Statement": [  
    {  
      "Sid": "1",  
      "Effect": "Allow",  
      "Principal": {  
        "AWS": ["arn:aws:iam::123456789012:root"]  
      },  
      "Action": [  
        "s3:GetObject",  
        "s3:PutObject"  
      ],  
      "Resource": ["arn:aws:s3:::mybucket/*"]  
    }  
  ]  
}
```

# IAM – Password Policy

- Strong passwords = higher security for your account
- In AWS, you can setup a password policy:
  - Set a minimum password length
  - Require specific character types:
    - including uppercase letters
    - lowercase letters
    - numbers
    - non-alphanumeric characters
  - Allow all IAM users to change their own passwords
  - Require users to change their password after some time (password expiration)
  - Prevent password re-use

Which among the services below can you use to test and troubleshoot IAM and resource-based policies?

AWS Config
Systems Manager
Amazon Inspector
IAM Policy Simulator (Correct)

# Multi Factor Authentication - MFA



- Users have access to your account and can possibly change configurations or delete resources in your AWS account
- You want to protect your Root Accounts and IAM users
- MFA = password you know + security device you own



Alice

Password

+




=>

Successful login

- Main benefit of MFA:  
if a password is stolen or hacked, the account is not compromised

# MFA devices options in AWS

## Virtual MFA device



Google Authenticator  
(phone only)

Support for multiple tokens on a single device.



Authy  
(phone only)

## Universal 2nd Factor (U2F) Security Key



YubiKey by Yubico (3<sup>rd</sup> party)

Support for multiple root and IAM users using a single security key

# MFA devices options in AWS

## Hardware Key Fob MFA Device




Provided by Gemalto (3<sup>rd</sup> party)

## Hardware Key Fob MFA Device for AWS GovCloud (US)



Provided by SurePassID (3<sup>rd</sup> party)

# How can users access AWS ?



- To access AWS, you have three options:
  - AWS Management Console (protected by password + MFA)
  - AWS Command Line Interface (CLI): protected by access keys
  - AWS Software Developer Kit (SDK) - for code: protected by access keys
- Access Keys are generated through the AWS Console
- Users manage their own access keys
- Access Keys are secret, just like a password. Don't share them
- Access Key ID ~ = username
- Secret Access Key ~ = password

What should you provide to your developers to allow them to access your AWS services through the AWS CLI?

- A) Access keys (Correct)
- B) API keys
- C) SSH keys
- D) IAM username and passwords

# Example (Fake) Access Keys

Which of the following IAM identities is associated with the access keys that are used in managing your cloud resources via the AWS Command Line Interface (AWS CLI)?

IAM User **(Correct)**

IAM Role

IAM Group

IAM Policy

## Access keys

Use access keys to make secure REST or HTTP Query protocol requests to AWS service APIs. For your protection, you should never share your secret keys with anyone. As a best practice, we recommend frequent key rotation. [Learn more](#)

[Create access key](#)

Access key ID	Created	Last used	Status	
AKIASK4E37PV4TU3RD6C	2020-05-25 15:13 UTC+0100	N/A	<b>Active</b>   <a href="#">Make inactive</a>	<a href="#">X</a>

- Access key ID: AKIASK4E37PV4983d6C
- Secret Access Key: AZPN3z0jWozWCndljhB0Uh8239aIbzBzO5fqkZq
- Remember: don't share your access keys

# What's the AWS CLI?

- A tool that enables you to interact with AWS services using commands in your command-line shell
- Direct access to the public APIs of AWS services
- You can develop scripts to manage your resources
- It's open-source <https://github.com/aws/aws-cli>
- Alternative to using AWS Management Console

```
→ ~ aws s3 cp myfile.txt s3://ccp-mybucket/myfile.txt
upload: ./myfile.txt to s3://ccp-mybucket/myfile.txt
→ ~ aws s3 ls s3://ccp-mybucket
2021-05-14 03:22:52          0 myfile.txt
→ ~ |
```



# What's the AWS SDK?

- AWS Software Development Kit (AWS SDK)
- Language-specific APIs (set of libraries)
- Enables you to access and manage AWS services programmatically
- Embedded within your application
- Supports
  - SDKs (JavaScript, Python, PHP, .NET, Ruby, Java, Go, Node.js, C++)
  - Mobile SDKs (Android, iOS, ...)
  - IoT Device SDKs (Embedded C, Arduino,
- Example: AWS CLI is built on AWS SD



Your Application


Question 7:

Which tool/service will help you access AWS services using programming language-specific APIs?

1. AWS Management Console
2. AWS Software Developer Kit (SDK) **(Correct)**
3. Language-specific Integrated Development Environment (IDE)
4. AWS Command Line Interface (CLI)

# IAM Roles for Services

- Some AWS service will need to perform actions on your behalf
- To do so, we will assign permissions to AWS services with IAM Roles
- Common roles:
  - EC2 Instance Roles
  - Lambda Function Roles
  - Roles for CloudFormation




# IAM Security Tools

- **IAM Credentials Report (account-level)**
  - a report that lists all your account's users and the status of their various credentials

Access Advisor ==> Has Changed to "Last Accessed" you can view it ; On User Profile; Got TO LAST ACCESSED; This equivalent to ACCESS ADVISOR

- **IAM Access Advisor (user-level)**
  - Access advisor shows the service permissions granted to a user and when those services were last accessed.
  - You can use this information to revise your policies.

# IAM Guidelines & Best Practices



- Don't use the root account except for AWS account setup
- One physical user = One AWS user
- Assign users to groups and assign permissions to groups
- Create a strong password policy
- Use and enforce the use of Multi Factor Authentication (MFA)
- Create and use Roles for giving permissions to AWS services
- Use Access Keys for Programmatic Access (CLI / SDK)
- Audit permissions of your account using IAM Credentials Report & IAM Access Advisor
- Never share IAM users & Access Keys

# Shared Responsibility Model for IAM



- Infrastructure (global network security)
- Configuration and vulnerability analysis
- Compliance validation

"OF"  
Responsible For All Infra



You

- Users, Groups, Roles, Policies management and monitoring
- Enable MFA on all accounts
- Rotate all your keys often
- Use IAM tools to apply appropriate permissions
- Analyze access patterns & review permissions

Responsible For All of how you will use these infrastructure

"IN"


# IAM Section – Summary



- **Users:** mapped to a physical user; has a password for AWS Console
- **Groups:** contains users only
- **Policies:** JSON document that outlines permissions for users or groups
- **Roles:** for EC2 instances or AWS services
- **Security:** MFA + Password Policy
- **AWS CLI:** manage your AWS services using the command-line
- **AWS SDK:** manage your AWS services using a programming language
- **Access Keys:** access AWS using the CLI or SDK
- **Audit:** IAM Credential Reports & IAM Access Advisor

# EC2 Section

# Amazon EC2



- EC2 is one of the most popular of AWS' offering
- EC2 = Elastic Compute Cloud = Infrastructure as a Service
- It mainly consists in the capability of :
  - Renting virtual machines (EC2)
  - Storing data on virtual drives (EBS)
  - Distributing load across machines (ELB)
  - Scaling the services using an auto-scaling group (ASG)
- Knowing EC2 is fundamental to understand how the Cloud works

# EC2 sizing & configuration options

- Operating System (OS): Linux, Windows or Mac OS
- How much compute power & cores (CPU)
- How much random-access memory (RAM)
- How much storage space:
  - Network-attached (EBS & EFS)
  - hardware (EC2 Instance Store)
- Network card: speed of the card, Public IP address
- Firewall rules: **security group**
- Bootstrap script (configure at first launch): EC2 User Data

# EC2 User Data

- It is possible to bootstrap our instances using an [EC2 User data](#) script.
- bootstrapping means launching commands when a machine starts
- That script is only run once at the instance first start 
- EC2 user data is used to automate boot tasks such as:
  - Installing updates
  - Installing software
  - Downloading common files from the internet
  - Anything you can think of
- The EC2 User Data Script runs with the root user

# Hands-On: Launching an EC2 Instance running Linux

- We'll be launching our first virtual server using the AWS Console
- We'll get a first high-level approach to the various parameters
- We'll see that our web server is launched using EC2 user data
- We'll learn how to start / stop / terminate our instance.

# EC2 Instance Types - Overview

- You can use different types of EC2 instances that are optimised for different use cases (<https://aws.amazon.com/ec2/instance-types/>)
- AWS has the following naming convention:

m5.2xlarge

General Purpose

Compute Optimized

Memory Optimized

Accelerated Computing

Storage Optimized

HPC Optimized

Instance Features

Measuring Instance Performance

- m: instance class
- 5: generation (AWS improves them over time)
- 2xlarge: size within the instance class

# EC2 Instance Types – General Purpose

- Great for a diversity of workloads such as web servers or code repositories
- Balance between:
  - Compute
  - Memory
  - Networking
- In the course, we will be using the t2.micro which is a General Purpose EC2 instance

## General Purpose

General purpose instances provide a balance of compute, memory and networking resources, and can be used for a variety of diverse workloads. These instances are ideal for applications that use these resources in equal proportions such as web servers and code repositories.

Mac	T4g	T3	T3a	T2	M6g	M5	M5a	M5n	M5zn	M4	A1
-----	-----	----	-----	----	-----	----	-----	-----	------	----	----

\* this list will evolve over time, please check the AWS website for the latest information

# EC2 Instance Types – Compute Optimized

- Great for compute-intensive tasks that require high performance processors:
  - Batch processing workloads
  - Media transcoding
  - High performance web servers
  - High performance computing (HPC)
  - Scientific modeling & machine learning
  - Dedicated gaming servers

## **Compute Optimized**

Compute Optimized Instances are ideal for compute bound applications that benefit from high performance processors. Instances belonging to this family are well suited for batch processing workloads, media transcoding, high performance web servers, high performance computing (HPC), scientific modeling, dedicated gaming servers and ad server engines, machine learning inference and other compute intensive applications.

C6g    C6gn    C5    C5a    C5n    C4

\* this list will evolve over time, please check the AWS website for the latest information

# EC2 Instance Types – Memory Optimized

- Fast performance for workloads that process large data sets in memory
- Use cases:
  - High performance, relational/non-relational databases
  - Distributed web scale cache stores
  - In-memory databases optimized for BI (business intelligence)
  - Applications performing real-time processing of big unstructured data

## Memory Optimized

Memory optimized instances are designed to deliver fast performance for workloads that process large data sets in memory.

R6g

R5

R5a

R5b

R5n

R4

X1e

X1

High Memory

z1d

\* this list will evolve over time, please check the AWS website for the latest information

# EC2 Instance Types – Storage Optimized

- Great for storage-intensive tasks that require high, sequential read and write access to large data sets on local storage
- Use cases:
  - High frequency online transaction processing (OLTP) systems
  - Relational & NoSQL databases
  - Cache for in-memory databases (for example, Redis)
  - Data warehousing applications
  - Distributed file systems

## Storage Optimized

Storage optimized instances are designed for workloads that require high, sequential read and write access to very large data sets on local storage. They are optimized to deliver tens of thousands of low-latency, random I/O operations per second (IOPS) to applications.

I3    I3en    D2    D3    D3en    H1

\* this list will evolve over time, please check the AWS website for the latest information

# EC2 Instance Types: example

Instance	vCPU	Mem (GiB)	Storage	Network Performance	EBS Bandwidth (Mbps)
t2.micro	1	1	EBS-Only	Low to Moderate	
t2.xlarge	4	16	EBS-Only	Moderate	
c5d.4xlarge	16	32	1 x 400 NVMe SSD	Up to 10 Gbps	4,750
r5.16xlarge	64	512	EBS Only	20 Gbps	13,600
m5.8xlarge	32	128	EBS Only	10 Gbps	6,800


Instance size	vCPU	Memory (GiB)	Instance storage (GB)	Network bandwidth (Gbps)	Amazon EBS bandwidth (Gbps)
m8g.medium	1	4	EBS-only	Up to 12.5	Up to 10
m8g.large	2	8			
m8g.xlarge	4	16			
m8g.2xlarge	8	32			
m8g.4xlarge	16	64			
m8g.8xlarge	32	128			

o is part of the AWS free tier (up to 750 hours per month)

Great website: <https://instances.vantage.sh>

# Introduction to Security Groups

- Security Groups are the fundamental of network security in AWS
- They control how traffic is allowed into or out of our EC2 Instances.



- Security groups only contain **allow** rules
- Security groups rules can reference by IP or by security group


# Security Groups

## Deeper Dive

- Security groups are acting as a “firewall” on EC2 instances
- They regulate:
  - Access to Ports
  - Authorised IP ranges – IPv4 and IPv6
  - Control of inbound network (from other to the instance)
  - Control of outbound network (from the instance to other)

Type	Protocol	Port Range	Source	Description
HTTP	TCP	80	0.0.0.0/0	test http page
SSH	TCP	22	122.149.196.85/32	
Custom TCP Rule	TCP	4567	0.0.0.0/0	java app

# Security Groups Diagram




# Security Groups

## Good to know

- Can be attached to multiple instances
- Locked down to a region /VPC combination 
- Does live “outside” the EC2 – if traffic is blocked the EC2 instance won’t see it
- It’s good to maintain one separate security group for SSH access
- If your application is not accessible (time out), then it’s a security group issue
- If your application gives a “connection refused” error, then it’s an application error or it’s not launched
- All inbound traffic is **blocked** by default
- All outbound traffic is **authorised** by default

# Referencing other security groups

## Diagram



# Classic Ports to know

- 22 = SSH (Secure Shell) - log into a Linux instance
- 21 = FTP (File Transfer Protocol) – upload files into a file share
- 22 = SFTP (Secure File Transfer Protocol) – upload files using SSH
- 80 = HTTP – access unsecured websites
- 443 = HTTPS – access secured websites
- 3389 = RDP (Remote Desktop Protocol) – log into a Windows instance

# SSH Summary Table

	SSH	Putty	EC2 Instance Connect
Mac	✓		✓
Linux	✓		✓
Windows < 10		✓	✓
Windows >= 10	✓	✓	✓

# Which Lectures to watch

- Mac / Linux:
  - SSH on Mac/Linux lecture
- Windows:
  - Putty Lecture
  - If Windows 10: SSH on Windows 10 lecture
- All:
  - EC2 Instance Connect lecture


# SSH troubleshooting

- Students have the most problems with SSH
- If things don't work...
  1. Re-watch the lecture. You may have missed something
  2. Read the troubleshooting guide
  3. Try EC2 Instance Connect
- If one method works (SSH, Putty or EC2 Instance Connect) you're good
- If no method works, that's okay, the course won't use SSH much

# How to SSH into your EC2 Instance

## Linux / Mac OS X

- We'll learn how to SSH into your EC2 instance using Linux / Mac
- SSH is one of the most important function. It allows you to control a remote machine, all using the command line.




- We will see how we can configure OpenSSH `~/.ssh/config` to facilitate the SSH into our EC2 instances

# How to SSH into your EC2 Instance

## Windows

- We'll learn how to SSH into your EC2 instance using [Windows](#)
- SSH is one of the most important function. It allows you to control a remote machine, all using the command line.



- We will configure all the required parameters necessary for doing SSH on Windows using the free tool [Putty](#).

# EC2 Instance Connect

- Connect to your EC2 instance within your browser
- No need to use your key file that was downloaded
- The “magic” is that a temporary key is uploaded onto EC2 by AWS
- Works only out-of-the-box with Amazon Linux 2
- Need to make sure the port 22 is still opened!

Savings Plans is an offering of AWS that grants a flexible pricing model for those customers who want to significantly reduce their AWS bill in exchange for long-term commitment for one (1) or three (3) years. AWS Savings Plans may reduce costs by up to 76% compared to on-demand prices.

AWS offers three (3) types of Savings Plans:

- Compute Savings Plans
- EC2 Instance Savings Plans
- Amazon SageMaker Savings Plans

# EC2 Instances Purchasing Options

- On-Demand Instances – short workload, predictable pricing, pay by second
- Reserved (1 & 3 years)
  - Reserved Instances – long workloads
  - Convertible Reserved Instances – long workloads with flexible instances
- Savings Plans (1 & 3 years) – commitment to an amount of usage, long workload
- Spot Instances – short workloads, cheap, can lose instances (less reliable)
- Dedicated Hosts – book an entire physical server, control instance placement
- Dedicated Instances – no other customers will share your hardware
- Capacity Reservations – reserve capacity in a specific AZ for any duration

# EC2 On Demand

- Pay for what you use:
  - Linux or Windows - billing per second, after the first minute
  - All other operating systems - billing per hour
- Has the highest cost but no upfront payment
- No long-term commitment
- Recommended for **short-term** and **un-interrupted workloads**, where you can't predict how the application will behave

# EC2 Reserved Instances

- Up to **72%** discount compared to On-Demand
- You reserve a specific instance attributes (**instance type, region, Tenancy, OS**)
- Reservation Period – 1 year (+discount) or 3 years (+++discount)
- Payment Options – No Upfront (+), Partial Upfront (++) , All Upfront (+++)
- Reserved Instance's Scope – Regional or Zonal (reserve capacity in an AZ)
- Recommended for steady-state usage applications (think database)
- You can buy and sell in the Reserved Instance Marketplace
  
- **Convertible Reserved Instance**
  - Can change the EC2 instance type, instance family, OS, scope and tenancy
  - Up to **66%** discount

Characteristic	Standard	Convertible
Terms (avg. discount off On-Demand)	1yr (40%), 3yr (60%)	1yr (31%), 3yr (54%)
Change Availability Zone, instance size (for Linux OS), networking type	Yes (Using ModifyReservedInstances API and console)	Yes (Using ExchangeReservedInstances API and console)
Change instance families, operating system, tenancy, and payment option		Yes
Benefit from Price Reductions		Yes
Sellable on the Reserved Instance Marketplace	Yes (After linking account with a US bank account)	Coming soon

A company is currently using an On-Demand EC2 instance for their application which they plan to migrate to a Reserved EC2 Instance to save on cost. Which of the following is the most cost-effective option if the application being hosted would be used for more than 3 years?

- A) No Upfront Standard Reserved Instance pricing for a 1-year term that is renewed every year.
- B) All Upfront Convertible Reserved Instance pricing for a 1-year term.
- C) All Upfront, Standard Reserved Instance pricing for a 3-year term. **(Correct)**
- D) No Upfront Convertible Reserved Instance pricing for a 3-year term.

# EC2 Savings Plans

- Get a discount based on long-term usage (up to 72% - same as RIs)
- Commit to a certain type of usage (\$10/hour for 1 or 3 years)
- Usage beyond EC2 Savings Plans is billed at the On-Demand price
- Locked to a specific instance family & AWS region (e.g., M5 in us-east-1)
- Flexible across:
  - Instance Size (e.g., m5.xlarge, m5.2xlarge)
  - OS (e.g., Linux, Windows)
  - Tenancy (Host, Dedicated, Default)



# EC2 Spot Instances

- Can get a **discount of up to 90%** compared to On-demand
- Instances that you can “lose” at any point of time if **your max price is less than the current spot price**
- The **MOST cost-efficient** instances in AWS
- **Useful for workloads that are resilient to failure**
  - Batch jobs
  - Data analysis
  - Image processing
  - Any **distributed** workloads
  - Workloads with a flexible start and end time
- **Not suitable for critical jobs or databases**

# EC2 Dedicated Hosts

- A physical server with EC2 instance capacity fully dedicated to your use
- Allows you address **compliance requirements** and **use your existing server-bound software licenses** (per-socket, per-core, per—VM software licenses)
- Purchasing Options:
  - On-demand – pay per second for active Dedicated Host
  - Reserved - 1 or 3 years (No Upfront, Partial Upfront, All Upfront)
- The most expensive option
- Useful for software that have complicated licensing model (**BYOL – Bring Your Own License**)
- Or for companies that have strong regulatory or compliance needs

# EC2 Dedicated Instances

- Instances run on hardware that's dedicated to you
- May share hardware with other instances in same account
- No control over instance placement (can move hardware after Stop / Start)

Characteristic	Dedicated Instances	Dedicated Hosts
Enables the use of dedicated physical servers	X	X
Per instance billing (subject to a \$2 per region fee)	X	
Per host billing		X
Visibility of sockets, cores, host ID		X
Affinity between a host and instance		X
Targeted instance placement		X
Automatic instance placement	X	X
Add capacity using an allocation request		X

# EC2 Capacity Reservations

- Reserve On-Demand instances capacity in a specific AZ for any duration
- You always have access to EC2 capacity when you need it
- **No time commitment** (create/cancel anytime), no billing discounts
- Combine with Regional Reserved Instances and Savings Plans to benefit from billing discounts
- You're charged at On-Demand rate whether you run instances or not
- Suitable for short-term, uninterrupted workloads that needs to be in a specific AZ

# Which purchasing option is right for me?



- **On demand:** coming and staying in resort whenever we like, we pay the full price
- **Reserved:** like planning ahead and if we plan to stay for a long time, we may get a good discount.
- **Savings Plans:** pay a certain amount per hour for certain period and stay in any room type (e.g., King, Suite, Sea View, ...) 
- **Spot instances:** the hotel allows people to bid for the empty rooms and the highest bidder keeps the rooms. You can get kicked out at any time
- **Dedicated Hosts:** We book an entire building of the resort
- **Capacity Reservations:** you book a room for a period with full price even you don't stay in it


# Price Comparison

## Example – m4.large – us-east-1

Price Type	Price (per hour)
On-Demand	\$0.10
Spot Instance (Spot Price)	\$0.038 - \$0.039 (up to 61% off)
Reserved Instance (1 year)	\$0.062 (No Upfront) - \$0.058 (All Upfront)
Reserved Instance (3 years)	\$0.043 (No Upfront) - \$0.037 (All Upfront)
EC2 Savings Plan (1 year)	\$0.062 (No Upfront) - \$0.058 (All Upfront)
Reserved <b>Convertible</b> Instance (1 year)	\$0.071 (No Upfront) - \$0.066 (All Upfront)
Dedicated Host	On-Demand Price
Dedicated Host Reservation	Up to 70% off
Capacity Reservations	On-Demand Price

# AWS charges for IPv4 addresses

- Starting February 1<sup>st</sup> 2024, there's a charge for all Public IPv4 created in your account
- \$0.005 per hour of Public IPv4 (~ \$3.6 per month)
- For new accounts in AWS, you have a free tier for the **EC2 service**: 750 hours of Public IPv4 per month for the first 12 months
- For all other services there is no free tier



# AWS charges for IPv4 addresses

- What about IPv6?


- Unfortunately, many Internet Service Provider (ISP) around the world don't support IPv6, so the course would not work for some of you
- You can test IPv6 by going to <https://test-ipv6.com/>
- If you use IPv6 in this course, you're on your own (security groups, networking...) but you can do it!

- How to troubleshoot charges?

- Go into your AWS Bill
- Look into the AWS Public IP Insights service
- Nice article here:

[https://repost.aws/articles/ARknH\\_OR0cTvqoTfjrVGaB8A/why-am-i-seeing-charges-for-public-ipv4-addresses-when-i-am-under-the-aws-free-tier](https://repost.aws/articles/ARknH_OR0cTvqoTfjrVGaB8A/why-am-i-seeing-charges-for-public-ipv4-addresses-when-i-am-under-the-aws-free-tier)

A good service IPAM; IP Address Manager, where you can monitor all your IP Addresses.




# Shared Responsibility Model for EC2



- Infrastructure (global network security)
- Isolation on physical hosts
- Replacing faulty hardware
- Compliance validation
- Security Groups rules
- Operating-system patches and updates
- Software and utilities installed on the EC2 instance
- IAM Roles assigned to EC2 & IAM user access management
- Data security on your instance

# EC2 Section – Summary



- **EC2 Instance:** AMI (OS) + Instance Size (CPU + RAM) + Storage + security groups + EC2 User Data
- **Security Groups:** Firewall attached to the EC2 instance
- **EC2 User Data:** Script launched at the first start of an instance
- **SSH:** start a terminal into our EC2 Instances (port 22)
- **EC2 Instance Role:** link to IAM roles
- **Purchasing Options:** On-Demand, Spot, Reserved (Standard + Convertible), Dedicated Host, Dedicated Instance

# EC2 Instance Storage Section

# What's an EBS Volume?



- An **EBS (Elastic Block Store) Volume** is a **network drive** you can attach to your instances while they run
- It allows your instances to persist data, even after their termination
- They can only be mounted to one instance at a time (at the CCP level)
- They are bound to a specific **availability zone**

Category: CCP – Cloud Technology and Services

Which of the following is not required when launching an EBS-backed EC2 instance?

- Analogy: Think of them as a “
- Free tier: 30 GB of free EBS : Magnetic per month

VPC and subnet specification
Elastic IP address (Correct)
Security group

# EBS Volumes

- It's a network volume
  - It uses the network to reduce latency
  - It can be detached from an instance
- It's locked to a specific instance
  - An EBS Volume is attached to an instance
  - To move a volume you must detach it from one instance and attach it to another
- Have a provisioned capacity (size in GB)
  - You get billed for all the provisioned capacity
  - You can increase the capacity of the drive

FEATURES	SSD Solid State Drive	HDD Hard Disk Drive
Best for workloads with:	<i>small, random</i> I/O operations	<i>large, sequential</i> I/O operations
Can be used as a bootable volume?	Yes	No
Suitable Use Cases	<ul style="list-style-type: none"> <li>- Best for <b>transactional workloads</b></li> <li>- Critical business applications that require sustained IOPS performance</li> <li>- Large database workloads such as MongoDB, Oracle, Microsoft SQL Server and many others...</li> </ul>	<ul style="list-style-type: none"> <li>- Best for <b>large streaming workloads</b> requiring consistent, fast throughput at a low price</li> <li>- Big data, Data warehouses, Log processing</li> <li>- Throughput-oriented storage for large volumes of data that is <b>infrequently accessed</b></li> </ul>
Cost	moderate / high 	low 
Dominant Performance Attribute	IOPS	Throughput (MiB/s)



TutorialsDojo

You are planning to deploy a video streaming application with frequently accessed, throughput-intensive workloads to your EC2 instance which requires fast, consistent throughput. What EBS volume type should you use to maximize performance as well as cost?

Throughput Optimized HDD (Correct)


Cold HDD

General Purpose SSD

Provisioned IOPS SSD

# EBS Volume - Example

**US-EAST-1A**



**US EAST 1A**

You are planning to create point-in-time backups of your Amazon EBS volumes. Which of the following are correct statements? (Select TWO.)

You can create point-in-time backups through EBS snapshots (**Correct**)

Instances will have to be stopped first to start the EBS backup

EBS backups are stored durably in Amazon S3 (**Correct**)

You can take EBS backups by creating Amazon Machine Images (AMIs)

Backing up the same EBS volume will create a new back up of the whole volume

(50 GB)

(50 GB)

(10 GB)  
unattached


# EBS – Delete on Termination attribute

Volume Type <small>i</small>	Device <small>i</small>	Snapshot <small>i</small>	Size (GiB) <small>i</small>	Volume Type <small>i</small>	IOPS <small>i</small>	Throughput (MB/s) <small>i</small>	Delete on Termination <small>i</small>	Encryption <small>i</small>
Root	/dev/xvda	snap-09f18f682fd23a1b1	8	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted ▾
EBS	/dev/sdb	Search (case-insensit	8	General Purpose SSD (gp2)	100 / 3000	N/A	<input type="checkbox"/>	Not Encrypted ▾ <span style="color:red;">X</span>
<a href="#">Add New Volume</a>								

- Controls the EBS behaviour when an EC2 instance terminates
  - By default, the root EBS volume is deleted (attribute enabled)
  - By default, any other attached EBS volume is not deleted (attribute disabled)
- This can be controlled by the AWS console / AWS CLI
- Use case: preserve root volume when instance is terminated

# EBS Snapshots

- Make a backup (snapshot) of your EBS volume at a point in time
- Not necessary to detach volume to do snapshot, but recommended
- Can copy snapshots across AZ or Region




# EBS Snapshots Features

You can use Amazon EBS as a primary storage device for data that requires frequent and granular updates. For example, Amazon EBS is the recommended storage option when you run a database on an instance.


## • EBS Snapshot Archive

- Move a Snapshot to an "archive tier" that is 75% cheaper
- Takes within 24 to 72 hours for restoring the archive



## • Recycle Bin for EBS Snapshots

- Setup rules to retain deleted snapshots so you can recover them after an accidental deletion
- Specify retention (from 1 day to 1 year)






# AMI Overview

- AMI = Amazon Machine Image
- AMI are a **customization** of an EC2 instance
  - You add your own software, configuration, operating system, monitoring...
  - Faster boot / configuration time because all your software is pre-packaged
- AMI are built for a **specific region** (and can be copied across regions)
- You can launch EC2 instances from:
  - A Public AMI: AWS provided
  - Your own AMI: you make and maintain them yourself
  - An AWS Marketplace AMI: an AMI someone else made (and potentially sells)

# AMI Process (from an EC2 instance)


- Start an EC2 instance and customize it
- Stop the instance (for data integrity)
- Build an AMI – this will also create EBS snapshots
- Launch instances from other AMIs



# EC2 Image Builder




- Used to automate the creation of Virtual Machines or container images
- => Automate the creation, maintain, validate and test **EC2 AMIs**
- Can be run **on a schedule** (weekly, whenever packages are updated, etc...)
- Free service (**only pay for the underlying resources**)



will automatically run punch of tests to make sure its being created sucessfully

# EC2 Instance Store

High Performance attached hard drive , It's called ephemeral storage



- EBS volumes are **network drives** with good but “limited” performance
- If you need a high-performance hardware disk, use EC2 Instance Store
- Better I/O performance
- EC2 Instance Store lose their storage if they're stopped (ephemeral)
- Good for buffer / cache / scratch data / temporary content
- Risk of data loss if hardware fails
- Backups and Replication are your responsibility

# Local EC2 Instance Store


Very high IOPS

Instance Size	100% Random Read IOPS	Write IOPS
i3.large *	100,125	35,000
i3.xlarge *	206,250	70,000
i3.2xlarge	412,500	180,000
i3.4xlarge	825,000	360,000
i3.8xlarge	1.65 million	720,000
i3.16xlarge	3.3 million	1.4 million
i3.metal	3.3 million	1.4 million
i3en.large *	42,500	32,500
i3en.xlarge *	85,000	65,000
i3en.2xlarge *	170,000	130,000
i3en.3xlarge	250,000	200,000
i3en.6xlarge	500,000	400,000
i3en.12xlarge	1 million	800,000
i3en.24xlarge	2 million	1.6 million
i3en.metal	2 million	1.6 million





# EFS – Elastic File System

- Managed NFS (network file system) that can be mounted on 100s of EC2
- EFS works with **Linux** EC2 instances in **multi-AZ**
- Highly available, scalable, expensive (3x gp2), pay per use, no capacity planning




# EBS vs EFS



# EFS Infrequent Access (EFS-IA)

- Storage class that is cost-optimized for files not accessed every day
- Up to 92% lower cost compared to EFS Standard
- EFS will automatically move your files to EFS-IA based on the last time they were accessed
- Enable EFS-IA with a Lifecycle Policy
- Example: move files that are not accessed for 60 days to EFS-IA
- Transparent to the applications accessing EFS



# Shared Responsibility Model for EC2 Storage



- Infrastructure
- Replication for data for EBS volumes & EFS drives
- Replacing faulty hardware
- Ensuring their employees cannot access your data
- Setting up backup / snapshot procedures
- Setting up data encryption
- Responsibility of any data on the drives
- Understanding the risk of using EC2 Instance Store

# Amazon FSx – Overview

in case you don't need to use EFS , S3 ---> Managed Service



- Launch 3rd party high-performance file systems on AWS
- Fully managed service



**FSx for Lustre**



**FSx for  
Windows File  
Server**




**FSx for  
NetApp ONTAP**

# Amazon FSx for Windows File Server




- A fully managed, highly reliable, and scalable **Windows native** shared file system
- Built on **Windows File Server**
- Supports **SMB** protocol & Windows **NTFS**
- Integrated with Microsoft Active Directory
- Can be accessed from AWS or your on-premise infrastructure



# Amazon FSx for Lustre



- A fully managed, high-performance, scalable file storage for **High Performance Computing (HPC)**
- The name Lustre is derived from “Linux” and “cluster”
- Machine Learning, Analytics, Video Processing, Financial Modeling, ...
- Scales up to 100s GB/s, millions of IOPS, sub-ms latencies



# EC2 Instance Storage - Summary

- **EBS volumes:**
  - network drives attached to one EC2 instance at a time
  - Mapped to an Availability Zones
  - Can use EBS Snapshots for backups / transferring EBS volumes across AZ
- **AMI:** create ready-to-use EC2 instances with our customizations
- **EC2 Image Builder:** automatically build, test and distribute AMIs
- **EC2 Instance Store:**
  - High performance hardware disk attached to our EC2 instance
  - Lost if our instance is stopped / terminated
- **EFS:** network file system, can be attached to 100s of instances in a region
- **EFS-IA:** cost-optimized storage class for infrequent accessed files
- **FSx for Windows:** Network File System for Windows servers
- **FSx for Lustre:** High Performance Computing Linux file system


# Elastic Load Balancing & Auto Scaling Groups Section

# Scalability & High Availability

- Scalability means that an application / system can handle greater loads by adapting.
- There are two kinds of scalability:
  - Vertical Scalability
  - Horizontal Scalability (= elasticity)
- Scalability is linked but different to High Availability
- Let's deep dive into the distinction, using a call center as an example

# Vertical Scalability



- Vertical Scalability means increasing of the instance
- For example, your application runs on t2.micro
- Scaling that application vertically means running it on a t2.large
- Vertical scalability is **very common for non distributed systems, such as a database.**
- There's usually a limit to how much you can vertically scale (hardware limit)



# Horizontal Scalability

- Horizontal Scalability means increasing the number of instances / systems for your application
- Horizontal scaling implies distributed systems.
- This is very common for web applications / modern applications
- It's easy to horizontally scale thanks the cloud offerings such as Amazon EC2



operator operator operator



operator operator operator

# High Availability

- High Availability usually goes hand in hand with horizontal scaling
- High availability means running your application / system in at least 2 Availability Zones
- The goal of high availability is to survive a data center loss (disaster)



# High Availability & Scalability For EC2

- Vertical Scaling: Increase instance size (= scale up / down)
  - From: t2.nano - 0.5G of RAM, 1 vCPU
  - To: u-12tbl.metal – 12.3 TB of RAM, 448 vCPUs
- Horizontal Scaling: Increase number of instances (= scale out / in)
  - Auto Scaling Group
  - Load Balancer
- High Availability: Run instances for the same application across multi AZ
  - Auto Scaling Group multi AZ
  - Load Balancer multi AZ

# Scalability vs Elasticity (vs Agility)


- **Scalability:** ability to accommodate a larger load by making the hardware stronger (scale up), or by adding nodes (scale out)
- **Elasticity:** once a system is scalable, elasticity means that there will be some “auto-scaling” so that the system can scale based on the load. This is “cloud-friendly”: pay-per-use, match demand, optimize costs
- **Agility:** (not related to scalability - distractor) new IT resources are only a click away, which means that you reduce the time to make those resources available to your developers from weeks to just minutes.

# What is load balancing?



- Load balancers are servers that forward internet traffic to multiple servers (EC2 Instances) downstream.

such as Amazon EC2 instances, containers, IP addresses, and Lambda functions. It can handle the varying load of your application traffic in a single Availability Zone or across multiple Availability Zones.



# Why use a load balancer?

- Spread load across multiple downstream instances
- Expose a single point of access (DNS) to your application
- Seamlessly handle failures of downstream instances
- Do regular health checks to your instances
- Provide SSL termination (HTTPS) for your websites
- High availability across zones

the minimum number of Availability Zones that you should set up for your Application Load Balancer in order to create a highly available architecture

2 (Correct)

# Why use an Elastic Load Balancer?

- An ELB (Elastic Load Balancer) is a **managed load balancer**
  - AWS guarantees that it will be working
  - AWS takes care of upgrades, maintenance, high availability
  - AWS provides only a few configuration knobs
- It costs less to setup your own load balancer but it will be a lot more effort on your end (maintenance, integrations)
- 4 kinds of load balancers offered by AWS:
  - Application Load Balancer (HTTP / HTTPS only) – Layer 7
  - Network Load Balancer (ultra-high performance, allows for TCP) – Layer 4
  - Gateway Load Balancer – Layer 3
  - Classic Load Balancer (retired in 2023) – Layer 4 & 7

Which type of Elastic Load Balancer supports path-based routing, host-based routing, and bi-directional communication channels using WebSockets?

Application Load Balancer **(Correct)**

Network Load Balancer

Gateway Load Balancer


Both Application Load Balancer and Network Load Balancer

## Application Load Balancer



Application Load Balancers support path-based routing, host-based routing, WebSockets and support for containerized applications. For path-based routing, you can configure rules for your listener that forward requests based on the URL in the request. This enables you to structure your application as smaller services, and route requests to the correct service based on the content of the URL. For host-based routing, you can configure rules for your listener that forward requests based on the host field in the HTTP header. This enables you to route requests to multiple domains using a single load balancer.


- **HTTP protocol**
- **HTTP Routing features**
- **Static DNS (URL)**




## Network Load Balancer




- **High Performance:** millions of request per seconds
- **Static IP** through Elastic IP




## Gateway Load Balancer



- **GENEVE Protocol on IP Packets (Layer 3)**
- **Route Traffic to Firewalls** that you manage on EC2 Instances
- **Intrusion detection**




# What's an Auto Scaling Group?




- In real-life, the load on your websites and application can change
- In the cloud, you can create and get rid of servers very quickly
- The goal of an Auto Scaling Group (ASG) is to:
  - Scale out (add EC2 instances) to match an increased load
  - Scale in (remove EC2 instances) to match a decreased load
  - Ensure we have a minimum and a maximum number of machines running
  - Automatically register new instances to a load balancer
  - Replace unhealthy instances
- Cost Savings: only run at an optimal capacity (principle of the cloud)

# Auto Scaling Group in AWS



# Auto Scaling Group in AWS With Load Balancer



It work hand in hand with a load balancer.  
So that means that if we have our auto scaling group  
for example, with one EC2 instance,  
web traffic can be coming in through our load balancer,  
which will be redirecting the traffic  
directly into your EC2 instance  
and as our auto scaling group scales out  
by adding EC2 instances,  
the load balancer will have them registered  
and will send traffic to them as well.  
So as we add on more and EC2 instances,  
the load balancer distributes more  
and more of the traffic,  
all the way to the maximum size of your auto scaling group if it  
scales all that point.  
So that's it for this lecture.

# Auto Scaling Groups – Scaling Strategies

- **Manual Scaling:** Update the size of an ASG manually
- **Dynamic Scaling:** Respond to changing demand
  - **Simple / Step Scaling**
    - When a CloudWatch alarm is triggered (example CPU > 70%), then add 2 units
    - When a CloudWatch alarm is triggered (example CPU < 30%), then remove 1
  - **Target Tracking Scaling**
    - Example: I want the average ASG CPU to stay at around 40%
  - **Scheduled Scaling**
    - Anticipate a scaling based on known usage patterns
    - Example: increase the min. capacity to 10 at 5 pm on Fridays

and we need to create a launch template.

So currently we have none.

So let's create a launch template,  
and I will call this one DemoLaunchTemplate.

And this template is being used to tell  
to the ASG how to create EC2 instances within it.

So this will look very, very similar  
to what we have when we create EC2 instances.


As you can see here, I can choose, for example,  
a quick start Amazon Linux for getting Amazon Linux 2  
as the base of my EC2 instance.

# Auto Scaling Groups – Scaling Strategies

- **Predictive Scaling**

- Uses Machine Learning to predict future traffic ahead of time
- Automatically provisions the right number of EC2 instances in advance

- Useful when your load has predictable time-based patterns



# ELB & ASG – Summary

- High Availability vs Scalability (vertical and horizontal) vs Elasticity vs Agility in the Cloud
- Elastic Load Balancers (ELB)
  - Distribute traffic across backend EC2 instances, can be Multi-AZ
  - Supports health checks
  - 4 types: Classic (old), Application (HTTP – L7), Network (TCP – L4), Gateway (L3)
- Auto Scaling Groups (ASG)
  - Implement Elasticity for your application, across multiple AZ
  - Scale EC2 instances based on the demand on your system, replace unhealthy
  - Integrated with the ELB

# Amazon S3 Section

# Section introduction



- Amazon S3 is one of the main building blocks of AWS
- It's advertised as "infinitely scaling" storage

But I have learned it has max 5 TB as a limit but you can scale by adding another buckets

- Many websites use Amazon S3 as a backbone
- Many AWS services use Amazon S3 as an integration as well
- We'll have a step-by-step approach to S3

# Amazon S3 Use cases

- Backup and storage
- Disaster Recovery
- Archive
- Hybrid Cloud storage
- Application hosting
- Media hosting
- Data lakes & big data analytics
- Software delivery
- Static website



Nasdaq stores 7 years of data into S3 Glacier



Sysco runs analytics on its data and gain business insights

# Amazon S3 - Buckets

optimal for storing numerous classes of information that are relatively static and not rapidly changing data just as what was mentioned in this scenario.

- Amazon S3 allows people to store objects (files) in “buckets” (directories)
- Buckets must have a **globally unique name** (across all regions all accounts)
- Buckets are defined at the region level
- S3 looks like a global service but buckets are created in a region
- Naming convention
  - No uppercase, No underscore
  - 3-63 characters long
  - Not an IP
  - Must start with lowercase letter or number
  - Must NOT start with the prefix **xn--**
  - Must NOT end with the suffix **-s3alias**

Which of the following characteristics correctly describes the Amazon Simple Storage Service? (Select TWO.)

- |  |
|--|
| A durable, high throughput file system                     |
| A storage service with virtually unlimited space (Correct) |
| A highly durable object storage infrastructure (Correct)   |
| A high-performance block storage service                   |
| A hybrid cloud storage service                             |



# Amazon S3 - Objects

- Objects (files) have a **Key**
- **The key is the FULL path:**
  - s3://my-bucket/**my\_file.txt**
  - s3://my-bucket/**my\_folder1/another\_folder/my\_file.txt**
- **The key is composed of prefix + object name**
  - s3://my-bucket/**my\_folder1/another\_folder/my\_file.txt**
- There's no concept of "directories" within buckets (although the UI will trick you to think otherwise)
- **Just keys with very long names that contain slashes ("")**



Delineated Into Parts

Parts Uploaded to S3

Object Finalized in S3

# Amazon S3 – Objects (cont.)

- Object **values** are the content of the body:
  - Max. Object Size is 5TB (5000GB)
  - If uploading more than 5GB, must use “multi-part upload”
- **Metadata** (list of text key / value pairs – system or user metadata)
- **Tags** (Unicode key / value pair – up to 10) – useful for security / lifecycle
- **Version ID** (if versioning is enabled)

A space agency is using Amazon S3 to store their high-resolution satellite images and videos everyday. Which of the following should they do to minimize the upload time?

Shift to S3 Intelligent-Tiering storage class

Enable Cross-Origin Resource Sharing (CORS)

Upload the images and videos using the BatchWriteItem API

Use the Multipart upload API (Correct)

# Amazon S3 – Security

- User-Based
  - IAM Policies – which API calls should be allowed for
- Resource-Based
  - Bucket Policies – bucket wide rules from the S3 configuration
  - Object Access Control List (ACL) – finer grain (can be disabled)
  - Bucket Access Control List (ACL) – less common (can be disabled)
- Note: an IAM principal can access an S3 object if
  - The user IAM permissions ALLOW it OR
  - AND there's no explicit DENY
- Encryption: encrypt objects in Amazon

There is an incident with your team where an S3 object was deleted using an account without the owner's knowledge. What can be done to prevent unauthorized deletion of your S3 objects?

Set up stricter IAM policies that will prevent users from deleting S3 objects

Create access control policies so that only you can perform S3-related actions

Configure MFA delete on the S3 bucket. (Correct)

Set your S3 buckets to private so that objects are not publicly readable/writable

The screenshot shows the 'Bucket Versioning' section of the AWS S3 Bucket Properties page. It includes a description of what versioning is, a link to learn more, and two options: 'Suspend' and 'Enable'. The 'Enable' option is selected. Below this, there is a section for 'Multi-factor authentication (MFA) delete' with a status of 'Enabled'.

**Bucket Versioning**  
Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

**Bucket Versioning**

**Suspend**  
This suspends the creation of object versions for all operations but preserves any existing object versions.

**Enable**

**Multi-factor authentication (MFA) delete**  
An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)


Enabled

# S3 Bucket Policies


- JSON based policies
  - Resources: buckets and objects
  - Effect: Allow / Deny
  - Actions: Set of API to Allow or Deny
  - Principal: The account or user to apply the policy to
- Use S3 bucket for policy to:
  - Grant public access to the bucket
  - Force objects to be encrypted at upload
  - Grant access to another account (Cross Account)

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Sid": "PublicRead",  
      "Effect": "Allow",  
      "Principal": "*",  
      "Action": [  
        "s3:GetObject"  
      ],  
      "Resource": [  
        "arn:aws:s3:::examplebucket/*"  
      ]  
    }  
  ]  
}
```


# Example: Public Access - Use Bucket Policy




# Example: User Access to S3 – IAM permissions




# Example: EC2 instance access - Use IAM Roles



# Advanced: Cross-Account Access – Use Bucket Policy



# Bucket settings for Block Public Access



- These settings were created to prevent company data leaks
- If you know your bucket should never be public, leave these on
- Can be set at the account level


# Amazon S3 – Static Website Hosting

- S3 can host static websites and have them accessible on the Internet
- The website URL will be (depending on the region)
  - [http://\*bucket-name\*.s3-website-\*aws-region\*.amazonaws.com](http://bucket-name.s3-website-us-west-2.amazonaws.com)  
OR
  - [http://\*bucket-name\*.s3-website.\*aws-region\*.amazonaws.com](http://bucket-name.s3-website.us-west-2.amazonaws.com)
- If you get a 403 Forbidden error, make sure the bucket policy allows public reads!



# Amazon S3 - Versioning


- You can version your files in Amazon S3
- It is enabled at the **bucket level**
- Same key overwrite will change the “version”: 1, 2, 3....
- It is best practice to version your buckets
  - Protect against unintended deletes (ability to restore a version)
  - Easy roll back to previous version
- Notes:
  - Any file that is not versioned prior to enabling versioning will have version “null”
  - Suspending versioning does not delete the previous versions



# Amazon S3 – Replication (CRR & SRR)



- Must enable Versioning in source and destination buckets
- Cross-Region Replication (CRR)
- Same-Region Replication (SRR)
- Buckets can be in different AWS accounts
- Copying is asynchronous
- Must give proper IAM permissions to S3
- Use cases:
  - CRR – compliance, lower latency access, replication across accounts
  - SRR – log aggregation, live replication between production and test accounts



# S3 Storage Classes

- Amazon S3 Standard - General Purpose
- Amazon S3 Standard-Infrequent Access (IA)
- Amazon S3 One Zone-Infrequent Access
- Amazon S3 Glacier Instant Retrieval
- Amazon S3 Glacier Flexible Retrieval
- Amazon S3 Glacier Deep Archive
- Amazon S3 Intelligent Tiering
- Can move between classes manually or using S3 Lifecycle configurations

# S3 Durability and Availability

- Durability:
  - High durability (99.99999999%, 11 9's) of objects across multiple AZ
  - If you store 10,000,000 objects with Amazon S3, you can on average expect to incur a loss of a single object once every 10,000 years
  - Same for all storage classes
- Availability:
  - Measures how readily available a service is
  - Varies depending on storage class
  - Example: S3 standard has 99.99% availability = not available 53 minutes a year




# S3 Standard – General Purpose

- 99.99% Availability
  - Used for frequently accessed data
  - Low latency and high throughput
  - Sustain 2 concurrent facility failures
- 
- Use Cases: Big Data analytics, mobile & gaming applications, content distribution...

# S3 Storage Classes – Infrequent Access

- For data that is less frequently accessed, but requires rapid access when needed
- Lower cost than S3 Standard
- Amazon S3 Standard-Infrequent Access (S3 Standard-IA)
  - 99.9% Availability
  - Use cases: Disaster Recovery, backups
- Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA)
  - High durability (99.99999999%) in a single AZ; data lost when AZ is destroyed
  - 99.5% Availability
  - Use Cases: Storing secondary backup copies of on-premise data, or data you can recreate



# Amazon S3 Glacier Storage Classes

- Low-cost object storage meant for archiving / backup
- Pricing: price for storage + object retrieval cost
- **Amazon S3 Glacier Instant Retrieval**
  - Millisecond retrieval, great for data accessed once a quarter
  - Minimum storage duration of 90 days
- **Amazon S3 Glacier Flexible Retrieval** (formerly Amazon S3 Glacier):
  - Expedited (1 to 5 minutes), Standard (3 to 5 hours), Bulk (5 to 12 hours) – free
  - Minimum storage duration of 90 days
- **Amazon S3 Glacier Deep Archive** – for long term storage:
  - Standard (12 hours), Bulk (48 hours)
  - Minimum storage duration of 180 days





# S3 Intelligent-Tiering

- Small monthly monitoring and auto-tiering fee
  - Moves objects automatically between Access Tiers based on usage
  - There are no retrieval charges in S3 Intelligent-Tiering
- 
- *Frequent Access tier (automatic)*: default tier
  - *Infrequent Access tier (automatic)*: objects not accessed for 30 days
  - *Archive Instant Access tier (automatic)*: objects not accessed for 90 days
  - *Archive Access tier (optional)*: configurable from 90 days to 700+ days
  - *Deep Archive Access tier (optional)*: config. from 180 days to 700+ days

# S3 Storage Classes Comparison

	Standard	Intelligent-Tiering	Standard-IA	One Zone-IA	Glacier Instant Retrieval	Glacier Flexible Retrieval	Glacier Deep Archive
Durability	99.999999999% == (11 9's)						
Availability	99.99%	99.9%	99.9%	99.5%	99.9%	99.99%	99.99%
Availability SLA	99.9%	99%	99%	99%	99%	99.9%	99.9%
Availability Zones	>= 3	>= 3	>= 3	1	>= 3	>= 3	>= 3
Min. Storage Duration Charge	None	None	30 Days	30 Days	90 Days	90 Days	180 Days
Min. Billable Object Size	None	None	128 KB	128 KB	128 KB	40 KB	40 KB
Retrieval Fee	None	None	Per GB retrieved	Per GB retrieved	Per GB retrieved	Per GB retrieved	Per GB retrieved

<https://aws.amazon.com/s3/storage-classes/>

# S3 Storage Classes – Price Comparison


Example: us-east-1

	Standard	Intelligent-Tiering	Standard-IA	One Zone-IA	Glacier Instant Retrieval	Glacier Flexible Retrieval	Glacier Deep Archive
Storage Cost (per GB per month)	\$0.023	\$0.0025 - \$0.023	\$0.0125	\$0.01	\$0.004	\$0.0036	\$0.00099
Retrieval Cost (per 1000 request)	<b>GET:</b> \$0.0004 <b>POST:</b> \$0.005	<b>GET:</b> \$0.0004 <b>POST:</b> \$0.005	<b>GET:</b> \$0.001 <b>POST:</b> \$0.01	<b>GET:</b> \$0.001 <b>POST:</b> \$0.01	<b>GET:</b> \$0.01 <b>POST:</b> \$0.02	<b>GET:</b> \$0.0004 <b>POST:</b> \$0.03  <b>Expedited:</b> \$10 <b>Standard:</b> \$0.05 <b>Bulk:</b> free	<b>GET:</b> \$0.0004 <b>POST:</b> \$0.05  <b>Standard:</b> \$0.10 <b>Bulk:</b> \$0.025
Retrieval Time	Instantaneous						<b>Expedited</b> (1 – 5 mins) <b>Standard</b> (3 – 5 hours) <b>Bulk</b> (5 – 12 hours)
Monitoring Cost (pet 1000 objects)		\$0.0025					


<https://aws.amazon.com/s3/pricing/>

# S3 Encryption

## Server-Side Encryption (Default)




## Client-Side Encryption



# IAM Access Analyzer for S3

- Ensures that only intended people have access to your S3 buckets
- Example: publicly accessible bucket, bucket shared with other AWS account...
- Evaluates S3 Bucket Policies, S3 ACLs, S3 Access Point Policies
- Powered by IAM Access Analyzer



The screenshot shows a warning message for buckets with public access. It includes a red warning icon, a button to 'View findings', and buttons to 'Mark as active', 'Archive', and 'Block all public access'. Below this, a table lists four buckets with public access, each with a red redacted name.

Bucket name	Discovered by Access Analyzer	Shared through	Status	Access level
● [REDACTED]	2 minutes ago	Bucket policy	Active	Read
● [REDACTED]	2 minutes ago	Bucket policy	Active	Read
● [REDACTED]	2 minutes ago	Bucket policy	Active	Read
● [REDACTED]	2 minutes ago	Bucket policy	Active	Read

# Shared Responsibility Model for S3



- Infrastructure (global security, durability, availability, sustain concurrent loss of data in two facilities)
- Configuration and vulnerability analysis
- Compliance validation
- S3 Versioning
- S3 Bucket Policies
- S3 Replication Setup
- Logging and Monitoring
- S3 Storage Classes
- Data encryption at rest and in transit

# AWS Snowball



- Highly-secure, portable devices to collect and process data at the edge, and migrate data into and out of AWS
- Helps migrate up to Petabytes of data

Device	Compute	Memory	Storage (SSD)
Snowball Edge <b>Storage</b> Optimized	104 vCPUs	416 GB	<b>210 TB</b>
Snowball Edge <b>Compute</b> Optimized	104 vCPUs	416 GB	<b>28 TB</b>



**Snowball Edge**

According to the lecture, "an edge location is anything that really doesn't have internet, or that is far away from a cloud. So, for example, if you have a truck on the road, or if you have a ship on the sea or a mining station underground, all these things can be called edge locations, because they can produce data, but they may not necessarily have internet connectivity, so, either limited connectivity, or no internet access, or no access to computing power."

But I found this definition "An edge location is the nearest point to the consumer(user) who is consuming the AWS service. In these locations, the server is not present but a small setup is there. They are located in major cities around the world."

# Data Migrations with Snowball

	Time to Transfer		
	100 Mbps	1Gbps	10Gbps
10 TB	12 days	30 hours	3 hours
100 TB	124 days	12 days	30 hours
1 PB	3 years	124 days	12 days

## Challenges:

- Limited connectivity
- Limited bandwidth
- High network cost
- Shared bandwidth (can't maximize the line)
- Connection stability

AWS Snowball: offline devices to perform data migrations


If it takes more than a week to transfer over the network, use Snowball devices!

# Diagrams

- Direct upload to S3:



- With Snowball:



# What is Edge Computing?

- Process data while it's being created on **an edge location**
  - A truck on the road, a ship on the sea, a mining station underground...



- These locations may have limited internet and no access to computing power
- We setup a **Snowball Edge** device to do edge computing
  - Snowball Edge Compute Optimized (dedicated for that use case) & Storage Optimized
  - Run EC2 Instances or Lambda functions at the edge
- Use cases: preprocess data, machine learning, transcoding media

# Snowball Edge Pricing

- You pay for device usage and data transfer out of AWS
- Data transfer IN to Amazon S3 is \$0.00 per GB
- On-Demand
  - Includes a one-time service fee per job, which includes:
    - 10 days of usage for Snowball Edge Storage Optimized 80TB
    - 15 days of usage for Snowball Edge Storage Optimized 210TB
  - Shipping days are NOT counted towards the included 10 or 15 days
  - Pay per day for any additional days
- Committed Upfront
  - Pay in advance for monthly, 1-year, and 3-years of usage (Edge Computing)
  - Up to 62% discounted pricing

# Hybrid Cloud for Storage


- AWS is pushing for "hybrid cloud"
  - Part of your infrastructure is on-premises
  - Part of your infrastructure is on the cloud
- This can be due to
  - Long cloud migrations
  - Security requirements
  - Compliance requirements
  - IT strategy
- S3 is a proprietary storage technology (unlike EFS / NFS), so how do you expose the S3 data on-premise?
- AWS Storage Gateway!

# AWS Storage Cloud Native Options

## BLOCK



Amazon EBS



EC2 Instance  
Store

## FILE



Amazon EFS

## OBJECT



Amazon S3



Glacier

Q

Which AWS service or resource helps on-premises applications connect to AWS Cloud-based storage and caches the data locally for low-latency access?

A AWS Direct Connect

B AWS Storage Gateway

C Amazon S3

D AWS Snowball Edge

# AWS Storage Gateway


- Bridge between on-premise data and cloud data in S3
- Hybrid storage service to allow on-premises to seamlessly use the AWS Cloud
- Use cases: disaster recovery, backup & restore, tiered storage
- Types of Storage Gateway:
  - File Gateway
  - Volume Gateway
  - Tape Gateway
- No need to know the types at the exam



# Amazon S3 – Summary

- **Buckets vs Objects:** global unique name, tied to a region
- **S3 security:** IAM policy, S3 Bucket Policy (public access), S3 Encryption
- **S3 Websites:** host a static website on Amazon S3
- **S3 Versioning:** multiple versions for files, prevent accidental deletes
- **S3 Replication:** same-region or cross-region, must enable versioning
- **S3 Storage Classes:** Standard, IA, IZ-IA, Intelligent, Glacier (Instant, Flexible, Deep)
- **Snow Family:** import data onto S3 through a physical device, edge computing
- **OpsHub:** desktop application to manage Snow Family devices
- **Storage Gateway:** hybrid solution to extend on-premises storage to S3

# Databases Section




# Databases Intro

- Storing data on disk (EFS, EBS, EC2 Instance Store, S3) can have its limits
- Sometimes, you want to store data in a database...
- You can **structure** the data
- You build **indexes** to efficiently **query** / **search** through the data
- You define **relationships** between your **datasets**
  
- Databases are **optimized for a purpose** and come with different features, shapes and constraints

# Relational Databases

- Looks just like Excel spreadsheets, with links between them!
- Can use the SQL language to perform queries / lookups



# NoSQL Databases

- NoSQL = non-SQL = non relational databases
- NoSQL databases are purpose built for specific data models and have **flexible schemas for building modern applications.**
- Benefits:
  - Flexibility: easy to evolve data model
  - Scalability: designed to scale-out by using distributed clusters
  - High-performance: optimized for a specific data model
  - Highly functional: types optimized for the data model
- Examples: Key-value, document, graph, in-memory, search databases

# NoSQL data example: JSON


- JSON = JavaScript Object Notation
- JSON is a common form of data that fits into a NoSQL model
- Data can be **nested**
- Fields can **change** over time
- Support for new types: **arrays**, etc...

```
{  
  "name": "John",  
  "age": 30,  
  "cars": [  
    "Ford",  
    "BMW",  
    "Fiat"  
  "address": {  
    "type": "house",  
    "number": 23,  
    "street": "Dream Road"  
  }  
}
```

# Databases & Shared Responsibility on AWS

- AWS offers use to **manage** different databases
- **Benefits** include:
  - Quick Provisioning, High Availability, Vertical and Horizontal Scaling
  - Automated Backup & Restore, Operations, Upgrades
  - Operating System Patching is handled by AWS
  - Monitoring, alerting
- Note: many databases technologies could be run on EC2, but you must handle yourself the resiliency, backup, patching, high availability, fault tolerance, scaling...

# Amazon RDS Overview



- RDS stands for Relational Database Service
- It's a managed DB service for DB use SQL as a query language.
- It allows you to create databases in the cloud that are managed by AWS
  - Postgres
  - MySQL
  - MariaDB
  - Oracle
  - Microsoft SQL Server
  - IBM DB2
  - Aurora (AWS Proprietary database)

There is a requirement to launch a new database in AWS where the customer assumes the responsibility and management of the guest operating system, including updates and security patches. Which of the following services should the customer use?

Amazon DynamoDB

Amazon DocumentDB

Amazon Aurora


Amazon EC2 (**Correct**)

# Advantage over using RDS versus deploying DB on EC2

Simplifies the management of time-consuming database administration tasks  
Makes it easy to set up, operate, and scale a relational database

- RDS is a managed service:
  - Automated provisioning, OS patching
  - Continuous backups and restore to specific timestamp (Point in Time Restore)!
  - Monitoring dashboards
  - Read replicas for improved read performance
  - Multi AZ setup for DR (Disaster Recovery)
  - Maintenance windows for upgrades
  - Scaling capability (vertical and horizontal)
  - Storage backed by EBS
- BUT you can't SSH into your instances

# RDS Solution Architecture





# Amazon Aurora

you use if you need to launch a highly scalable MySQL OLTP database


- Aurora is a proprietary technology from AWS (not open sourced)
- PostgreSQL and MySQL are both supported as Aurora DB
- Aurora is “AWS cloud optimized” and claims 5x performance improvement over MySQL on RDS, over 3x the performance of Postgres on RDS
- Aurora storage automatically grows in increments of 10GB, up to 128 TB
- Aurora costs more than RDS (20% more) – but is more efficient
- Not in the free tier





# Amazon Aurora Serverless


- Automated database instantiation and auto-scaling based on actual usage
- PostgreSQL and MySQL are both supported as Aurora Serverless DB
- No capacity planning needed
- Least management overhead
- Pay per second, can be more cost-effective
- Use cases: good for infrequent, intermittent or unpredictable workloads...



# RDS Deployments: Read Replicas, Multi-AZ


- **Read Replicas:**

- Scale the read workload of your DB
- Can create up to 15 Read Replicas
- Data is only written to the main DB




- **Multi-AZ:**

- Failover in case of AZ outage (high availability)
- Data is only read/written to the main database
- Can only have 1 other AZ as failover



# RDS Deployments: Multi-Region

- Multi-Region (Read Replicas)
  - Disaster recovery in case of region issue
  - Local performance for global reads
  - Replication cost






# Amazon ElastiCache Overview

- The same way RDS is to get managed Relational Databases...
- ~~ElastiCache is to get managed Redis or Memcached~~
- Caches are in-memory databases with high performance, low latency
- Helps reduce load off databases for read intensive workloads
  
- AWS takes care of OS maintenance / patching, optimizations, setup, configuration, monitoring, failure recovery and backups

# ElastiCache Solution Architecture - Cache




# DynamoDB



- Fully Managed Highly available with replication across 3 AZ
- **NoSQL database - not a relational database**
- Scales to massive workloads, distributed “serverless” database
- Millions of requests per seconds, trillions of row, 100s of TB of storage
- Fast and consistent in performance
- Single-digit millisecond latency – low latency retrieval
- Integrated with IAM for security, authorization and administration
- Low cost and auto scaling capabilities
- Standard & Infrequent Access (IA) Table Class

# DynamoDB – type of data


- DynamoDB is a key/value database



<https://aws.amazon.com/nosql/key-value/>


# DynamoDB Accelerator - DAX

- Fully Managed in-memory cache for DynamoDB
- 10x performance improvement – single-digit millisecond latency to microseconds latency – when accessing your DynamoDB tables
- Secure, highly scalable & highly available
- Difference with ElastiCache at the CCP level: **DAX is only used for and is integrated with DynamoDB, while ElastiCache can be used for other databases**



# DynamoDB – Global Tables

- Make a DynamoDB table accessible with **low latency** in multiple-regions
- **Active-Active** replication (**read/write** to any AWS Region)




# Redshift Overview




- Redshift is based on PostgreSQL, but it's not used for OLTP
- It's OLAP – online analytical processing (analytics and data warehousing)
- Load data once every hour, not every second
- 10x better performance than other data warehouses, scale to PBs of data
- Columnar storage of data (instead of row based)
- Massively Parallel Query Execution (MPP), highly available
- Pay as you go based on the instances provisioned
- Has a SQL interface for performing the queries
- BI tools such as AWS Quicksight or Tableau integrate with it

# Redshift Serverless



- Automatically provisions and scales data warehouse underlying capacity
- Run analytics workloads without managing data warehouse infrastructure
- Pay only for what you use (save costs)
- Use cases: Reporting, dashboarding applications, real-time analytics...



# Amazon EMR




- EMR stands for “Elastic MapReduce”
- EMR helps creating **Hadoop clusters (Big Data)** to analyze and process vast amount of data
- The clusters can be made of hundreds of EC2 instances
- Also supports Apache Spark, HBase, Presto, Flink...
- EMR takes care of all the provisioning and configuration
- Auto-scaling and integrated with Spot instances
- Use cases: data processing, machine learning, web indexing, big data...

# Amazon Athena



- Serverless query service to analyze data stored in Amazon S3
- Uses standard SQL language to query the files
- Supports CSV, JSON, ORC, Avro, and Parquet (built on Presto)
- Pricing: \$5.00 per TB of data scanned
- Use compressed or columnar data for cost-savings (less scan)
- Use cases: Business intelligence / analytics / reporting, analyze & query VPC Flow Logs, ELB Logs, CloudTrail trails, etc...
- Exam Tip: analyze data in S3 using serverless SQL, use Athena



# Amazon QuickSight



- Serverless machine learning-powered business intelligence service to create interactive dashboards
- Fast, automatically scalable, embeddable, with per-session pricing
- Use cases:
  - Business analytics
  - Building visualizations
  - Perform ad-hoc analysis
  - Get business insights using data
- Integrated with RDS, Aurora, Athena, Redshift, S3...



<https://aws.amazon.com/quicksight/>

# DocumentDB




- Aurora is an “AWS-implementation” of PostgreSQL / MySQL ...
- DocumentDB is the same for MongoDB (which is a NoSQL database)
  
- MongoDB is used to store, query, and index JSON data
- Similar “deployment concepts” as Aurora
- Fully Managed, highly available with replication across 3 AZ
- DocumentDB storage automatically grows in increments of 10GB
  
- Automatically scales to workloads with millions of requests per seconds

# Amazon Neptune




- Fully managed **graph** database
- A popular **graph dataset** would be a **social network**
  - Users have friends
  - Posts have comments
  - Comments have likes from users
  - Users share and like posts...
- Highly available across **3 AZ**, with up to **15 read replicas**
- Build and run applications working with highly connected datasets – optimized for these complex and hard queries
- Can store up to billions of relations and query the graph with **milliseconds latency**
- Highly available with replications across multiple AZs
- Great for knowledge graphs (Wikipedia), fraud detection, recommendation engines, social networking



# Amazon Timestream



- Fully managed, fast, scalable, serverless time series database
- Automatically scales up/down to adjust capacity
- Store and analyze trillions of events per day
- 1000s times faster & 1/10<sup>th</sup> the cost of relational databases
- Built-in time series analytics functions (helps you identify patterns in your data in near real-time)




# Amazon QLDB

## Centralized Ledger



- QLDB stands for "Quantum Ledger Database"
- A ledger is a book **recording financial transactions**
- Fully Managed, Serverless, High available, Replication across 3 AZ
- Used to **review history of all the changes made to your application data over time**
- **Immutable** system: no entry can be removed or modified, cryptographically verifiable



Only one authority (your company or AWS account) controls the database – meaning it's centralized.  
A bank tracking customer transactions securely (ensuring no changes are made after recording).

- 2-3x better performance than common ledger blockchain frameworks, manipulate data using SQL
- Difference with Amazon Managed Blockchain: **no decentralization component**, in accordance with financial regulation rules

<https://docs.aws.amazon.com/qldb/latest/developerguide/ledger-structure.html>

# Amazon Managed Blockchain

Decentralized Ledger



- Blockchain makes it possible to build applications where multiple parties can execute transactions **without the need for a trusted, central authority.**
- Amazon Managed Blockchain is a managed service to:
  - Join public blockchain networks
  - Or create your own scalable private network
- Compatible with the frameworks Hyperledger Fabric & Ethereum

A fully managed blockchain service that allows multiple parties to decentralize data control and share a ledger.

Use Case: Best for supply chain networks, multi-party transactions, and smart contracts, where different entities need shared, trustless records. Example: A logistics company, suppliers, and customers using a blockchain to track product shipments transparently.



**HYPERLEDGER  
FABRIC**

 ethereum


Key Difference in Simple Terms

Feature	Amazon QLDB	Amazon Managed Blockchain
Control	Centralized (one company controls data)	Decentralized (multiple participants)
Data Integrity	Immutable, cryptographically verifiable	Same, but with decentralized consensus
Use Case	Regulated industries (finance, auditing)	Multi-party business networks
Best Example	Bank ledger tracking transactions	Supply chain with multiple businesses
Decentralization?	✗ No	✓ Yes

# AWS Glue




- Managed **extract, transform, and load (ETL)** service
- Useful to prepare and transform data for analytics
- Fully **serverless** service



- Glue Data Catalog: catalog of datasets
  - can be used by Athena, Redshift, EMR



# DMS – Database Migration Service



- Quickly and securely migrate databases to AWS, resilient, self healing
- The source database remains available during the migration
- Supports:
  - Homogeneous migrations: ex Oracle to Oracle
  - Heterogeneous migrations: ex Microsoft SQL Server to Aurora

# Databases & Analytics Summary in AWS

- Relational Databases - OLTP: RDS & Aurora (SQL)
- Differences between Multi-AZ, Read Replicas, Multi-Region
- In-memory Database: ElastiCache
- Key/Value Database: DynamoDB (serverless) & DAX (cache for DynamoDB)
- Warehouse - OLAP: Redshift (SQL)
- Hadoop Cluster: EMR
- Athena: query data on Amazon S3 (serverless & SQL)
- QuickSight: dashboards on your data (serverless)
- DocumentDB: “Aurora for MongoDB” (JSON – NoSQL database)
- Amazon QLDB: Financial Transactions Ledger (immutable journal, cryptographically verifiable)
- Amazon Managed Blockchain: managed Hyperledger Fabric & Ethereum blockchains
- Glue: Managed ETL (Extract Transform Load) and Data Catalog service
- Database Migration: DMS
- Neptune: graph database
- Timestream: time-series database


# Other Compute Section

# What is Docker?



- Docker is a software development platform to deploy apps
- Apps are packaged in **containers** that can be run on any OS
- **Apps run the same, regardless of where they're run**
  - Any machine
  - No compatibility issues
  - Predictable behavior
  - Less work
  - Easier to maintain and deploy
  - Works with any language, any OS, any technology
- Scale containers up and down very quickly (seconds)

# Docker on an OS




# Where Docker images are stored?

- Docker images are stored in Docker Repositories
- Public: Docker Hub <https://hub.docker.com/>
  - Find base images for many technologies or OS:
  - Ubuntu
  - MySQL
  - NodeJS, Java...
- Private: Amazon ECR (Elastic Container Registry)


# Docker versus Virtual Machines

- Docker is "sort of" a virtualization technology, but not exactly
- Resources are shared with the host => many containers on one server




# ECS

- ECS = Elastic Container Service
- Launch Docker containers on AWS
- You must provision & maintain the infrastructure (the EC2 instances)
- AWS takes care of starting / stopping containers
- Has integrations with the Application Load Balancer




# Fargate

- Launch Docker containers on AWS
- You do not provision the infrastructure (no EC2 instances to manage) – simpler!
- Serverless offering
- AWS just runs containers for you based on the CPU / RAM you need



# ECR


- Elastic Container Registry
- Private Docker Registry on AWS
- This is where you **store your Docker images** so they can be run by ECS or Fargate



# Amazon EKS



- EKS = Elastic Kubernetes Service
- Allows you to launch managed Kubernetes clusters on AWS
- Kubernetes is an **open-source system** for management, deployment, and scaling of containerized apps (Docker)
- Containers can be hosted on:
  - EC2 instances
  - Fargate (Serverless)
- **Kubernetes is cloud-agnostic**  
(can be used in any cloud – Azure, GCP...)



# What's serverless?

- Serverless is a new paradigm in which the developers don't have to manage servers anymore...
- They just deploy code
- They just deploy... functions !
- Initially... Serverless == FaaS (Function as a Service)
- Serverless was pioneered by AWS Lambda but now also includes anything that's managed: “databases, messaging, storage, etc.”
- **Serverless does not mean there are no servers...**  
it means you just don't manage / provision / see them

# So far in this course...


[https://www.youtube.com/watch?v=hGtOdDjfqAQ&list=PLluZGtlpwF\\_B6IHB6q1pG8AJAlvpJHNIH&index=28](https://www.youtube.com/watch?v=hGtOdDjfqAQ&list=PLluZGtlpwF_B6IHB6q1pG8AJAlvpJHNIH&index=28)



Amazon S3



DynamoDB




Fargate



Lambda

# Why AWS Lambda



Amazon EC2

- Virtual Servers in the Cloud
  - Limited by RAM and CPU
  - Continuously running
  - Scaling means intervention to add / remove servers
- 



Amazon Lambda

- Virtual functions – no servers to manage!
- Limited by time - short executions
- Run on-demand
- Scaling is automated!


# Benefits of AWS Lambda

- Easy Pricing:
  - Pay per request and compute time
  - Free tier of 1,000,000 AWS Lambda requests and 400,000 GBs of compute time
- Integrated with the whole AWS suite of services
- Event-Driven: functions get invoked by AWS when needed
- Integrated with many programming languages
- Easy monitoring through AWS CloudWatch
- Easy to get more resources per functions (up to 10GB of RAM!)
- Increasing RAM will also improve CPU and network!


# AWS Lambda language support

- Node.js (JavaScript)
- Python
- Java
- C# (.NET Core) / Powershell
- Ruby
- Custom Runtime API (community supported, example Rust or Golang)
- Lambda Container Image
  - The container image must implement the Lambda Runtime API
  - ECS / Fargate is preferred for running arbitrary Docker images

# Example: Serverless Thumbnail creation




# Example: Serverless CRON Job




# AWS Lambda Pricing: example

- You can find overall pricing information here:  
<https://aws.amazon.com/lambda/pricing/>
- Pay per calls:
  - First 1,000,000 requests are free
  - \$0.20 per 1 million requests thereafter (\$0.0000002 per request)
- Pay per duration: (in increment of 1 ms)
  - 400,000 GB-seconds of compute time per month for FREE
  - == 400,000 seconds if function is 1 GB RAM
  - == 3,200,000 seconds if function is 128 MB RAM
  - After that \$1.00 for 600,000 GB-seconds
- It is usually very cheap to run AWS Lambda so it's very popular

# Amazon API Gateway



- Example: building a serverless API




- Fully managed service for developers to easily create, publish, maintain, monitor, and secure APIs
- **Serverless** and scalable
- Supports RESTful APIs and WebSocket APIs
- Support for security, user authentication, API throttling, API keys, monitoring...

# AWS Batch



- Fully managed batch processing at any scale
- Efficiently run 100,000s of computing batch jobs on AWS
- A “batch” job is a job with a start and an end (opposed to continuous)
- Batch will dynamically launch **EC2 instances** or **Spot Instances**
- AWS Batch provisions the right amount of compute / memory
- You submit or schedule batch jobs and AWS Batch does the rest!
- Batch jobs are defined as **Docker images** and run on **ECS**
- Helpful for cost optimizations and focusing less on the infrastructure

# AWS Batch – Simplified Example



# Batch vs Lambda

- Lambda: [EVENT DRIVEN ARCHITECTURE](#)
  - Time limit
  - Limited runtimes
  - Limited temporary disk space
  - Serverless
- Batch: [BATCH PROCESSING ARCHITECTURE](#)
  - No time limit
  - Any runtime as long as it's packaged as a Docker image
  - Rely on EBS / instance store for disk space
  - Relies on EC2 (can be managed by AWS)



# Amazon Lightsail



- Virtual servers, storage, databases, and networking
- Low & predictable pricing
- Simpler alternative to using EC2, RDS, ELB, EBS, Route 53...
- Great for people with **little cloud experience!**
- Can setup notifications and monitoring of your Lightsail resources
- Use cases:
  - Simple web applications (has templates for LAMP, Nginx, MEAN, Node.js...)
  - Websites (templates for WordPress, Magento, Plesk, Joomla)
  - Dev / Test environment
- Has high availability but no auto-scaling, limited AWS integrations

# Other Compute - Summary

- **Docker:** container technology to run applications
- **ECS:** run Docker containers on EC2 instances
- **Fargate:**
  - Run Docker containers without provisioning the infrastructure
  - Serverless offering (no EC2 instances)
- **ECR:** Private Docker Images Repository
- **Batch:** run batch jobs on AWS across managed EC2 instances
- **Lightsail:** predictable & low pricing for simple application & DB stacks

# Lambda Summary

- Lambda is Serverless, Function as a Service, seamless scaling, reactive
- **Lambda Billing:**
  - By the time run x by the RAM provisioned
  - By the number of invocations
- **Language Support:** many programming languages except (arbitrary) Docker
- **Invocation time:** up to 15 minutes
- **Use cases:**
  - Create Thumbnails for images uploaded onto S3
  - Run a Serverless cron job
- **API Gateway:** expose Lambda functions as HTTP API

# Deploying and Managing Infrastructure at Scale Section



# What is CloudFormation

- CloudFormation is a declarative way of outlining your AWS Infrastructure, for any resources (most of them are supported).
- For example, within a CloudFormation template, you say:
  - I want a security group
  - I want two EC2 instances using this security group
  - I want an S3 bucket
  - I want a load balancer (ELB) in front of these machines
- Then CloudFormation creates those for you, in the **right order**, with the **exact configuration** that you specify

# Benefits of AWS CloudFormation (1/2)



- Infrastructure as code
  - No resources are manually created, which is excellent for control
  - Changes to the infrastructure are reviewed through code
- Cost
  - Each resources within the stack is tagged with an identifier so you can easily see how much a stack costs you
  - You can estimate the costs of your resources using the CloudFormation template
  - Savings strategy: In Dev, you could automation deletion of templates at 5 PM and recreated at 8 AM, safely

# Benefits of AWS CloudFormation (2/2)

- Productivity
  - Ability to destroy and re-create an infrastructure on the cloud on the fly
  - Automated generation of Diagram for your templates!
  - Declarative programming (no need to figure out ordering and orchestration)
- Don't re-invent the wheel
  - Leverage existing templates on the web!
  - Leverage the documentation
- Supports (almost) all AWS resources:
  - Everything we'll see in this course is supported
  - You can use "custom resources" for resources that are not supported

# CloudFormation + Infrastructure Composer


- Example: WordPress CloudFormation Stack
- We can see all the **resources**
- We can see the **relations** between the components






# AWS Cloud Development Kit (CDK)

- Define your cloud infrastructure using a familiar language:
  - JavaScript/TypeScript, Python, Java, and .NET
- The code is “compiled” into a CloudFormation template (JSON/YAML)
- You can therefore deploy infrastructure and application runtime code together
  - Great for Lambda functions
  - Great for Docker containers in ECS / EKS



For example, you do not want to use CloudFormation directly because this is a YAML format. You like JavaScript or TypeScript, you like Python, you like Java, you like .NET, and you would like to just write your cloud infrastructure using these languages. So thanks to the CDK, you can do that,



# CDK Example


```
export class MyEcsConstructStack extends core.Stack {
  constructor(scope: core.App, id: string, props?: core.StackProps) {
    super(scope, id, props);

    const vpc = new ec2.Vpc(this, "MyVpc", {
      maxAzs: 1 // Default is all AZs in region
    });

    const cluster = new ecs.Cluster(this, "MyCluster", {
      vpc
    });

    // Create a load-balanced Fargate service and make it public
    new ecs_patterns.ApplicationLoadBalancedFargateService(this, "My
      cluster: cluster, // Required
      cpu: 512, // Default is 256
      desiredCount: 6, // Default is 1
      taskImageOptions: { image: ecs.ContainerImage.fromRegistry("an
      memoryLimitMiB: 2048, // Default is 512
      publicLoadBalancer: true // Default is false
    });
  }
}
```

# Typical architecture: Web App 3-tier



# Developer problems on AWS

- Managing infrastructure
  - Deploying Code
  - Configuring all the databases, load balancers, etc
  - Scaling concerns
- 
- Most web apps have the same architecture (ALB + ASG)
  - All the developers want is for their code to run!
  - Possibly, consistently across different applications and environments

Now this architecture is something we can easily reproduce manually. We can also reproduce it on AWS through CloudFormation, but there is a better way. So when you're a developer on AWS, you don't want to be managing infrastructure, you just want to be deploying code, okay? You don't want to be able to configure all the databases, the load balancers, et cetera, and you wanna make sure that whatever you're doing scales.

# AWS Elastic Beanstalk Overview



- Elastic Beanstalk is a developer centric view of deploying an application on AWS
- It uses all the component's we've seen before: EC2, ASG, ELB, RDS, etc...
- But it's all in one view that's easy to make sense of!
- We still have full control over the configuration
- Beanstalk = Platform as a Service (PaaS)
- Beanstalk is free but you pay for the underlying instances

# Elastic Beanstalk


- Managed service
  - Instance configuration / OS is handled by Beanstalk
  - Deployment strategy is configurable but performed by Elastic Beanstalk
  - Capacity provisioning
  - Load balancing & auto-scaling
  - Application health-monitoring & responsiveness
- Just the application code is the responsibility of the developer
- Three architecture models:
  - Single Instance deployment: good for dev
  - LB + ASG: great for production or pre-production web applications
  - ASG only: great for non-web apps in production (workers, etc..)

# Elastic Beanstalk


- Support for many platforms:
  - Go
  - Java SE
  - Java with Tomcat
  - .NET on Windows Server with IIS
  - Node.js
  - PHP
  - Python
  - Ruby
  - Packer Builder
- Single Container Docker
- Multi-Container Docker
- Preconfigured Docker

# Elastic Beanstalk – Health Monitoring

- Health agent pushes metrics to CloudWatch
- Checks for app health, publishes health events



Recent events		
Time	Type	Details
2020-01-28 16:06:04 UTC-0800	INFO	Environment health has transitioned from Severe to Ok.
2020-01-28 16:05:04 UTC-0800	INFO	Added instance [i-03280193ba1ba4171] to your environment.
2020-01-28 16:05:04 UTC-0800	WARN	Removed instance [i-04a427bbb9994ba5] from your environment due to a EC2 health check failure.
2020-01-28 16:03:04 UTC-0800	WARN	Environment health has transitioned from Ok to Severe. ELB processes are not healthy on all instances. None of the instances are sending data. ELB health is failing or not available for all instances.
2020-01-28 15:19:06 UTC-0800	INFO	Environment health has transitioned from Info to Ok. Application update completed 75 seconds ago and took 22 seconds.





Enhanced health overview																	
Instances: 2 Total: 2 Ok																	
Learn more <a href="#">about enhanced health</a> .																	
Instance ID	Status	Running	Deployment ID	Requests/sec	2xx Responses	3xx Responses	4xx Responses	5xx Responses	P99 Latency	P99 Latency	P75 Latency	P50 Latency	P10 Latency	Load5 average	Load5 average	CPU utilization User% CPU utilization Sys%	CPU utilization Idle% CPU utilization I/O wait%
Overall	Ok	N/A	0.4	100%	0.0%	0.0%	0.0%	0.0%	0.002	0.002	0.002	0.001	N/A	N/A	N/A	N/A	
i-00227b07c4ca1334	Ok	2 hours	3	0.2	2	0	0	0	0.002	0.002	0.002	0.002	0.00	0.00	0.00	99.9	0.0
i-03280193ba1ba4171	Ok	19 days	3	0.2	2	0	0	0	0.001	0.001	0.001	0.001	0.00	0.00	0.00	99.9	0.0


So Beanstalk does have a full monitoring suite available within the service itself. And so there's going to be a health agent on each EC2 instance within Beanstalk that is going to push metrics to CloudWatch. And then within Beanstalk you can view these metrics, do some monitoring and so on.

# AWS CodeDeploy

- We want to deploy our application automatically
- Works with EC2 Instances
- Works with On-Premises Servers
- Hybrid service
- Servers / Instances must be provisioned and configured ahead of time with the CodeDeploy Agent



On-premises Servers being upgraded




# CodeCommit – Important – Deprecation


- On July 25<sup>th</sup> 2024, AWS abruptly discontinued CodeCommit
- New customers cannot use the service
- AWS recommends to migrate to an external Git solution
- For this course:
  - CodeCommit might still appear at the exam (for now)
  - Every time I mention CodeCommit, assume there's a GitHub integration




# AWS CodeCommit




- Before pushing the application code to servers, it needs to be stored somewhere
- Developers usually store **code** in a repository, using the **Git** technology
- A famous public offering is GitHub, AWS' competing product is **CodeCommit**
- CodeCommit:
  - Source-control service that hosts **Git-based repositories**
  - Makes it easy to **collaborate** with others on code
  - The code changes are automatically **versioned**
- Benefits:
  - Fully managed
  - Scalable & highly available
  - Private, Secured, Integrated with AWS



# AWS CodeBuild



- Code building service in the cloud (name is obvious)
- Compiles source code, run tests, and produces packages that are ready to be deployed (by CodeDeploy for example)




- Benefits:
  - Fully managed, serverless
  - Continuously scalable & highly available
  - Secure
  - Pay-as-you-go pricing – only pay for the build time

# AWS CodePipeline



- Orchestrate the different steps to have the code automatically pushed to production
  - Code => Build => Test => Provision => Deploy
  - Basis for CI/CD (Continuous Integration & Continuous Delivery)
- Benefits:
  - Fully managed, compatible with CodeCommit, CodeBuild, CodeDeploy, Elastic Beanstalk, CloudFormation, GitHub, 3rd-party services (GitHub...) & custom plugins...
  - Fast delivery & rapid updates



# AWS CodeArtifact



- Software packages depend on each other to be built (also called code dependencies), and new ones are created
- Storing and retrieving these dependencies is called **artifact management**
- Traditionally you need to setup your own artifact management system
- **CodeArtifact** is a secure, scalable, and cost-effective **artifact management** for software development
- Works with common dependency management tools such as Maven, Gradle, npm, yarn, twine, pip, and NuGet
- Developers and CodeBuild can then retrieve dependencies straight from CodeArtifact

# AWS Systems Manager (SSM)



- Helps you manage your **EC2** and **On-Premises** systems at scale
- Another **Hybrid** AWS service
- Get operational insights about the state of your infrastructure
- Suite of 10+ products
- Most important features are:
  - Patching automation for enhanced compliance
  - Run commands across an entire fleet of servers
  - Store parameter configuration with the SSM Parameter Store
- Works for Linux, Windows, MacOS, and Raspberry Pi OS (Raspbian)

**Q** A company needs to centralize its operational data. The company also needs to automate tasks across all of its Amazon EC2 instances. Which AWS service can the company use to meet these requirements?

**A** AWS Trusted Advisor

**B** AWS Systems Manager


**C** Amazon CodeDeploy

**D** AWS WAF

So, from an exam perspective, anytime you see a way to patch your fleet of EC2 instances or On-Premises servers, you have to think about SSM, or if you wanted to run a command consistently across all your servers, again, SSM would be the right way.


# How Systems Manager works

- We need to install the SSM agent onto the systems we control
- Installed by default on Amazon Linux AMI & some Ubuntu AMI
- If an instance can't be controlled with SSM, it's probably an issue with the SSM agent!
- Thanks to the SSM agent, we can **run commands, patch & configure** our servers




# Systems Manager – SSM Session Manager

- Allows you to start a secure shell on your EC2 and on-premises servers
- No SSH access, bastion hosts, or SSH keys needed
- No port 22 needed (better security)
- Supports Linux, macOS, and Windows
- Send session log data to S3 or CloudWatch Logs



# Systems Manager Parameter Store

- Secure storage for configuration and secrets
- API Keys, passwords, configurations...
- Serverless, scalable, durable, easy SDK
- Control access permissions using IAM
- Version tracking & encryption (optional)



# Deployment - Summary


- **CloudFormation:** (AWS only)
  - Infrastructure as Code, works with almost all of AWS resources
  - Repeat across Regions & Accounts
- **Beanstalk:** (AWS only)
  - Platform as a Service (PaaS), limited to certain programming languages or Docker
  - Deploy code consistently with a known architecture: ex, ALB + EC2 + RDS
- **CodeDeploy** (hybrid): deploy & upgrade any application onto servers
- **Systems Manager** (hybrid): patch, configure and run commands at scale

# Developer Services - Summary

- **CodeCommit:** Store code in private git repository (version controlled)
- **CodeBuild:** Build & test code in AWS
- **CodeDeploy:** Deploy code onto servers
- **CodePipeline:** Orchestration of pipeline (from code to build to deploy)
- **CodeArtifact:** Store software packages / dependencies on AWS
- **AWS CDK:** Define your cloud infrastructure using a programming language

# Global Infrastructure Section


# Why make a global application?



- A **global application** is an application deployed in **multiple geographies**
- On AWS: this could be **Regions** and / or **Edge Locations**
- **Decreased Latency**
  - Latency is the time it takes for a network packet to reach a server
  - It takes time for a packet from Asia to reach the US
  - Deploy your applications closer to your users to decrease latency, better experience
- **Disaster Recovery (DR)**
  - If an AWS region goes down (earthquake, storms, power shutdown, politics)...
  - You can fail-over to another region and have your application still working
  - A DR plan is important to increase the availability of your application
- **Attack protection:** distributed global infrastructure is harder to attack

# Global AWS Infrastructure

- **Regions:** For deploying applications and infrastructure
- **Availability Zones:** Made of multiple data centers
- **Edge Locations (Points of Presence):** for content delivery as close as possible to users
- More at:  
<https://infrastructure.aws/>



# Global Applications in AWS

- **Global DNS: Route 53**



- Great to route users to the closest deployment with least latency
- Great for disaster recovery strategies



- **Global Content Delivery Network (CDN): CloudFront**

- Replicate part of your application to AWS Edge Locations – decrease latency
- Cache common requests – improved user experience and decreased latency



- **S3 Transfer Acceleration**

- Accelerate global uploads & downloads into Amazon S3



- **AWS Global Accelerator:**


- Improve global application availability and performance using the AWS global network

# Amazon Route 53 Overview





- Route53 is a Managed DNS (Domain Name System)
- DNS is a collection of rules and records which helps clients understand how to reach a server through URLs.
- In AWS, the most common records are:
  - www.google.com => 12.34.56.78 == A record (IPv4)
  - www.google.com => 2001:0db8:85a3:0000:0000:8a2e:0370:7334 == AAAA IPv6
  - search.google.com => www.google.com == CNAME: hostname to hostname
  - example.com => AWS resource == Alias (ex: ELB, CloudFront, S3, RDS, etc...)

# Route 53 – Diagram for A Record




# Route 53 Routing Policies

- Need to know them at a high-level for the Cloud Practitioner Exam




# Route 53 Routing Policies

## LATENCY ROUTING POLICY




## FAILOVER ROUTING POLICY


Disaster Recovery



# Amazon CloudFront



- Content Delivery Network (CDN)
- Improves read performance, content is cached at the edge
- Improves users experience
- 216 Point of Presence globally (edge locations)
- DDoS protection (because worldwide), integration with Shield, AWS Web Application Firewall




Source: <https://aws.amazon.com/cloudfront/features/?nc=sn&loc=2>


# CloudFront – Origins

- S3 bucket
  - For distributing files and caching them at the edge
  - Enhanced security with CloudFront **Origin Access Control (OAC)**
  - ~~OAC is replacing Origin Access Identity (OAI)~~
  - CloudFront can be used as an ingress (to upload files to S3)
- Custom Origin (HTTP)
  - Application Load Balancer
  - EC2 instance
  - S3 website (must first enable the bucket as a static S3 website)
  - Any HTTP backend you want

# CloudFront at a high level



# CloudFront – S3 as an Origin




# CloudFront vs S3 Cross Region Replication

- CloudFront:
  - Global Edge network
  - Files are cached for a TTL (maybe a day)
  - Great for static content that must be available everywhere
- S3 Cross Region Replication:
  - Must be setup for each region you want replication to happen
  - Files are updated in near real-time
  - Read only
  - Great for dynamic content that needs to be available at low-latency in few regions

# S3 Transfer Acceleration

- Increase transfer speed by transferring file to an AWS edge location which will forward the data to the S3 bucket in the target region




Test the tool at: <https://s3-accelerate-speedtest.s3-accelerate.amazonaws.com/en/accelerate-speed-comparison.html>

# AWS Global Accelerator




- Improve global application availability and performance using the AWS global network
- Leverage the AWS internal network to optimize the route to your application (60% improvement)
- 2 Anycast IP are created for your application and traffic is sent through Edge Locations
- The Edge locations send the traffic to your application




# AWS Global Accelerator

Without Global Accelerator



With Global Accelerator



## RESPONSES

Q A company wants to improve the overall availability and performance of its applications that are hosted on AWS. Which AWS service should the company use?

A Amazon Connect

B Amazon Lightsail

C AWS Global Accelerator


D AWS Storage Gateway

<https://aws.amazon.com/global-accelerator>

# AWS Global Accelerator vs CloudFront

- They both use the AWS global network and its edge locations around the world
- Both services integrate with AWS Shield for DDoS protection.
- CloudFront – Content Delivery Network
  - Improves performance for your cacheable content (such as images and videos)
  - Content is served at the edge
- Global Accelerator
  - No caching, proxying packets at the edge to applications running in one or more AWS Regions.
  - Improves performance for a wide range of applications over TCP or UDP
  - Good for HTTP use cases that require static IP addresses
  - Good for HTTP use cases that required deterministic, fast regional failover


<https://speedtest.globalaccelerator.aws/#/>



# AWS Outposts




- **Hybrid Cloud:** businesses that keep an on-premises infrastructure alongside a cloud infrastructure
- Therefore, two ways of dealing with IT systems:
  - One for the AWS cloud (using the AWS console, CLI, and AWS APIs)
  - One for their on-premises infrastructure
- **AWS Outposts** are “server racks” that offers the same AWS infrastructure, services, APIs & tools to build your own applications on-premises just as in the cloud
- **AWS will setup and manage “Outposts Racks”** within your on-premises infrastructure and you can start leveraging AWS services on-premises
- You are responsible for the Outposts Rack physical security




# AWS Outposts



- Benefits:
  - Low-latency access to on-premises systems
  - Local data processing
  - Data residency
  - Easier migration from on-premises to the cloud
  - Fully managed service
- Some services that work on Outposts:



Amazon EC2



Amazon EBS



Amazon S3



Amazon EKS



Amazon ECS



Amazon RDS




Amazon EMR

# AWS WaveLength




- **WaveLength Zones** are infrastructure deployments embedded within the telecommunications providers' datacenters at the edge of the 5G networks
- Brings AWS services to the edge of the 5G networks
- Example: EC2, EBS, VPC...
- Ultra-low latency applications through 5G networks
- Traffic doesn't leave the Communication Service Provider's (CSP) network
- High-bandwidth and secure connection to the parent AWS Region
- No additional charges or service agreements
- Use cases: Smart Cities, ML-assisted diagnostics, Connected Vehicles, Interactive Live Video Streams, AR/VR, Real-time Gaming, ...



# AWS Local Zones



- Places AWS compute, storage, database, and other selected AWS services closer to end users to run latency-sensitive applications
- Extend your VPC to more locations – “Extension of an AWS Region”
- Compatible with EC2, RDS, ECS, EBS, ElastiCache, Direct Connect ...
- Example:
  - AWS Region: N.Virginia (us-east-1)
  - AWS Local Zones: Boston, Chicago, Dallas, Houston, Miami, ...



# Global Applications Architecture

## Single Region, Single AZ

✗ High Availability

✗ Global Latency

⌚ Difficulty




## Single Region, Multi AZ

✓ High Availability


✗ Global Latency

⌚ Difficulty




# Global Applications Architecture

## Multi Region, Active-Passive



## Multi Region, Active-Active




# Global Applications in AWS - Summary



- **Global DNS: Route 53**
  - Great to route users to the closest deployment with least latency
  - Great for disaster recovery strategies



- **Global Content Delivery Network (CDN): CloudFront**
  - Replicate part of your application to AWS Edge Locations – decrease latency
  - Cache common requests – improved user experience and decreased latency



- **S3 Transfer Acceleration**
  - Accelerate global uploads & downloads into Amazon S3



- **AWS Global Accelerator**
  - Improve global application availability and performance using the AWS global network

# Global Applications in AWS - Summary



- **AWS Outposts**

- Deploy Outposts Racks in your own Data Centers to extend AWS services



- **AWS WaveLength**

- Brings AWS services to the edge of the 5G networks
  - Ultra-low latency applications



- **AWS Local Zones**


- Bring AWS resources (compute, database, storage, ...) closer to your users
  - Good for latency-sensitive applications

# Cloud Integration Section


# Section Introduction

- When we start deploying multiple applications, they will inevitably need to communicate with one another
- There are two patterns of application communication

**1) Synchronous communications  
(application to application)**



**2) Asynchronous / Event based  
(application to queue to application)**



# Section Introduction

- Synchronous between applications can't handle sudden spikes of traffic
- What if you need to suddenly scale?
- In that case, it's better to **decouple** your applications:
  - using SQS: queue model
  - using SNS: pub/sub model
  - using Kinesis: real-time data streaming model
- These services can scale independently from our application!


Question 1:

Which AWS services can be used to decouple components of a microservices based application on AWS Cloud? (Select two)

1. Lambda
2. EC2
3. Step Function
4. SQS (**Correct**)
5. SNS (**Correct**)

# Amazon SQS – Simple Queue Service

## What's a queue?



# Amazon SQS – Standard Queue



- Oldest AWS offering (over 10 years old)
- Fully managed service (~serverless), use to **decouple** applications
- Scales from 1 message per second to 10,000s per second
- Default retention of messages: 4 days, maximum of 14 days
- No limit to how many messages can be stored
- **Messages are deleted after they're received**
- Low latency (<10 ms on publish and receive)
- Consumers share the work to read messages

In which of the following occasions should you use the Amazon SQS in your application system? (Select TWO.)

If you require a durable storage for your application events or messages (**Correct**)

If you need to decouple certain parts of your system for better fault tolerance (**Correct**)

When your application requires the use of industry-standard messaging protocols for message delivery


When you have to automate certain tasks in your workflow

If you need to submit push notifications to your event subscribers

# SQS to decouple between application tiers


## WEB SERVERS

## VIDEO PROCESSING



# Amazon SQS – FIFO Queue

- FIFO = First In First Out (ordering of messages in the queue)



- Messages are processed in order by the consumer

# Amazon Kinesis Data Streams




- For the exam: Kinesis = real-time big data streaming
- Managed service to collect, process, and analyze real-time streaming data at any scale
- Too detailed for the Cloud Practitioner exam but good to know:
  - **Amazon Kinesis Data Streams:** low latency streaming to ingest data at scale from hundreds of thousands of sources
  - **Amazon Data Firehose:** load Kinesis Data Streams into Amazon S3, Redshift, OpenSearch, etc...

# Amazon Kinesis (High-level Overview)




# Amazon SNS

- What if you want to send one message to many receivers?




**Pub / Sub**




# Amazon SNS



- The “event publishers” only sends message to one SNS topic
- As many “event subscribers” as we want to listen to the SNS topic notifications
- Each subscriber to the topic will get all the messages
- Up to 12,500,000 subscriptions per topic, 100,000 topics limit



# Amazon MQ



- SQS, SNS are “cloud-native” services: proprietary protocols from AWS
- Traditional applications running from on-premises may use open protocols such as: MQTT, AMQP, STOMP, Openwire, WSS
- When migrating to the cloud, instead of re-engineering the application to use SQS and SNS, we can use Amazon MQ
- Amazon MQ is a managed message broker service for

 RabbitMQ™



- Amazon MQ doesn’t “scale” as much as SQS / SNS
- Amazon MQ runs on servers, can run in Multi-AZ with failover
- Amazon MQ has both queue feature (~SQS) and topic features (~SNS)

# Integration Section – Summary

- SQS:
  - Queue service in AWS
  - Multiple Producers, messages are kept up to 14 days
  - Multiple Consumers share the read and delete messages when done
  - Used to **decouple** applications in AWS
- SNS:
  - Notification service in AWS
  - Subscribers: Email, Lambda, SQS, HTTP, Mobile...
  - Multiple Subscribers, send all messages to all of them
  - No message retention
- Kinesis: real-time data streaming, persistence and analysis
- Amazon MQ: managed message broker for ActiveMQ and RabbitMQ in the cloud (MQTT, AMQP.. protocols)

# Cloud Monitoring Section

# Amazon CloudWatch Metrics



- CloudWatch provides metrics for every services in AWS
- Metric is a variable to monitor (CPUUtilization, NetworkIn...)
- Metrics have timestamps
- Can create CloudWatch dashboards of metrics

Which of the following best describes what CloudWatch can be used for?

Screenshot of the AWS CloudWatch Log Events interface showing log entries for a Lambda function execution.

Timestamp	Message
2023-09-23T08:28:29.472+00:00	OnExecution: Starting execution of command with arguments: [C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe -InputFormat None -NonInteractive -NoProfile -ExecutionPolicy Bypass -Command "C:\Windows\Temp\AWSCLIV2.exe"]
2023-09-23T08:28:32.367+00:00	StdOut: Deleting "C:\Windows\Temp\AWSCLIV2.exe"
2023-09-23T08:28:32.520+00:00	StdOut: Deleting "C:\Windows\Temp\AWSCLIV2.log"
2023-09-23T08:28:32.579+00:00	OnExecution: Terminating read operation on STDIN pipe - EOF
2023-09-23T08:28:32.606+00:00	OnExecution: Command execution has been completed
2023-09-23T08:28:32.606+00:00	OnExecution: Command execution was completed successfully
2023-09-23T08:28:32.606+00:00	OnExecution: Shutdown
2023-09-23T08:28:32.606+00:00	OnExecution: ExitCode 0
2023-09-23T08:28:32.606+00:00	ExecutePowerShell: Removing temporary directory: C:\Windows\Temp\AWSCLIV2
2023-09-23T08:28:32.606+00:00	ExecutePowerShell: Successfully removed temporary directory: C:\Windows\Temp\AWSCLIV2
2023-09-23T08:28:32.606+00:00	ExecutePowerShell: FINISHED EXECUTION


A repository for metrics and logs (**Correct**)

An audit service that records all API calls made in your AWS account

An automated security assessment service

A repository for compliance rules

# Example: CloudWatch Billing metric



# Important Metrics

- **EC2 instances:** CPU Utilization, Status Checks, Network (not RAM)
  - Default metrics every 5 minutes
  - Option for Detailed Monitoring (\$\$\$): metrics every 1 minute
- **EBS volumes:** Disk Read/Writes
- **S3 buckets:** BucketSizeBytes, NumberOfObjects, AllRequests
- **Billing:** Total Estimated Charge (only in us-east-1)
- **Service Limits:** how much you've been using a service API
- **Custom metrics:** push your own metrics

# Amazon CloudWatch Alarms



- Alarms are used to trigger notifications for any metric
- Alarms actions...
  - Auto Scaling: increase or decrease EC2 instances “desired” count
  - EC2 Actions: stop, terminate, reboot or recover an EC2 instance
  - SNS notifications: send a notification into an SNS topic
- Various options (sampling, %, max, min, etc...)
- Can choose the period on which to evaluate an alarm
- Example: create a **billing alarm** on the CloudWatch Billing metric
- Alarm States: OK, INSUFFICIENT\_DATA, ALARM




# Amazon CloudWatch Logs

- CloudWatch Logs can collect log from:
  - Elastic Beanstalk: collection of logs from application
  - ECS: collection from containers
  - AWS Lambda: collection from function logs
  - CloudTrail based on filter
  - **CloudWatch log agents: on EC2 machines or on-premises servers**
  - Route53: Log DNS queries
- **Enables real-time monitoring of logs**
- **Adjustable CloudWatch Logs retention**

# CloudWatch Logs for EC2


- By default, no logs from your EC2 instance will go to CloudWatch
- You need to run a CloudWatch agent on EC2 to push the log files you want
- Make sure IAM permissions are correct
- The CloudWatch log agent can be setup on-premises too




# Amazon EventBridge (formerly CloudWatch Events)



- Schedule: Cron jobs (scheduled scripts)





- Event Pattern: Event rules to react to a service doing something




- Trigger Lambda functions, send SQS/SNS messages...

# Amazon EventBridge Rules



# Amazon EventBridge




- Schema Registry: model event schema
- You can archive events (all/filter) sent to an event bus (indefinitely or set period)
- Ability to replay archived events


# AWS CloudTrail



- Provides governance, compliance and audit for your AWS Account
- CloudTrail is enabled by default!
- Get **an history of events / API calls made within your AWS Account** by:
  - Console
  - SDK
  - CLI
  - AWS Services
- Can put logs from CloudTrail into CloudWatch Logs or S3
- A trail can be applied to All Regions (default) or a single Region.
- If a resource is deleted in AWS, investigate CloudTrail first!



# CloudTrail Diagram




# AWS X-Ray



- Debugging in Production, the good old way:
  - Test locally
  - Add log statements everywhere
  - Re-deploy in production
- Log formats differ across applications and log analysis is hard.
- Debugging: one big monolith “easy”, distributed services “hard”
- No common views of your entire architecture
- Enter... AWS X-Ray!

# AWS X-Ray

## Visual analysis of our applications



# AWS X-Ray advantages



- Troubleshooting performance (bottlenecks)
- Understand dependencies in a microservice architecture
- Pinpoint service issues
- Review request behavior
- Find errors and exceptions
- Are we meeting time SLA?
- Where I am throttled?
- Identify users that are impacted


A company needs to troubleshoot an issue on their serverless application which is composed of an API Gateway, Lambda function, and a DynamoDB database. Which service should they use to trace user requests as they travel through their entire application?

Amazon Inspector
AWS X-Ray <b>(Correct)</b>
AWS CloudTrail
Amazon CloudWatch

# Amazon CodeGuru



- An ML-powered service for automated code reviews and application performance recommendations
- Provides two functionalities
  - **CodeGuru Reviewer:** automated code reviews for static code analysis (development)
  - **CodeGuru Profiler:** visibility/recommendations about application performance during runtime (production)



# Amazon CodeGuru Reviewer

- Identify critical issues, security vulnerabilities, and hard-to-find bugs
- Example: common coding best practices, resource leaks, security detection, input validation
- Uses Machine Learning and automated reasoning
- Hard-learned lessons across millions of code reviews on 1000s of open-source and Amazon repositories
- Supports Java and Python
- Integrates with GitHub, Bitbucket, and AWS CodeCommit


The screenshot shows the Amazon CodeGuru Reviewer interface. At the top, there's a navigation bar with 'CodeGuru' > 'Code reviews' > 'mw2tsa56o0000000'. Below it is a section titled 'RepositoryAnalysis-amazon-codeguru-reviewer-sample-app-master-mw2tsa56o0000000'. This section includes a 'Details' table with columns for Status (Completed), Recommendations (4), Metered lines of code (80), ARN (arn:aws:codeguru-reviewer:us-west-2:033467977803:code-review:RepositoryAnalysis-amazon-codeguru-reviewer-sample-app-master-mw2tsa56o0000000), Time created (10 Nov 2020 08:08:47 AM GMT-0800), and Last updated (10 Nov 2020 08:11:44 AM GMT-0800). To the right of the table, there's a sidebar with information about the Type (RepositoryAnalysis), Provider (GitHub), Repository (amazon-codeguru-reviewer-sample-app), and Branch name (master). Below the details, there's a 'Recommendations (4)' section with a search bar. It lists three recommendations:

- EventHandler.java Line: 79**  
This code appears to be waiting for a resource before it runs. You could use the waiters feature to help improve efficiency. Consider using ObjectExists or ObjectNotExists. For more information, see <https://aws.amazon.com/blogs/developer/waiters-in-the-aws-sdk-for-java/>  
Was this helpful?
- EventHandler.java Line: 100**  
This code might not produce accurate results if the operation returns paginated results instead of all results. Consider adding another call to check for additional results.  
Was this helpful?
- EventHandler.java Line: 100**  
This code uses an outdated API. [ListObjectsV2](#) is the revised List Objects API, and we recommend you use this revised API for new application developments.  
Was this helpful?

<https://aws.amazon.com/codeguru/features/>

# Amazon CodeGuru Profiler

- Helps understand the runtime behavior of your application
- Example: identify if your application is consuming excessive CPU capacity on a logging routine
- Features:
  - Identify and remove code inefficiencies
  - Improve application performance (e.g., reduce CPU utilization)
  - Decrease compute costs
  - Provides heap summary (identify which objects using up memory)
  - Anomaly Detection
- Support applications running on AWS or on-premise
- Minimal overhead on application



<https://aws.amazon.com/codeguru/features/>

# AWS Health Dashboard - Service History



- Shows all regions, all services health
- Shows historical information for each day
- Has an RSS feed you can subscribe to
- Previously called AWS Service Health Dashboard

Service history													
The following table is a running log of AWS service interruptions for the past 12 months. Choose a status icon to see status updates for that service. All dates and times are reported in UTC. To update your time zone, see <a href="#">Time zone settings</a> .													
<input type="text"/> Find an AWS service or Region		2023/01/10											
North America	South America	Europe	Africa	Asia Pacific	Middle East	Service	RSS	Today	9 Jan	8 Jan	7 Jan	6 Jan	5
						Alexa for Business (N. Virginia)							
						Amazon EventBridge Scheduler (N. Virginia)							
						Amazon EventBridge Scheduler (Ohio)							
						Amazon EventBridge Scheduler (Oregon)							
						Amazon API Gateway (Montreal)							
						Amazon API Gateway (N. California)							
						Amazon API Gateway (N. Virginia)							
						Amazon API Gateway (Ohio)							

# AWS Health Dashboard – Your Account



- Previously called AWS Personal Health Dashboard (PHD)
- AWS Account Health Dashboard provides **alerts and remediation guidance** when AWS is experiencing **events that may impact you**.
- While the Service Health Dashboard displays the general status of AWS services, Account Health Dashboard gives you a **personalized view into the performance and availability of the AWS services underlying your AWS resources**.
- The dashboard displays **relevant and timely** information to help you manage events in progress and provides proactive notification to help you plan for scheduled activities.
- **Can aggregate data from an entire AWS Organization**

# AWS Health Dashboard – Your Account



- Global service
- Shows how AWS outages directly impact you & your AWS resources
- Alert, remediation, proactive, scheduled activities

Open issues	0
Scheduled changes	0
Other notifications	0
Event log	

Event log						
<input type="text"/> Add filter						
Event	Status	Event category	Region / Zone	Start time	Last update time	Affected resources
Operational issue - EC2 (Ohio)	Closed	Issue	us-east-2	December 24, 2022 at 2:25:00 AM UTC	December 24, 2022 at 2:38:53 AM UTC	-
Operational issue - Codestar (Oregon)	Closed	Issue	us-west-2	December 21, 2022 at 3:03:57 PM UTC	December 21, 2022 at 4:50:47 PM UTC	-
Operational issue - Amplify (N. Virginia)	Closed	Issue	us-east-1	December 17, 2022 at 2:24:17 PM UTC	December 17, 2022 at 2:43:21 PM UTC	-
Operational issue - Multiple services (Singapore)	Closed	Issue	ap-southeast-1	December 13, 2022 at 10:00:55 PM UTC	December 14, 2022 at 1:01:16 AM UTC	-

# Monitoring Summary

- **CloudWatch:**
  - Metrics: monitor the performance of AWS services and billing metrics
  - Alarms: automate notification, perform EC2 action, notify to SNS based on metric
  - Logs: collect log files from EC2 instances, servers, Lambda functions...
  - Events (or EventBridge): react to events in AWS, or trigger a rule on a schedule
- **CloudTrail:** audit API calls made within your AWS account
- **CloudTrail Insights:** automated analysis of your CloudTrail Events
- **X-Ray:** trace requests made through your distributed applications
- **AWS Health Dashboard:** status of all AWS services across all regions
- **AWS Account Health Dashboard:** AWS events that impact your infrastructure
- **Amazon CodeGuru:** automated code reviews and application performance recommendations

# VPC Section

# VPC – Crash Course


- VPC is something you should know in depth for the AWS Certified Solutions Architect Associate & AWS Certified SysOps Administrator
- At the AWS Certified Cloud Practitioner Level, you should know about:
  - VPC, Subnets, Internet Gateways & NAT Gateways
  - Security Groups, Network ACL (NACL), VPC Flow Logs
  - VPC Peering, VPC Endpoints
  - Site to Site VPN & Direct Connect
  - Transit Gateway
- I will just give you an overview, less than 1 or 2 questions at your exam.
- We'll have a look at the “default VPC” (created by default by AWS for you)
- There is a summary lecture at the end. It's okay if you don't understand it all

# IP Addresses in AWS


- IPv4 – Internet Protocol version 4 (4.3 Billion Addresses)
  - Public IPv4 – can be used on the Internet
  - EC2 instance gets a new a public IP address every time you stop then start it (**default**)
  - Private IPv4 – can be used on private networks (LAN) such as internal AWS networking (e.g., 192.168.1.1)
  - Private IPv4 is fixed for EC2 Instances even if you start/stop them
- Elastic IP – allows you to attach a fixed public IPv4 address to EC2 instance
  - Note: all public IPv4 on AWS will be charged \$0.005 per hour (including EIP)
    - Free Tier: 750 hours usage per month
  - IPv6 – Internet Protocol version 6 ( $3.4 \times 10^{38}$  Addresses)
    - Every IP address is public in AWS (no private range)
    - Example: 2001:db8:3333:4444:cccc:dddd:eeee:ffff
    - **Free**

# VPC & Subnets Primer

- **VPC - Virtual Private Cloud:** private network to deploy your resources (regional resource)
- **Subnets** allow you to partition your network inside your VPC (Availability Zone resource)
- A **public subnet** is a subnet that is accessible from the internet
- A **private subnet** is a subnet that is not accessible from the internet
- To define access to the internet and between subnets, we use **Route Tables**.




# VPC Diagram




# Internet Gateway & NAT Gateways

- Internet Gateways helps our VPC instances connect with the internet
- Public Subnets have a route to the internet gateway.
- NAT Gateways (AWS-managed) & NAT Instances (self-managed) allow your instances in your Private Subnets to access the internet while remaining private



# Network ACL & Security Groups

- NACL (Network ACL)
  - A firewall which controls traffic from and to subnet
  - Can have ALLOW and DENY rules
  - Are attached at the **Subnet** level
  - Rules only include IP addresses
- Security Groups
  - A firewall that controls **traffic to and from** an EC2 Instance
  - Can have only ALLOW rules
  - Rules include IP addresses and other security groups



# Network ACLs vs Security Groups

Security Group	Network ACL
Operates at the instance level	Operates at the subnet level
Supports allow rules only	Supports allow rules and deny rules
Is stateful: Return traffic is automatically allowed, regardless of any rules	Is stateless: Return traffic must be explicitly allowed by rules
We evaluate all rules before deciding whether to allow traffic	We process rules in number order when deciding whether to allow traffic
Applies to an instance only if someone specifies the security group when launching the instance, or associates the security group with the instance later on	Automatically applies to all instances in the subnets it's associated with (therefore, you don't have to rely on users to specify the security group)

[https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_Security.html#VPC\\_Security\\_Comparison](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_Security.html#VPC_Security_Comparison)


# VPC Flow Logs

- Capture information about IP
  - VPC Flow Logs
  - Subnet Flow Logs
  - Elastic Network Interface Flow Logs
- Helps to monitor & troubleshoot connectivity issues.
  - Subnets to internet
  - Subnets to subnets
  - Internet to subnets
- Captures network information from AWS managed services like Load Balancers, ElastiCache, RDS, Aurora, etc...
- VPC Flow logs data can go to S3, CloudWatch Logs,

An organization hosted its application on multiple Amazon EC2 instances. To determine whether traffic reaches the instances, they need to capture IP traffic to and from network interfaces.

Which of the following services should they use?

<b>Amazon Inspector</b>
<b>VPC Flow Logs (Correct)</b>
<b>Amazon Athena</b>
<b>Interface VPC Endpoint</b>




# VPC Peering

- Connect two VPC, privately using AWS' network
- Make them behave as if they were in the same network
- Must not have overlapping CIDR (IP address range)
- VPC Peering connection is **not transitive** (must be established for each VPC that need to communicate with one another)

The other thing is that a VPC peering connection is not transitive. That means that if you add a new VPC, for example VPC C, and you create a peering connection between VPC A and VPC C, then that means that VPC B and C cannot talk to each other yet. If you want to have VPC B and C talk to one another, then you will need to create another peering connection between your VPC B and C.


BTW Peering Can be done between different accounts



# VPC Endpoints



- Endpoints allow you to connect to AWS Services **using a private network** instead of the public www network
- This gives you enhanced security and lower latency to access AWS services
- VPC Endpoint Gateway: S3 & DynamoDB
- VPC Endpoint Interface: the rest




Say you have a service that you run within AWS, or say there is a vendor on the Marketplace, and they run a service on their own account within their own VPC. And they want to expose a service to customers of AWS. So to thousands of VPC, they need to have private access to that service, to establish a connectivity. You could, for example, use VPC peering, but that doesn't scale, and it's not very secure. What you want is use something else, and that's something else is a Private Link.



# AWS PrivateLink (VPC Endpoint Services)

- Most secure & scalable way to expose a service to 1000s of VPCs
- Does not require VPC peering, internet gateway, NAT, route tables...
- Requires a network load balancer (Service VPC) and ENI (Customer VPC)




# Site to Site VPN & Direct Connect

- **Site to Site VPN**

- Connect an on-premises VPN to AWS
- The connection is automatically encrypted
- Goes over the public internet

- **Direct Connect (DX)**


- Establish a physical connection between on-premises and AWS
- The connection is private, secure and fast
- Goes over a private network
- Takes at least a month to establish



# Site-to-Site VPN

- On-premises: must use a **Customer Gateway** (CGW)
- AWS: must use a **Virtual Private Gateway** (VGW)


Virtual Private Gateway <b>(Correct)</b>
NAT Gateway
Amazon Route 53 <b>(Correct)</b>
Egress-Only Internet Gateway
VPC Peering




# AWS Client VPN



- Connect from your computer using OpenVPN to your private network in AWS and on-premises
- Allow you to connect to your EC2 instances over a private IP (just as if you were in the private VPC network)
- Goes over public Internet




# Network topologies can become complicated




# Transit Gateway

So when in the exam, you see a way to connect hundreds or thousands of VPC together, with as well your on-premise infrastructure, think no more than the Transit Gateway.



- For having transitive peering between thousands of VPC and on-premises, hub-and-spoke (star) connection
- One single Gateway to provide this functionality
- Works with Direct Connect Gateway, VPN connections



# VPC Closing Comments

- **VPC** – Virtual Private Cloud
- **Subnets** – Tied to an AZ, network partition of the VPC
- **Internet Gateway** – at the VPC level, provide Internet Access
- **NAT Gateway / Instances** – give internet access to private subnets
- **NACL** – Stateless, subnet rules for inbound and outbound
- **Security Groups** – Stateful, operate at the EC2 instance level or ENI
- **VPC Peering** – Connect two VPC with non overlapping IP ranges, nontransitive
- **Elastic IP** –fixed public IPv4, ongoing cost if not in-use

# VPC Closing Comments

- **VPC Endpoints** – Provide private access to AWS Services within VPC
- **PrivateLink** – Privately connect to a service in a 3<sup>rd</sup> party VPC
- **VPC Flow Logs** – network traffic logs
- **Site to Site VPN** – VPN over public internet between on-premises DC and AWS
- **Client VPN** – OpenVPN connection from your computer into your VPC
- **Direct Connect** – direct private connection to AWS
- **Transit Gateway** – Connect thousands of VPC and on-premises networks together

# Security & Compliance Section

# AWS Shared Responsibility Model

- AWS responsibility - Security **of** the Cloud
  - Protecting infrastructure (hardware, software, facilities, and networking) that runs all the AWS services
  - Managed services like S3, DynamoDB, RDS, etc.
- Customer responsibility - Security **in** the Cloud
  - For EC2 instance, customer is responsible for management of the guest OS (including security patches and updates), firewall & network configuration, IAM
  - Encrypting application data
- Shared controls:
  - Patch Management, Configuration Management, Awareness & Training

Service and Communications Protection or Zone Security

# Example, for RDS




- AWS responsibility:
  - Manage the underlying EC2 instance, disable SSH access
  - Automated DB patching
  - Automated OS patching
  - Audit the underlying instance and disks & guarantee it functions
- Your responsibility:
  - Check the ports / IP / security group inbound rules in DB's SG
  - In-database user creation and permissions
  - Creating a database with or without public access
  - Ensure parameter groups or DB is configured to only allow SSL connections
  - Database encryption setting



# Example, for S3

- AWS responsibility:
  - Guarantee you get unlimited storage
  - Guarantee you get encryption
  - Ensure separation of the data between different customers
  - Ensure AWS employees can't access your data
- Your responsibility:
  - Bucket configuration
  - Bucket policy / public setting
  - IAM user and roles
  - Enabling encryption


# Shared Responsibility Model diagram



<https://aws.amazon.com/compliance/shared-responsibility-model/>

# What's a DDOS\* Attack?

\*Distributed Denial-of-Service



# DDOS Protection

- AWS Shield Standard: prot and applications, for all custc
- AWS Shield Advanced: 24/7 premium DDoS protection
- AWS WAF: Filter specific requests based on rules
- CloudFront and Route 53:
  - Availability protection using global edge network
  - Combined with AWS Shield, provides attack mitigation at the edge
- Be ready to scale – leverage AWS

## Question 2:

AWS Shield Advanced provides expanded DDoS attack protection for web applications running on which of the following resources? (Select two)


1. Amazon Route 53 (**Correct**)
2. Amazon API Gateway
3. AWS CloudFormation
4. AWS Global Accelerator (**Correct**)
5. AWS Elastic Beanstalk

## Question 5:

Which security service of AWS is enabled for all AWS customers, by default, at no additional cost?

1. AWS Web Application Firewall (AWS WAF)
2. AWS Secret Manager
3. AWS Shield Standard (**Correct**)
4. AWS Shield Advanced

# Sample Reference Architecture for DDoS Protection



<https://aws.amazon.com/answers/networking/aws-ddos-attack-mitigation/>

# AWS Shield



- AWS Shield Standard:
  - Free service that is activated for every AWS customer
  - Provides protection from attacks such as SYN/UDP Floods, Reflection attacks and other layer 3/layer 4 attacks
- AWS Shield Advanced:
  - Optional DDoS mitigation service (\$3,000 per month per organization)
  - Protect against more sophisticated attack on [Amazon EC2](#), [Elastic Load Balancing \(ELB\)](#), [Amazon CloudFront](#), [AWS Global Accelerator](#), and [Route 53](#)
  - 24/7 access to AWS DDoS response team (DRP)
  - Protect against higher fees during usage spikes due to DDoS


# AWS WAF – Web Application Firewall



- Protects your web applications from common web exploits (Layer 7)
- Layer 7 is HTTP (vs Layer 4 is TCP)
- Deploy on Application Load Balancer, API Gateway, CloudFront
- Define Web ACL (Web Access Control List):
  - Rules can include IP addresses, HTTP headers, HTTP body, or URI strings
  - Protects from common attack - SQL injection and Cross-Site Scripting (XSS)
  - Size constraints, geo-match (block countries)
  - Rate-based rules (to count occurrences of events) – for DDoS protection

# AWS Network Firewall

- Protect your entire Amazon VPC
- From Layer 3 to Layer 7 protection
- Any direction, you can inspect
  - VPC to VPC traffic
  - Outbound to internet
  - Inbound from internet
  - To / from Direct Connect & Site-to-Site VPN



# AWS Firewall Manager



- Manage security rules in all accounts of an AWS Organization
- Security policy: common set of security rules
  - VPC Security Groups for EC2, Application Load Balancer, etc...
  - WAF rules
  - AWS Shield Advanced
  - AWS Network Firewall
- Rules are applied to new resources as they are created (good for compliance) across all and future accounts in your Organization



# Penetration Testing on AWS Cloud

- AWS customers are welcome to carry out security assessments or penetration tests against their AWS infrastructure **without prior approval for 8 services:**
  - Amazon EC2 instances, NAT Gateways, and Elastic Load Balancers
  - Amazon **RDS**
  - Amazon CloudFront
  - Amazon **Aurora**
  - Amazon API Gateways
  - AWS Lambda and Lambda Edge functions
  - Amazon Lightsail resources
  - Amazon Elastic Beanstalk environments
- List can increase over time (you won't be tested on that at the exam)

# Penetration Testing on your AWS Cloud



- Prohibited Activities
  - DNS zone walking via Amazon Route 53 Hosted Zones
  - Denial of Service (DoS), Distributed Denial of Service (DDoS), Simulated DoS, Simulated DDoS
  - Port flooding
  - Protocol flooding
  - Request flooding (login request flooding, API request flooding)
- For any other simulated events, contact [aws-security-simulated-event@amazon.com](mailto:aws-security-simulated-event@amazon.com)
- Read more: <https://aws.amazon.com/security/penetration-testing/>

# Data at rest vs. Data in transit



Encrypted at rest on EFS

Encrypted in transit while uploading



Encrypted at rest on S3

- **At rest:** data stored or archived on a device
  - On a hard disk, on a RDS instance, in S3 Glacier Deep Archive, etc.
- **In transit (in motion):** data being moved from one location to another
  - Transfer from on-premises to AWS, EC2 to DynamoDB, etc.
  - **Means data transferred on the network**
- We want to encrypt data in both states to protect it!
- For this we leverage **encryption keys**

# AWS KMS (Key Management Service)



- Anytime you hear “encryption” for an AWS service, it’s most likely KMS
- KMS = AWS manages the encryption keys for us
- Encryption Opt-in:
  - EBS volumes: encrypt volumes
  - S3 buckets: Server-side encryption of objects (SSE-S3 enabled by default, SSE-KMS opt in)
  - Redshift database: encryption of data
  - RDS database: encryption of data
  - EFS drives: encryption of data
- Encryption Automatically enabled:
  - CloudTrail Logs
  - S3 Glacier
  - Storage Gateway

# CloudHSM




- KMS => AWS manages the software for encryption
- CloudHSM => AWS provisions encryption **hardware**
- Dedicated Hardware (HSM = Hardware Security Module)
- You manage your own encryption keys entirely (not AWS)
- HSM device is tamper resistant, FIPS 140-2 Level 3 compliance



Sample HSM device

# CloudHSM Diagram




# Types of KMS Keys

- **Customer Managed Key:**
  - Create, manage and used by the customer, can enable or disable
  - Possibility of rotation policy (new key generated every year; old key preserved)
  - Possibility to bring-your-own-key
- **AWS Managed Key:**
  - Created, managed and used on the customer's behalf by AWS
  - Used by AWS services (aws/s3, aws/ebs, aws/redshift)
- **AWS Owned Key:**
  - Collection of CMKs that an AWS service owns and manages to use in multiple accounts
  - AWS can use those to protect resources in your account (but you can't view the keys)
- **CloudHSM Keys (custom keystore):**
  - Keys generated from your own CloudHSM hardware device
  - Cryptographic operations are performed within the CloudHSM cluster

# AWS Certificate Manager (ACM)



- Lets you easily provision, manage, and deploy SSL/TLS Certificates
- Used to provide in-flight encryption for websites (HTTPS)
- Supports both public and private TLS certificates
- Free of charge for public TLS certificates
- Automatic TLS certificate renewal
- Integrations with (load TLS certificates on)
  - Elastic Load Balancers
  - CloudFront Distributions
  - APIs on API Gateway



# AWS Secrets Manager

- Newer service, meant for storing secrets
- Capability to force **rotation of secrets** every X days
- Automate generation of secrets on rotation (uses Lambda)
- Integration with **Amazon RDS** (MySQL, PostgreSQL, Aurora)
- Secrets are encrypted using KMS
- Mostly meant for RDS integration

For security audit purposes, a company needs to download compliance-related documents in AWS such as ISO certifications, Payment Card Industry (PCI), and Service Organization Control (SOC) reports. Where can they retrieve these files?

AWS Certificate Manager

AWS Artifact **(Correct)**

AWS CloudTrail

AWS Trusted Advisor



**AWS Artifact**  
AWS Artifact features a comprehensive list of access-controlled documents relevant to compliance and security in the AWS cloud.

**APRA CPG 234 Workbook**  
Reporting period: Valid beginning 07/01/2019  
The AWS Workbook for Australian Prudential Regulation Authority (APRA)'s CPG 234 "Information Security" (AWS APRA CPG 234 Workbook) is intended as a reference and supporting document to assist financial services institutions (FIs) regulated by APRA in their own preparation for a compliance review with APRA. Where applicable, under the AWS shared responsibility model, the workbook provides supporting details and references in relation to AWS to assist FIs when adapting APRA CPG 234 for their workloads on AWS.  
[Get this artifact](#)

**ASIP HDS Certification**  
Reporting period: Valid from 01/14/2019 to 01/13/2022  
This certification, issued by an independent third-party auditor, validates that AWS complies with the ASIP HDS standard. The ASIP HDS standard provides technical and governance measures to secure and protect personal health data.  
[Get this artifact](#)

**AWS Workbook for Korean Financial Security Institute (FSI)'s Guideline on Use of Cloud Computing Services**  
Reporting period: Valid beginning 04/16/2019  
The AWS Workbook for Korean Financial Security Institute (FSI)'s Guideline "Guideline on Use of Cloud Computing Services in Financial Industry" is intended as a reference and supporting document to assist customers in their own preparation for a compliance review.  
[Get this artifact](#)



# AWS Artifact (not really a service)

- Portal that provides customers with on-demand access to AWS compliance documentation and AWS agreements
- **Artifact Reports** - Allows you to download AWS security and compliance documents from third-party auditors, like AWS ISO certifications, Payment Card Industry (PCI), and System and Organization Control (SOC) reports
- **Artifact Agreements** - Allows you to review, accept, and track the status of AWS agreements such as the Business Associate Addendum (BAA) or the Health Insurance Portability and Accountability Act (HIPAA) for an individual account or in your organization
- Can be used to support internal audit or compliance



# Amazon GuardDuty

- Intelligent Threat discovery to protect your AWS Account
- Uses **Machine Learning** algorithms
- One click to enable (30 days trial)
- Input data includes:
  - CloudTrail Events Logs – unusual /
    - CloudTrail Management Events – cr
    - CloudTrail S3 Data Events – get obj
  - VPC Flow Logs – unusual internal tr
  - DNS Logs – compromised EC2 inst
  - Optional Features – EKS Audit Logs, ...
- Can setup **EventBridge rules** to be notified in case of findings
- EventBridge rules can target AWS Lambda or SNS
- Can protect against CryptoCurrency attacks (has a dedicated “finding” for it)

Which of the following is a threat detection service that continuously monitors for malicious activity and unauthorized behavior to protect your AWS accounts and workloads?


Amazon GuardDuty (**Correct**)

AWS WAF

AWS Shield


Amazon Macie

# Amazon GuardDuty



# Amazon Inspector

- **Automated Security Assessments**
- For EC2 instances
  - Leveraging the AWS System Manager (SSM) agent
  - Analyze against unintended network accessibility
  - Analyze the running OS against known vulnerabilities
- For Container Images push to Amazon ECR
  - Assessment of Container Images as they are pushed
- For Lambda Functions
  - Identifies software vulnerabilities in function code and package dependencies
  - Assessment of functions as they are deployed
- Reporting & integration with AWS Security Hub
- Send findings to Amazon Event Bridge



# What does Amazon Inspector evaluate?



- Remember: only for EC2 instances, Container Images & Lambda functions
- Continuous scanning of the infrastructure, only when needed
- Package vulnerabilities (EC2, ECR & Lambda) -
- Network reachability (EC2)
- A risk score is associated with all vulnerabilities

The screenshot shows the AWS Amazon Inspector - Assessment Templates interface. On the left, there's a sidebar with options like Dashboard, Assessment targets, Assessment templates (which is selected and highlighted in orange), Assessment runs, and Findings. The main content area is titled "Amazon Inspector - Assessment Templates". It displays a table of assessment templates, with one entry named "Assessment-Template-Def...". Below the table, a specific template is expanded: "Assessment Template - Assessment-Template-Default-All-Rules". This template has fields for Name (set to "Assessment-Template-Default-All-Rules"), ARN (set to "arn:aws:inspector:us-east-1:842050612357:target/0-A7SuDdo8/template/0-kHzU5m2r"), Target name (set to "Assessment-Target-All-Instances-All-Rules"), and Duration (set to "1 Hour (Recommended)"). A yellow callout bubble with the text "Security Assessments" points to the "Rules packages" section, which is highlighted with a yellow box. The "Rules packages" listed are: Common Vulnerabilities and Exposures-1.1, CIS Operating System Security Configuration Benchmarks-1.0, Network Reachability-1.1, and Security Best Practices-1.0.


# AWS Config




- Helps with auditing and recording compliance of your AWS resources
- Helps record configurations and changes over time
- Possibility of storing the configuration data into S3 (analyzed by Athena)
- Questions that can be solved by AWS Config:
  - Is there unrestricted SSH access to my security groups?
  - Do my buckets have any public access?
  - How has my ALB configuration changed over time?
- You can receive alerts (SNS notifications) for any changes
- AWS Config is a per-region service
- Can be aggregated across regions and accounts

# AWS Config Resource

- View compliance of a resource over time



- View configuration of a resource over time




- View CloudTrail API calls if enabled

# AWS Macie




- Amazon Macie is a fully managed data security and data privacy service that uses machine learning and pattern matching to discover and protect your sensitive data in AWS.
- Macie helps identify and alert you to **sensitive data, such as personally identifiable information (PII)**



# AWS Security Hub




- Central security tool to manage security across several AWS accounts and automate security checks
- Integrated dashboards showing current security and compliance status to quickly take actions
- Automatically aggregates alerts in predefined or personal findings formats from various AWS services & AWS partner tools:
  - Config
  - GuardDuty
  - Inspector
  - Macie
  - IAM Access Analyzer
  - AWS Systems Manager
  - AWS Firewall Manager
  - AWS Health
  - AWS Partner Network Solutions



- Must first enable the AWS Config Service

# AWS Security Hub



Which of the following AWS service provides managed compliance and security controls for workloads?

AWS Security Hub (**Correct**)

Amazon EC2

AWS Lambda

Amazon S3

Amazon Detective

# Amazon Detective



Which security services in AWS use intelligent systems and machine learning to quickly identify potential security threats and issues in your AWS account? (Select TWO.)

- GuardDuty, Macie, and Security Hub detect security issues, or findings
- Sometimes security findings require investigation and take action – it's a core function of Detective
- Amazon Detective analyzes, investigates, and quickly identifies the root cause of security issues or suspicious activities (using ML and graphs)
- Automatically collects and processes events from VPC Flow Logs, CloudTrail, GuardDuty and create a unified view
- Produces visualizations with details and context to get to the root cause

Amazon GuardDuty (Correct)

Amazon Detective (Correct)

AWS IAM

AWS Sumerian


Amazon Cognito

# AWS Abuse



- Report suspected AWS resources used for abusive or illegal purposes
- Abusive & prohibited behaviors are:
  - **Spam** – receiving undesired emails from AWS-owned IP address, websites & forums spammed by AWS resources
  - **Port scanning** – sending packets to your ports to discover the unsecured ones
  - **DoS or DDoS attacks** – AWS-owned IP addresses attempting to overwhelm or crash your servers/softwares
  - **Intrusion attempts** – logging in on your resources
  - **Hosting objectionable or copyrighted content** – distributing illegal or copyrighted content without consent
  - **Distributing malware** – AWS resources distributing softwares to harm computers or machines
- Contact the AWS Abuse team: [AWS abuse form](#), or [abuse@amazonaws.com](mailto:abuse@amazonaws.com)


# Root user privileges



- Root user = Account Owner (created when the account is created)
- Has complete access to all AWS services and resources
- **Lock away your AWS account root user access keys!**
- Do not use the root account for everyday tasks, even administrative tasks
- Actions that can be performed only by the root user:
  - Change account settings (account name, email address, root user password, root user access keys)
  - View certain tax invoices
  - Close your AWS account
  - Restore IAM user permissions
  - Change or cancel your AWS Support plan
  - Register as a seller in the Reserved Instance Marketplace
  - Configure an Amazon S3 bucket to enable MFA
  - Edit or delete an Amazon S3 bucket policy that includes an invalid VPC ID or VPC endpoint ID
  - Sign up for GovCloud

# IAM Access Analyzer

- Find out which resources are shared externally
  - S3 Buckets
  - IAM Roles
  - KMS Keys
  - Lambda Functions and Layers
  - SQS queues
  - Secrets Manager Secrets
- Define **Zone of Trust** = AWS Account or AWS Organization
- Access outside zone of trusts => findings



# Section Summary: Security & Compliance

- Shared Responsibility on AWS
- **Shield:** Automatic DDoS Protection + 24/7 support for advanced
- **WAF:** Firewall to filter incoming requests based on rules
- **KMS:** Encryption keys managed by AWS
- **CloudHSM:** Hardware encryption, we manage encryption keys
- **AWS Certificate Manager:** provision, manage, and deploy SSL/TLS Certificates
- **Artifact:** Get access to compliance reports such as PCI, ISO, etc...
- **GuardDuty:** Find malicious behavior with VPC, DNS & CloudTrail Logs
- **Inspector:** find software vulnerabilities in EC2, ECR Images, and Lambda functions
- **Network Firewall:** Protect VPC against network attacks

# Section Summary: Security & Compliance

- **Config:** Track config changes and compliance against rules
- **Macie:** Find sensitive data (ex: PII data) in Amazon S3 buckets
- **CloudTrail:** Track API calls made by users within account
- **AWS Security Hub:** gather security findings from multiple AWS accounts
- **Amazon Detective:** find the root cause of security issues or suspicious activities
- **AWS Abuse:** Report AWS resources used for abusive or illegal purposes
- **Root user privileges:**
  - Change account settings
  - Close your AWS account
  - Change or cancel your AWS Support plan
  - Register as a seller in the Reserved Instance Marketplace
- **IAM Access Analyzer:** identify which resources are shared externally
- **Firewall Manager:** manage security rules across an Organization (WAF, Shield...)

Which AWS service helps identify resources shared with an external entity and generates policies based on access activity?

AWS Proton
AWS Systems Manager Parameter Store
AWS License Manager
AWS IAM Access Analyzer (Correct)

The screenshot shows the AWS IAM Access Analyzer interface. On the left, a sidebar menu includes 'Identity and Access Management (IAM)', 'Dashboard', 'Access management' (with sub-options like User Groups, Users, Roles, Policies, Identity providers, Account settings), and 'Access reports' (with sub-options like Access analyzer, Archive rules, Analyzers, Settings, Credential report, Organization activity, Service control policies (SCPs)). The main content area is titled 'Access Analyzer' and 'Monitor access to resources'. It features a 'Create analyzer' button and a 'Delegated administrator - optional' note. Below this is a 'How it works' section with three numbered steps: 1. Create an analyzer (described as setting the scope for an analyzer to an organization or AWS account, identifying a zone of trust where the analyzer scans supported resources), 2. Review active findings (described as finding policy access from outside the zone of trust), and 3. Take action (described as archiving findings or modifying policies to remove access). The 'Getting started' sidebar on the right lists 'What is Access Analyzer?' and 'Access Analyzer User Guide'.

# Machine Learning Section

# Amazon Rekognition



- Find objects, people, text, scenes in images and videos using ML
- Facial analysis and facial search to do user verification, people counting
- Create a database of “familiar faces” or compare against celebrities
- Use cases:
  - Labeling
  - Content Moderation
  - Text Detection
  - Face Detection and Analysis (gender, age range, emotions...)
  - Face Search and Verification
  - Celebrity Recognition
  - Pathing (ex: for sports game analysis)

<https://aws.amazon.com/rekognition/>

# Amazon Transcribe



- Automatically convert speech to text
- Uses a **deep learning process** called **automatic speech recognition (ASR)** to convert speech to text quickly and accurately
- Automatically remove **Personally Identifiable Information (PII)** using Redaction
- Supports Automatic Language Identification for multi-lingual audio
- Use cases:
  - transcribe customer service calls
  - automate closed captioning and subtitling
  - generate metadata for media assets to create a fully searchable archive




*"Hello my name is Stéphane.  
I hope you're enjoying the course!"*

# Amazon Polly



- Turn text into lifelike speech using deep learning
- Allowing you to create applications that talk

*Hi! My name is Stéphane  
and this is a demo of Amazon Polly*



# Amazon Translate



- Natural and accurate language translation
- Amazon Translate allows you to **localize content** - such as websites and applications - for **international users**, and to easily translate large volumes of text efficiently.

Source language

Auto (auto) ▾

Hi my name is Stéphane

Target language

French (fr) ▾

Bonjour, je m'appelle Stéphane.

Portuguese (pt) ▾

Oi, meu nome é Stéphane.


Hindi (hi) ▾

हाय मेरा नाम स्टीफन है

# Amazon Lex & Connect

Amazon Chime is a high-quality communications service that transforms online meetings with an easy-to-use app that works seamlessly across all your devices. With Amazon Chime, you can schedule and attend online meetings and video conferences, and chat, call, and collaborate, inside and outside your organization, all with a single app. Now you can work productively from wherever you are. Amazon Chime is also integrated with Microsoft Outlook Calendar and Google Calendar for easy scheduling of meetings.

- **Amazon Lex:** (same technology that powers Alexa)
  - Automatic Speech Recognition (ASR) to convert speech to text
  - Natural Language Understanding to recognize the intent of text, callers
  - Helps build chatbots, call center bots
- **Amazon Connect:** Also There AWS Chime
  - Receive calls, create contact flows, cloud-based virtual contact center
  - Can integrate with other CRM systems or AWS
  - No upfront payments, 80% cheaper than traditional contact center solutions







# Amazon Comprehend

- For **Natural Language Processing – NLP**
- Fully managed and serverless service
- Uses machine learning to **find insights and relationships in text**
  - Language of the text
  - Extracts key phrases, places, people, brands, or events
  - Understands how positive or negative the text is
  - Analyzes text using tokenization and parts of speech
  - Automatically organizes a collection of text files by topic
- Sample use cases:
  - analyze customer interactions (emails) to find what leads to a positive or negative experience
  - Create and groups articles by topics that Comprehend will uncover

# Amazon SageMaker



- Fully managed service for developers / data scientists to build ML models
- Typically, difficult to do all the processes in one place + provision servers
- Machine learning process (simplified): predicting your exam score



# Amazon Forecast



- Fully managed service that uses ML to deliver highly accurate forecasts
- Example: predict the future sales of a raincoat
- 50% more accurate than looking at the data itself
- Reduce forecasting time from months to hours
- Use cases: Product Demand Planning, Financial Planning, Resource Planning, ...

## Historical Time-series Data:

Product features


Prices

Discounts

Website traffic

Store locations


...



# Amazon Kendra




- Fully managed **document search service** powered by Machine Learning
- Extract answers from within a document (text, pdf, HTML, PowerPoint, MS Word, FAQs...)
- Natural language search capabilities
- Learn from user interactions/feedback to promote preferred results (**Incremental Learning**)
- Ability to manually fine-tune search results (importance of data, freshness, custom, ...)



# Amazon Personalize




- Fully managed ML-service to build apps with real-time personalized recommendations
- Example: personalized product recommendations/re-ranking, customized direct marketing
  - Example: User bought gardening tools, provide recommendations on the next one to buy
- Same technology used by Amazon.com
- Integrates into existing websites, applications, SMS, email marketing systems, ...
- Implement in days, not months (you don't need to build, train, and deploy ML solutions)
- Use cases: retail stores, media and entertainment...



# Amazon Textract



- Automatically extracts text, handwriting, and data from any scanned documents using AI and ML



- Extract data from forms and tables
- Read and process any type of document (PDFs, images, ...)
- Use cases:
  - Financial Services (e.g., invoices, financial reports)
  - Healthcare (e.g., medical records, insurance claims)
  - Public Sector (e.g., tax forms, ID documents, passports)


# AWS Machine Learning - Summary

- **Rekognition:** face detection, labeling, celebrity recognition
- **Transcribe:** audio to text (ex: subtitles)
- **Polly:** text to audio
- **Translate:** translations
- **Lex:** build conversational bots – chatbots
- **Connect:** cloud contact center
- **Comprehend:** natural language processing
- **SageMaker:** machine learning for every developer and data scientist
- **Forecast:** build highly accurate forecasts
- **Kendra:** ML-powered search engine
- **Personalize:** real-time personalized recommendations
- **Textract:** detect text and data in documents

# Account Management, Billing & Support Section

# AWS Organizations

- Global service
- Allows to manage multiple AWS accounts
- The main account is the master account
- Cost Benefits:
  - **Consolidated Billing** across all accounts - single payment method
  - Pricing benefits from **aggregated usage** (**volume discount for EC2, S3...**)
  - Pooling of Reserved EC2 instances for optimal savings
- API is available to automate AWS account creation
- Restrict account privileges using Service Control Policies (SCP)




# Multi Account Strategies


- Create accounts per department, per cost center, per dev / test / prod, based on regulatory restrictions (using SCP), for better resource isolation (ex:VPC), to have separate per-account service limits, isolated account for logging
- Multi Account vs One Account Multi VPC
- Use tagging standards for billing purposes
- Enable CloudTrail on all accounts, send logs to central S3 account
- Send CloudWatch Logs to central logging account

# Organizational Units (OU) - Examples


**Business Unit**



**Environmental Lifecycle**




**Project-based**



<https://aws.amazon.com/answers/account-management/aws-multi-account-billing-strategy/>

# AWS Organization



# Service Control Policies (SCP)

- Whitelist or blacklist IAM actions
- Applied at the **OU** or **Account** level
- Does not apply to the Master Account
- SCP is applied to all the **Users and Roles** of the Account, including Root user
- The SCP does not affect service-linked roles
  - Service-linked roles enable other AWS services to integrate with AWS Organizations and can't be restricted by SCPs.
- SCP must have an explicit Allow (does not allow anything by default)
- Use cases:
  - Restrict access to certain services (for example: can't use EMR)
  - Enforce PCI compliance by explicitly disabling services

# SCP Examples

## Blacklist and Whitelist strategies


```
Version": "2012-10-17",
"Statement": [
    {
        "Sid": "AllowsAllActions",
        "Effect": "Allow",
        "Action": "*",
        "Resource": "*"
    },
    {
        "Sid": "DenyDynamoDB",
        "Effect": "Deny",
        "Action": "dynamodb:*",
        "Resource": "*"
    }
]
```

```
Version": "2012-10-17",
"Statement": [
    {
        "Effect": "Allow",
        "Action": [
            "ec2:*",
            "cloudwatch:*
```

More examples: [https://docs.aws.amazon.com/organizations/latest/userguide/orgs\\_manage\\_policies\\_example-scps.html](https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_example-scps.html)

# AWS Organization – Consolidated Billing


- When enabled, provides you with:
  - Combined Usage – combine the usage across all AWS accounts in the AWS Organization to share the volume pricing, Reserved Instances and Savings Plans discounts
  - One Bill – get one bill for all AWS Accounts in the AWS Organization
- The management account can turn off Reserved Instances discount sharing for any account in the AWS Organization, including itself



# AWS Control Tower




- Easy way to set up and govern a secure and compliant multi-account AWS environment based on best practices
- Benefits:
  - Automate the set up of your environment in a few clicks
  - Automate ongoing policy management using guardrails
  - Detect policy violations and remediate them
  - Monitor compliance through an interactive dashboard
- AWS Control Tower runs on top of AWS Organizations
  - It automatically sets up AWS Organizations to organize a SCPs (Service Control Policies)



# AWS Resource Access Manager (AWS RAM)

- Share AWS resources that you own with other AWS accounts
- Share with any account or within your Organization
- Avoid resource duplication!
- Supported resources include Aurora, VPC Subnets, Transit Gateway, Route 53, EC2 Dedicated Hosts, License Manager Configurations...




# AWS Service Catalog




- Users that are new to AWS have too many options, and may create stacks that are not compliant / in line with the rest of the organization
- Some users just want a quick **self-service portal** to launch a set of authorized products pre-defined by admins
- Includes: virtual machines, databases, storage options, etc...
- Enter AWS Service Catalog!

# Service Catalog diagram

## ADMIN TASKS



## USER TASKS




# Pricing Models in AWS

- AWS has 4 pricing models:
- **Pay as you go:** pay for what you use, remain agile, responsive, meet scale demands
- **Save when you reserve:** minimize risks, predictably manage budgets, comply with long-terms requirements
  - Reservations are available for EC2 Reserved Instances, DynamoDB Reserved Capacity, ElastiCache Reserved Nodes, RDS Reserved Instance, Redshift Reserved Nodes
- **Pay less by using more:** volume-based discounts
- **Pay less as AWS grows**

# Free services & free tier in AWS

- IAM
  - VPC
  - Consolidated Billing
  - Elastic Beanstalk
  - CloudFormation
  - Auto Scaling Groups
  - Free Tier: <https://aws.amazon.com/free/>
    - EC2 t2.micro instance for a year
    - S3, EBS, ELB, AWS Data transfer
- 
- ⚠ You do pay for the resources created**



# Compute Pricing – EC2

- Only charged for what you use
- Number of instances
- Instance configuration:
  - Physical capacity
  - Region
  - OS and software
  - Instance type
  - Instance size
- ELB running time and amount of data processed
- Detailed monitoring

# Compute Pricing – EC2

- **On-demand instances:**
  - Minimum of 60s
  - Pay per second (Linux/Windows) or per hour (other)
- **Reserved instances:**
  - Up to 75% discount compared to On-demand on hourly rate
  - 1- or 3-years commitment
  - All upfront, partial upfront, no upfront
- **Spot instances:**
  - Up to 90% discount compared to On-demand on hourly rate
  - Bid for unused capacity
- **Dedicated Host:**
  - On-demand
  - Reservation for 1 year or 3 years commitment
- **Savings plans** as an alternative to save on sustained usage

# Compute Pricing – Lambda & ECS

- Lambda:

- Pay per call
- Pay per duration



- ECS:

- EC2 Launch Type Model: No additional fees, you pay for AWS resources stored and created in your application



- Fargate:

- Fargate Launch Type Model: Pay for vCPU and memory resources allocated to your applications in your containers




# Storage Pricing – S3



- **Storage class:** S3 Standard, S3 Infrequent Access, S3 One-Zone IA, S3 Intelligent Tiering, S3 Glacier and S3 Glacier Deep Archive
- Number and size of objects: Price can be tiered (based on volume)
- Number and type of requests
- Data transfer OUT of the S3 region
- S3 Transfer Acceleration
- Lifecycle transitions
- Similar service: EFS (pay per use, has infrequent access & lifecycle rules)

# Storage Pricing - EBS



- Volume type (based on performance)
- Storage volume in GB per month provisionned
- IOPS:
  - General Purpose SSD: Included
  - Provisioned IOPS SSD: Provisionned amount in IOPS
  - Magnetic: Number of requests
- Snapshots:
  - Added data cost per GB per month
- Data transfer:
  - Outbound data transfer are tiered for volume discounts
  - Inbound is free

# Database Pricing - RDS



- Per hour billing
- Database characteristics:
  - Engine
  - Size
  - Memory class
- Purchase type:
  - On-demand
  - Reserved instances (1 or 3 years) with required up-front
- Backup Storage: There is no additional charge for backup storage up to 100% of your total database storage for a region.

# Database Pricing - RDS



- Additional storage (per GB per month)
- Number of input and output requests per month
- Deployment type (storage and I/O are variable):
  - Single AZ
  - Multiple AZs
- Data transfer:
  - Outbound data transfer are tiered for volume discounts
  - Inbound is free




# Content Delivery – CloudFront

- Pricing is different across different geographic regions
- Aggregated for each edge location, then applied to your bill
- Data Transfer Out (volume discount)
- Number of HTTP/HTTPS requests

Per Month	United States & Canada	Europe & Israel	South Africa, Kenya, & Middle East	South America	Japan	Australia	Singapore, South Korea, Taiwan, Hong Kong, & Philippines	India
First 10TB	\$0.085	\$0.085	\$0.110	\$0.110	\$0.114	\$0.114	\$0.140	\$0.170
Next 40TB	\$0.080	\$0.080	\$0.105	\$0.105	\$0.089	\$0.098	\$0.135	\$0.130
Next 100TB	\$0.060	\$0.060	\$0.090	\$0.090	\$0.086	\$0.094	\$0.120	\$0.110

# Networking Costs in AWS per GB - Simplified



- Use Private IP instead of Public IP for good savings and better network performance
- Use same AZ for maximum savings (at the cost of high availability)




# Savings Plan

- Commit a certain \$ amount per hour for 1 or 3 years
- Easiest way to setup long-term commitments on AWS
- **EC2 Savings Plan**
  - Up to 72% discount compared to On-Demand
  - Commit to usage of individual instance families in a region (e.g. C5 or M5)
  - Regardless of AZ, size (m5.xl to m5.4xl), OS (Linux/Windows) or tenancy
  - All upfront, partial upfront, no upfront
- **Compute Savings Plan**
  - Up to 66% discount compared to On-Demand
  - Regardless of Family, Region, size, OS, tenancy, compute options
  - Compute Options: EC2, Fargate, Lambda
- **Machine Learning Savings Plan:** SageMaker...
- Setup from the AWS Cost Explorer console
- Estimate pricing at <https://aws.amazon.com/savingsplans/pricing/>

# AWS Compute Optimizer



- Reduce costs and improve performance by recommending optimal AWS resources for your workloads
- Helps you choose optimal configurations and right-size your workloads (over/under provisioned)
- Uses Machine Learning to analyze your resources' configurations and their utilization CloudWatch metrics
- Supported resources
  - EC2 instances
  - EC2 Auto Scaling Groups
  - EBS volumes
  - Lambda functions
- Lower your costs by up to 25%
- Recommendations can be exported to S3



# Billing and Costing Tools



- Estimating costs in the cloud:
  - Pricing Calculator
- Tracking costs in the cloud:
  - Billing Dashboard
  - Cost Allocation Tags
  - Cost and Usage Reports
  - Cost Explorer
- Monitoring against costs plan
  - Billing Alarms
  - Budgets

Which of the following allows you to categorize and track your AWS costs on a detailed level?

- |                                       |
|---------------------------------------|
| Amazon Aurora Backtrack               |
| Consolidated Billing                  |
| Cost allocation tags <b>(Correct)</b> |
| AWS Budgets                           |

# AWS Pricing Calculator

- Available at <https://calculator.aws/>
- Estimate the cost for your solution architecture

The screenshot shows the AWS Pricing Calculator interface. At the top, it displays the total estimated cost: First 12 months total **62,191.68 USD**, Total upfront **0.00 USD**, and Total monthly **5,182.64 USD**. Below this, under the heading "Services (2)", there are two entries:

- Amazon Aurora MySQL-Compatible**  
Region: US East (Ohio)  
Monthly: 5,110.80 USD
- Aurora MySQL-Compatible**  
Change records per statement (0.38), (1 instances) db.r5.12xlarge Memory optimized OnDemand, Storage amount (300 GB)  
Monthly: 5,110.80 USD


Below these, under "Amazon EC2", there is one entry:

- Amazon EC2**  
Region: US East (Ohio)  
Monthly: 71.84 USD

At the bottom, there is a section titled "Quick estimate" with the following details:  
Operating system (Linux), Quantity (1), Storage for each EC2 instance (General Purpose SSD (gp2)), Storage amount (30 GB), Instance type (t3a.xlarge)

# AWS Billing Dashboard

## Billing & Cost Management Dashboard



# AWS Free Tier Dashboard

All Free Tier services by usage

Service	Free Tier usage limit	Current usage	Forecasted usage	Month-to-date actual usage	Month-end forecasted usage
AWS Lambda	1,000,000 free requests per month for AWS Lambda	585,089 Requests	697,606 Requests	<div style="width: 58.51%;">58.51%</div>	<div style="width: 69.76%;">69.76%</div>
Amazon Simple Notification Service	1,000,000 Requests for Amazon Simple Notification Service (APS2)	575,640 Requests	686,340 Requests	<div style="width: 57.56%;">57.56%</div>	<div style="width: 68.63%;">68.63%</div>
AWS Lambda	400,000 seconds of compute time per month for AWS Lambda	61,973 seconds	73,891 seconds	<div style="width: 15.49%;">15.49%</div>	<div style="width: 18.47%;">18.47%</div>
AWS Key Management Service	20,000 free requests per month for AWS Key Management Service	1,533 Requests	1,828 Requests	<div style="width: 7.66%;">7.66%</div>	<div style="width: 9.14%;">9.14%</div>
AmazonCloudWatch	5 GB of Log Data Ingestion for Amazon Cloudwatch	0 GB	0 GB	<div style="width: 5.81%;">5.81%</div>	<div style="width: 6.92%;">6.92%</div>
AmazonCloudWatch	5 GB of Log Data Archive for Amazon Cloudwatch	0 GB-Mo	0 GB-Mo	<div style="width: 4.78%;">4.78%</div>	<div style="width: 5.70%;">5.70%</div>
Amazon Simple Notification Service	1,000 email notifications for Amazon Simple Notification Service (USE1)	25 Notifications	30 Notifications	<div style="width: 2.50%;">2.50%</div>	<div style="width: 2.98%;">2.98%</div>
Amazon Simple Queue Service	1,000,000 Requests of Amazon Simple Queue Service	11,323 Requests	13,501 Requests	<div style="width: 1.13%;">1.13%</div>	<div style="width: 1.35%;">1.35%</div>
CodeBuild	100 build minutes per month of build.general1.small compute type usage for AWS CodeBuild	1 minutes	1 minutes	<div style="width: 1.00%;">1.00%</div>	<div style="width: 1.19%;">1.19%</div>
AWS Step Functions	4,000 state transitions per month for AWS Step Functions	15 StateTransitions	18 StateTransitions	<div style="width: 0.38%;">0.38%</div>	<div style="width: 0.45%;">0.45%</div>


# Cost Allocation Tags

- Use cost allocation tags to track your AWS costs on a detailed level
- AWS generated tags
  - Automatically applied to the resource you create
  - Starts with Prefix aws: (e.g. aws: createdBy)
- User-defined tags
  - Defined by the user
  - Starts with Prefix user:

Total Cost	user:Owner	user:Stack	user:Cost Center	user:Application
0.95	DbAdmin	Test	80432	Widget2
0.01	DbAdmin	Test	80432	Widget2
3.84	DbAdmin	Prod	80432	Widget2
6.00	DbAdmin	Test	78925	Widget1
234.63	SysEng	Prod	78925	Widget1
0.73	DbAdmin	Test	78925	Widget1
0.00	DbAdmin	Prod	80432	Portal
2.47	DbAdmin	Prod	78925	Portal

# Tagging and Resource Groups

- **Tags** are used for organizing resources:
  - EC2: instances, images, load balancers, security groups...
  - RDS, VPC resources, Route 53, IAM users, etc...
  - Resources created by CloudFormation are all tagged the same way
- Free naming, common tags are: Name, Environment, Team ...
- Tags can be used to create **Resource Groups**
  - Create, maintain, and view a collection of resources that share common tags
  - Manage these tags using the Tag Editor



# Cost and Usage Reports

- Dive deeper into your AWS costs and usage
- The AWS Cost & Usage Report contains **the most comprehensive set of AWS cost and usage data available**, including additional metadata about AWS services, pricing, and reservations (e.g., Amazon EC2 Reserved Instances (RIs)).
- The AWS Cost & Usage Report lists AWS usage for each service category used by an account and its IAM users in hourly or daily line items, as well as any tags that you have activated for cost allocation purposes.
- Can be integrated with **Athena, Redshift or QuickSight**

# Cost and Usage Reports

M	N	O	P	R
lineItem/ProductCode	lineItem/UsageType	lineItem/Operation	lineItem/AvailabilityZone	lineItem/UsageAmount
1 AmazonEC2	CW:AlarmMonitorUsage	Unknown		0.00134409 USD
2 AmazonS3	Requests-Tier1	ListAllMyBuckets		2 USD
3 AmazonEC2	CW:AlarmMonitorUsage	Unknown		0.00134409 USD
4 AmazonEC2	APS2-EBS:VolumeUsage.gp2	CreateVolume-Gp2		0.01344086 USD
5 AmazonEC2	APS2-EBS:VolumeUsage.gp2	CreateVolume-Gp2		0.01344086 USD
6 AmazonEC2	USW2-BoxUsage:t2.micro	RunInstances:0002	us-west-2a	1 USD
7 AmazonEC2	USW2-USE1-AWS-Out-Bytes	PublicIP-Out		0.00000174 USD
8 AmazonEC2	USW2-USE1-AWS-In-Bytes	PublicIP-In		0.00000138 USD
9 AmazonEC2	USW2-USW1-AWS-In-Bytes	PublicIP-In		0.00000149 USD
10 AmazonEC2	Requests-Tier1	ListAllMyBuckets		2 USD
11 AmazonS3	USW2-DataTransfer-Out-Bytes	RunInstances		0.00038144 USD
12 AmazonEC2	USW2-DataTransfer-In-Bytes	PublicIP-Out		0.00000174 USD
13 AmazonEC2	USW2-USW1-AWS-Out-Bytes	RunInstances		0.00030951 USD
14 AmazonEC2	USW2-DataTransfer-In-Bytes	PublicIP-In		0.00000276 USD
15 AmazonEC2	USW2-BoxUsage:t2.micro	RunInstances:0002	us-west-2a	1 USD
16 AmazonEC2	USW2-USW1-AWS-Out-Bytes	CreateVolume-Gp2		0.01344086 USD
17 AmazonEC2	USW2-USW1-AWS-In-Bytes	PublicIP-Out		0.00000174 USD
18 AmazonEC2	USW2-USW1-AWS-In-Bytes	RunInstances		0.00000349 USD
19 AmazonEC2	APS2-EBS:VolumeUsage.gp2	PublicIP-In		0.00000005 USD
20 AmazonEC2	CW:AlarmMonitorUsage	Unknown		0.00000018 USD
21 AmazonEC2	USW2-BoxUsage:t2.micro	ListAllMyBuckets	us-west-2a	1 USD
22 AmazonEC2	USW2-DataTransfer-Regional-Bytes	PublicIP-Out		0.00000153 USD
AmazonEC2	USW2-DataTransfer-In-Bytes	RunInstances		0.00039945 USD
				0.00134409 USD

Which of the following Cost Management Tools allows you to track your Amazon EC2 Reserved Instance (RI) usage and view the discounted RI rate that was charged to your resources?

- A) AWS Budgets
- B) AWS Cost Explorer
- C) AWS Price List Bulk API
- D) AWS Cost and Usage report (Correct)

AWS Cost Management > Reports > Create new report

## Create new report Info

Select a report type

Cost and usage (recommended)  
The cost and usage report visualizes your aggregate costs across all AWS services. Use the filter dimensions to analyze all aspects of your AWS costs and usage.

Savings Plans reports

Savings Plans utilization  
The Savings Plans utilization report visualizes your aggregate Savings Plans utilization and allows you to set a custom Savings Plans utilization target. This report helps you understand how well you are using your resources.

Savings Plans coverage  
The Savings Plans coverage report visualizes your overall Savings Plans coverage and allows you to set a custom Savings Plans coverage target. This report helps you identify opportunities for savings.

Reservation reports

Reservation utilization  
The reservation utilization report visualizes your aggregate reservation utilization and allows you to set a custom reservation utilization target. This report helps you understand how well you are using your resources.

Reservation coverage  
The reservation coverage report visualizes your overall reservation coverage and allows you to set a custom reservation coverage target. This report helps you identify opportunities for savings.

**Create Report**

# Cost Explorer




- Visualize, understand, and manage your AWS costs and usage over time
- Create custom reports that analyze cost and usage data.
- Analyze your data at a high level: total costs and usage across all accounts
- Or Monthly, hourly, resource level granularity
- Choose an optimal **Savings Plan** (to lower prices on your bill)
- Forecast usage up to 12 months based on previous usage

# Cost Explorer – Monthly Cost by AWS Service



# Cost Explorer– Hourly & Resource Level



# Cost Explorer – Savings Plan Alternative to Reserved Instances

Recommendation options

Savings Plans type <input checked="" type="radio"/> Compute <input type="radio"/> EC2 Instance	Savings Plans term <input type="radio"/> 1-year <input checked="" type="radio"/> 3-year	Payment option <input checked="" type="radio"/> All upfront <input type="radio"/> Partial upfront <input type="radio"/> No upfront	Based on the past <input type="radio"/> 7 days <input type="radio"/> 30 days <input checked="" type="radio"/> 60 days
--	---	---	--

Recommendation: Purchase a Compute Savings Plan at a commitment of \$2.40/hour

You could save an estimated **\$1,173** monthly by purchasing the recommended Compute Savings Plan.

Based on your past **60 days** of usage, we recommend purchasing a Savings Plan with a commitment of **\$2.40/hour** for a **3-year term**. With this commitment, we project that you could save an average of **\$1.61/hour** - representing a **40%** savings compared to On-Demand. To account for variable usage patterns, this recommendation maximizes your savings by leaving an average **\$0.04/hour** of On-Demand spend.

Before recommended purchase	After recommended purchase (based on your past 60 days of usage)
Monthly On-Demand spend <small> ⓘ</small> <b>\$2,955</b> (\$4.05/hour) Based on your On-Demand spend over the past 60 days	Estimated monthly spend <small> ⓘ</small> <b>\$1,782</b> (\$2.44/hour) Your recommended \$2.40/hour Savings Plans commitment + an average \$0.04/hour of On-Demand spend Estimated monthly savings <small> ⓘ</small> <b>\$1,173</b> (\$1.61/hour) 40% monthly savings over On-Demand \$2,955 - \$1,782 = \$1,173

This recommendation examines your usage over the past 60 days (including your existing Savings Plans and EC2 Reserved Instances) and calculates what your costs would have been had you purchased the recommended Savings Plans. See applicable rates for Savings Plans [here](#). To generate this recommendation, AWS simulates your bill for different commitment amounts and recommends the commitment amount that provides the greatest estimated savings. [Learn more](#)

Recommended Compute Savings Plans [Download CSV](#) [Add selected Savings Plan\(s\) to cart](#)

x	Term	Payment option	Recommended commitment	Estimated hourly savings <small> ⓘ</small>
<input checked="" type="checkbox"/>	3-year	All upfront	\$2.40/hour	\$1.61 (40%)


\*Average hourly spend and minimum hourly spend based on your current on-demand spend for the given instance family.

# Cost Explorer – Forecast Usage



# Billing Alarms in CloudWatch

- Billing data metric is stored in CloudWatch us-east-1
- Billing data are for overall worldwide AWS costs
- It's for actual cost, not for projected costs
- Intended a simple alarm (not as powerful as AWS Budgets)




# AWS Budgets



- Create budget and send alarms when costs exceeds the budget
- 4 types of budgets: Usage, Cost, Reservation, Savings Plans
- For Reserved Instances (RI)
  - Track utilization
  - Supports EC2, ElastiCache, RDS, Redshift
- Up to 5 SNS notifications per budget
- Can filter by: Service, Linked Account, Tag, Purchase Option, Instance Type, Region, Availability Zone, API Operation, etc...
- Same options as AWS Cost Explorer!
- 2 budgets are free, then \$0.02/day/budget

# AWS Cost Anomaly Detection


- Continuously monitor your cost and usage using ML to detect unusual spends
- It learns your unique, historic spend patterns to detect one-time cost spike and/or continuous cost increases (you don't need to define thresholds)
- Monitor AWS services, member accounts, cost allocation tags, or cost categories
- Sends you the anomaly detection report with root-cause analysis
- Get notified with individual alerts or daily/weekly summary (using SNS)



# AWS Service Quotas

- Notify you when you're close to a service quota value threshold
- Create CloudWatch Alarms on the Service Quotas console
- Example: Lambda concurrent executions
- Request a quota increase from AWS Service Quotas or shutdown resources before limit is reached

## AWS Lambda Quota



**Create a CloudWatch alarm: Concurrent executions**

Description  
The maximum number of events that functions can process simultaneously in the current Region.

Alarm threshold  
This alarm will notify you based on the threshold you choose.

Alarm name  
  
Required. Alarm names must be unique within an AWS account.

Region  
US East (N. Virginia) us-east-1

Pricing  
Using CloudWatch can incur costs. [CloudWatch pricing](#)

[Cancel](#) [Create](#)

# Trusted Advisor

AWS Trusted Advisor is an online tool that provides you real-time guidance to help you provision your resources following AWS best practices. It inspects your AWS environment and makes recommendations for saving money, improving system performance and reliability, or closing security gaps.



- No need to install anything – high level AWS account assessment
- Analyze your AWS accounts and provides recommendation on 6 categories:
  - Cost optimization
  - Performance
  - Security
  - Fault tolerance
  - Service limits
  - Operational Excellence
- Business & Enterprise Support plan
  - Full Set of Checks
  - Programmatic Access using AWS Support API

## Checks

- ▶ ✓ **Amazon EBS Public Snapshots**

Checks the permission settings for your Amazon Elastic Block Store snapshots. 0 EBS snapshots are marked as public.
- ▶ ✓ **Amazon RDS Public Snapshots**

Checks the permission settings for your Amazon Relational Database Service snapshots. 0 RDS snapshots are marked as public.
- ▶ ✓ **IAM Use**

This check is intended to discourage the use of root access keys. At least one IAM user has been created for this account.



# AWS Support Plans Pricing

- Basic Support: free

Developer	Business	Enterprise On-Ramp	Enterprise
Greater of \$29.00  - or -  3% of monthly AWS charges	Greater of \$100.00  - or -  10% of monthly AWS charges for the first \$0--\$10K  7% of monthly AWS charges from \$10K--\$80K  5% of monthly AWS charges from \$80K--\$250K  3% of monthly AWS charges over \$250K	Greater of \$5,500.00  - or -  10% of monthly AWS charges	Greater of \$15,000.00  - or -  10% of monthly AWS charges for the first \$0--\$150K  7% of monthly AWS charges from \$150K--\$500K  5% of monthly AWS charges from \$500K--\$1M  3% of monthly AWS charges over \$1M

# AWS Basic Support Plan

- Customer Service & Communities - 24x7 access to customer service, documentation, whitepapers, and support forums.
- AWS Trusted Advisor - Access to the 7 core Trusted Advisor checks and guidance to provision your resources following best practices to increase performance and improve security.
- AWS Personal Health Dashboard - A personalized view of the health of AWS services, and alerts when your resources are impacted.

# AWS Developer Support Plan

- All Basic Support Plan +  
No access to the AWS Support API
- Business hours email access to Cloud Support Associates
- Unlimited cases / unlimited contacts Limited access to the 7 Core Trusted Advisor checks
- Case severity / response times:
  - General guidance: < 24 business hours
  - System impaired: < 12 business hours

# AWS Business Support Plan (24/7)

- Intended to be used if you have production workloads
- Trusted Advisor – Full set of checks + API access
- 24x7 phone, email, and chat access to Cloud Support Engineers
- Unlimited cases / unlimited contacts
- Access to Infrastructure Event Management for additional fee.
- Case severity / response times:
  - General guidance: < 24 business hours
  - System impaired: < 12 business hours
  - Production system impaired: < 4 hours
  - Production system down: < 1 hour

Which of the following is the most cost-effective AWS Support Plan to use if you need access to AWS Support API for programmatic case management?

Enterprise
Business <b>(Correct)</b>
Developer
Basic

# AWS Enterprise On-Ramp Support Plan (24/7)

- Intended to be used if you have production or business critical workloads
- All of Business Support Plan +
- Access to a pool of Technical Account Managers (TAM)
- Concierge Support Team (for billing and account best practices)
- Infrastructure Event Management, Well-Architected & Operations Reviews
- Case severity / response times:
  - ...
  - Production system impaired: < 4 hours
  - Production system down: < 1 hour
  - Business-critical system down: < 30 minutes

# AWS Enterprise Support Plan (24/7)

- Intended to be used if you have mission critical workloads
- All of Business Support Plan +
- Access to a [designated](#) Technical Account Manager (TAM)
- Concierge Support Team (for billing and account best practices)
- Infrastructure Event Management, Well-Architected & Operations Reviews
- Access to AWS Incident Detection and Response (for an additional fee)
- Case severity / response times:
  - ...
  - Production system impaired: < 4 hours
  - Production system down: < 1 hour
  - Business-critical system down: < 15 minutes

# Account Best Practices – Summary

- Operate multiple accounts using **Organizations**
- Use **SCP** (service control policies) to restrict account power
- Easily setup multiple accounts with best-practices with **AWS Control Tower**
- **Use Tags & Cost Allocation Tags** for easy management & billing
- **IAM guidelines:** MFA, least-privilege, password policy, password rotation
- **Config** to record all resources configurations & compliance over time
- **CloudFormation** to deploy stacks across accounts and regions
- **Trusted Advisor** to get insights, Support Plan adapted to your needs
- Send Service Logs and Access Logs to **S3 or CloudWatch Logs**
- **CloudTrail** to record API calls made within your account
- **If your Account is compromised:** change the root password, delete and rotate all passwords / keys, contact the AWS support
- Allow users to create pre-defined stacks defined by admins using **AWS Service Catalog**

# Billing and Costing Tools – Summary




- **Compute Optimizer:** recommends resources' configurations to reduce cost
- **Pricing Calculator:** cost of services on AWS
- **Billing Dashboard:** high level overview + free tier dashboard
- **Cost Allocation Tags:** tag resources to create detailed reports
- **Cost and Usage Reports:** most comprehensive billing dataset
- **Cost Explorer:** View current usage (detailed) and forecast usage
- **Billing Alarms:** in us-east-1 – track overall and per-service billing
- **Budgets:** more advanced – track usage, costs, RI, and get alerts
- **Savings Plans:** easy way to save based on long-term usage of AWS
- **Cost Anomaly Detection:** detect unusual spends using Machine Learning
- **Service Quotas:** notify you when you're close to service quota threshold

# Advanced Identity Section

This enables you to create temporary, limited privileges credentials to access your AWS resources. That means that you get short-term credentials, just like your access key and your secret access key, but you can configure your expiration period. So the user, for example, has access to a role and then wants to leverage that role. So what it's going to do is that it's going to assume the role using an STS API call. It will talk to the STS service, and the result of this API call will be STS sending us back some temporary security credentials, and they look just like an access key, security key as well as a session key, which is going to be limited in time. And using these three credentials, we're going to access our AWS resources and using the (mumbles) role we just assumed.

# AWS STS (Security Token Service)


- Enables you to create **temporary, limited-privileges credentials** to access your AWS resources
- Short-term credentials: you configure expiration period
- Use cases
  - **Identity federation:** manage user identities in external systems, and provide them with STS tokens to access AWS resources
  - **IAM Roles for cross/same account access**
  - **IAM Roles for Amazon EC2:** provide temporary credentials for EC2 instances to access AWS resources



Anytime from an example perspective that you see, you need to create temporary, limited privileges credentials to AWS (mumbles) STS.

# Amazon Cognito (simplified)

- Identity for your Web and Mobile applications users (potentially millions)
- Instead of



**Q** A company needs to set up user authentication for a new application. Users must be able to sign in directly with a user name and password, or through a third-party provider. Which AWS service should the company use to meet these requirements?

**A** AWS Single Sign-On

**B** Amazon GuardDuty

**C** Amazon Cognito

**D** AWS Directory Service

in Cognito



social Identity Provider

Facebook, Google, Twitter...

Which of the following should you use if you need to provide temporary AWS credentials for users who have been authenticated via their social media logins as well as for guest users who do not require any authentication?

Amazon Cognito User Pool


Amazon Cognito Identity Pool (Correct)

AWS AppSync

AWS IAM Identity Center

# What is Microsoft Active Directory (AD)?

- Found on any Windows Server with AD Domain Services
- Database of **objects**: User Accounts, Computers, Printers, File Shares, Security Groups
- Centralized security management, create account, assign permissions




# AWS Directory Services

AWS doesn't have Active Directory on it, but you can extend your AD using AWS Directory Services. We have 3 Options :


- **AWS Managed Microsoft AD**

- Create your own AD in AWS, manage users locally, supports MFA
- Establish "trust" connections with your on-premise AD



- **AD Connector**

- Directory Gateway (proxy) to redirect to on-premise AD, supports MFA
- Users are managed on the on-premise AD



- **Simple AD**

- AD-compatible managed directory on AWS
- Cannot be joined with on-premise AD




# AWS IAM Identity Center

(successor to AWS Single Sign-On)




- One login (single sign-on) for all your
  - AWS accounts in AWS Organizations
  - Business cloud applications (e.g., Salesforce, Box, Microsoft 365, ...)
  - SAML2.0-enabled applications
  - EC2 Windows Instances
- Identity providers
  - Built-in identity store in IAM Identity Center
  - 3<sup>rd</sup> party: Active Directory (AD), OneLogin, Okta...



The idea here is that from an exam perspective, anytime you see one access to multiple AWS accounts, you have to think about the IAM Identity Center.

# AWS IAM Identity Center – Login Flow



# Advanced Identity - Summary


- IAM
  - Identity and Access Management inside your AWS account
  - For users that you trust and belong to your company
- Organizations: Manage multiple accounts
- Security Token Service (STS): temporary, limited-privileges credentials to access AWS resources
- Cognito: create a database of users for your mobile & web applications
- Directory Services: integrate Microsoft Active Directory in AWS
- IAM Identity Center: one login for multiple AWS accounts & applications

# Other AWS Services


# Other AWS services section

- Other services represent services I couldn't group with the other ones
- They are services reported by students as **sometimes, but rarely**, appearing on the AWS exam
- The lectures are short and brief and most likely without hands-on
- No summary lecture at the end of the section to keep things flexible!


# Amazon WorkSpaces




- Managed Desktop as a Service (DaaS) solution to easily provision Windows or Linux desktops
- Great to eliminate management of on-premise VDI (Virtual Desktop Infrastructure)
- Fast and quickly scalable to thousands of users
- Secured data – integrates with KMS
- Pay-as-you-go service with monthly or hourly rates




# Amazon WorkSpaces – Multiple Regions





# Amazon AppStream 2.0

- Desktop Application Streaming Service
- Deliver to any computer; without acquiring, provisioning infrastructure
- The application is delivered from within a web browser



# Amazon AppStream 2.0 vs WorkSpaces

- **Workspaces**

- Fully managed VDI and desktop available
- The users connect to the VDI and open native or WAM applications
- Workspaces are on-demand or always on


- **AppStream 2.0**

- Stream a desktop application to web browsers (no need to connect to a VDI)
- Works with any device (that has a web browser)
- Allow to configure an instance type per application type (CPU, RAM, GPU)

# AWS IoT Core



- IoT stands for “Internet of Things” – the network of internet-connected devices that are able to collect and transfer data
- AWS IoT Core allows you to **easily connect IoT devices to the AWS Cloud**
- **Serverless, secure & scalable to billions of devices and trillions of messages**
- Your applications can communicate with your ~~devices even when they aren't connected~~
- Integrates with a lot of AWS services (Lambda, S3, SageMaker, etc.)
- Build IoT applications that gather, process, analyze, and act on data



# Amazon Elastic Transcoder




- Elastic Transcoder is used to convert media files stored in S3 into media files in the formats required by consumer playback devices (phones etc..)
- Benefits:
  - Easy to use
  - Highly scalable – can handle large volumes of media files and large file sizes
  - Cost effective – duration-based pricing model
  - Fully managed & secure, pay for what you use



# AWS AppSync




- Store and sync data across mobile and web apps in real-time
- Makes use of GraphQL (mobile technology from Facebook)
- Client Code can be generated automatically
- Integrations with DynamoDB / Lambda
- Real-time subscriptions
- Offline data synchronization (replaces Cognito Sync)
- Fine Grained Security
- AWS Amplify can leverage AWS AppSync in the background!




# AWS Amplify




- A set of tools and services that helps you develop and deploy scalable full stack web and mobile applications
- Authentication, Storage, API (REST, GraphQL), CI/CD, PubSub, Analytics, AI/ML Predictions, Monitoring, Source Code from AWS, GitHub, etc...






# AWS Infrastructure Composer

- Visually design and build serverless applications quickly on AWS
- Deploy AWS infrastructure code without needing to be an expert in AWS
- Configure how your resources interact with each other
- Generates Infrastructure as Code (IaC) using CloudFormation
- Ability to import existing CloudFormation / SAM templates to visualize them




<https://docs.aws.amazon.com/infrastructure-composer/latest/dg/what-is-composer.html>

# AWS Device Farm



- Fully-managed service that tests your web and mobile apps against desktop browsers, real mobile devices, and tablets
- Run tests concurrently on multiple devices (speed up execution)
- Ability to configure device settings (GPS, language, Wi-Fi, Bluetooth, ...)




# AWS Backup




- Fully-managed service to centrally manage and automate backups across AWS services
- On-demand and scheduled backups
- Supports PITR (Point-in-time Recovery)
- Retention Periods, Lifecycle Management, Backup Policies, ...
- Cross-Region Backup
- Cross-Account Backup (using AWS Organizations)

# AWS Backup




# Disaster Recovery Strategies

## Backup and Restore




## Pilot Light





# Disaster Recovery Strategies


## Warm Standby



## Multi-Site / Hot-Site



# Typical DR Setup for Cloud Deployments



# AWS Elastic Disaster Recovery (DRS)




A company has enlisted the help of ALX Consulting Co. to assist them in designing an AWS disaster recovery solution for their on-premises bare metal servers and SQL databases. The solution should provide a rapid and efficient method of replicating their current environment in AWS with minimum data loss in the event of a disaster. The company would like to keep track of the status of the replication process.

Which tool should the team adopt for the DR solution?

- AWS Elastic Disaster Recovery (**Correct**)
- AWS Migration Hub
- AWS Database Migration Service
- AWS Application Migration Service

- Used to be named “CloudEndure Disaster Recovery”

- Quickly and easily **recover** your physical, virtual, and cloud-based servers
- Example: protect your most critical databases (including Oracle, MySQL), enterprise apps (SAP), protect your data from ransomware attacks, ...
- Continuous block-level replication for your servers







# AWS DataSync

- Move large amount of data from on-premises to AWS
- Can synchronize to: Amazon S3 (any storage classes – including Glacier), Amazon EFS, Amazon FSx for Windows
- Replication tasks can be scheduled hourly, daily, weekly
- The replication tasks are incremental after the first full load

# AWS DataSync



# Cloud Migration Strategies: The 7Rs



<https://aws.amazon.com/blogs/enterprise-strategy/new-possibilities-seven-strategies-to-accelerate-your-application-migration-to-aws/>

# Cloud Migration Strategies: The 7Rs

- Retire
  - Turn off things you don't need (maybe as a result of Re-architecting)
  - Helps with reducing the surface areas for attacks (more security)
  - Save cost, maybe up to 10% to 20%
  - Focus your attention on resources that must be maintained
- Retain
  - Do nothing for now (it's still a decision to make in a Cloud Migration)
  - Security, data compliance, performance, unresolved dependencies
  - No business value to migrate, mainframe or mid-range and non-x86 Unix apps

# Cloud Migration Strategies: The 7Rs

- Relocate
  - Move apps from on-premises to its Cloud version
  - Move EC2 instances to a different VPC, AWS account or AWS Region
  - Example: transfer servers from VMware Software-defined Data Center (SSDC) to VMware Cloud on AWS
- Rehost “*lift and shift*”
  - Simple migrations by re-hosting on AWS (applications, databases, data...)
  - Migrate machines (physical, virtual, another Cloud) to AWS Cloud
  - No cloud optimizations being done, applications is migrated as is
  - Could save as much as 30% on cost
  - Example: Migrate using AWS Application Migration Service

# Cloud Migration Strategies: The 7Rs

- Replatform “*lift and reshape*”
  - Example: migrate your database to RDS
  - Example: migrate your application to Elastic Beanstalk
  - Not changing the core architecture, but leverage some Cloud optimizations
  - Save time and money by moving to a fully managed service or Serverless
- Repurchase “*drop and shop*”
  - Moving to a different product while moving to the Cloud
  - Often you move to a SaaS platform
  - Expensive in the short term, but quick to deploy
  - Example: CRM to Salesforce.com, HR to Workday, CMS to Drupal

# Cloud Migration Strategies: The 7Rs

- Refactor / Re-architect

- Reimagining how the application is architected using Cloud Native features
- Driven by the need of the business to add features and improve scalability, performance, security, and agility
- Move from a monolithic application to micro-services
- Example: move an application to Serverless architectures, use AWS S3

# AWS Application Discovery Service




- Plan migration projects by gathering information about on-premises data centers
- Server utilization data and dependency mapping are important for migrations
- **Agentless Discovery (AWS Agentless Discovery Connector)**
  - VM inventory, configuration, and performance history such as CPU, memory, and disk usage
- **Agent-based Discovery (AWS Application Discovery Agent)**
  - System configuration, system performance, running processes, and details of the network connections between systems
- Resulting data can be viewed within AWS Migration Hub


# AWS Application Migration Service (MGN)




- The “AWS evolution” of CloudEndure Migration, replacing AWS Server Migration Service (SMS)
- Lift-and-shift (rehost) solution which simplify **migrating** applications to AWS
- Converts your physical, virtual, and cloud-based servers to run natively on AWS
- Supports wide range of platforms, Operating Systems, and databases
- Minimal downtime, reduced costs



# AWS Migration Evaluator



- Helps you build a data-driven business case for migration to AWS
- Provides a clear baseline of what your organization is running today
- Install Agentless Collector to conduct broad-based discovery
- Take a snapshot of on-premises foot-print, server dependencies, ...
- Analyze current state, define target state, then develop migration plan



# AWS Migration Hub



So, whenever the exam is asking you for a central location to discover access, plan and track your migration and modernization, think no more than the Migration Hub where you can have a look at all your servers and apps and centralize them.

- Central location to collect servers and applications inventory data for the assessment, planning, and tracking of migrations to AWS
- Helps accelerate your migration to AWS, automate lift-and-shift
- **AWS Migration Hub Orchestrator** – provides pre-built templates to save time and effort migrating enterprise apps (e.g., SAP, Microsoft SQL Server...)
- Supports migrations status updates from **Application Migration Service (MGN)** and **Database Migration Service (DMS)**



**AWS Migration Hub**  
central location to discover,  
access, plan, and track  
your migration & modernization




Discover, analyze, and  
group servers into apps



Right size your workloads  
and strategy  
recommendations



Orchestrate migrations  
across multiple tools




Incrementally refactor  
application in AWS


# AWS Fault Injection Simulator (FIS)



- A fully managed service for running fault injection experiments on AWS workloads
- Based on **Chaos Engineering** – stressing an application by creating disruptive events (e.g., sudden increase in CPU or memory), observing how the system responds, and implementing improvements
- Helps you uncover hidden bugs and performance bottlenecks
- Supports the following AWS services: EC2, ECS, EKS, RDS...
- Use pre-built templates that generate the desired disruptions




# AWS Step Functions



- Build **serverless visual workflow** to orchestrate your Lambda functions
  - **Features:** sequence, parallel, conditions, timeouts, error handling
  - Can integrate servers, API
  - Possibility cancellation feature
  - **Use cases:** web applications, any workflow
- Which of the following is the most cost-effective service to use if you want to coordinate multiple AWS services into serverless workflows?
- |                                       |
|---------------------------------------|
| AWS Batch                             |
| AWS Step Functions ( <b>Correct</b> ) |
| AWS Lambda                            |
| Amazon SWF                            |


■ In Progress ■ Succeeded ■ Failed ■ Cancelled ■ Caught Error



# AWS Ground Station




- Fully managed service that lets you control satellite communications, process data, and scale your satellite operations
- Provides a global network of satellite ground stations near AWS regions
- Allows you to download satellite data to your AWS VPC within seconds
- Send satellite data to S3 or EC2 instance
- Use cases: weather forecasting, surface imaging, communications, video broadcasts



# Amazon Pinpoint



- Scalable 2-way (outbound/inbound) marketing communications service
- Supports email, SMS, push, voice, and in-app messaging
- Ability to segment and personalize messages with the right content to customers
- Possibility to receive replies
- Scales to billions of messages per day
- Use cases: run campaigns by sending marketing, bulk, transactional SMS messages
- **Versus Amazon SNS or Amazon SES**
  - In SNS & SES you managed each message's audience, content, and delivery schedule
  - In Amazon Pinpoint, you create message templates, delivery schedules, highly-targeted segments, and full campaigns



# AWS Architecting & Ecosystem Section

# Well Architected Framework

## General Guiding Principles

- Stop guessing your capacity needs
- Test systems at production scale
- Automate to make architectural experimentation easier
- Allow for evolutionary architectures
  - Design based on changing requirements
- Drive architectures using data
- Improve through game days
  - Simulate applications for flash sale days

# AWS Cloud Best Practices – Design Principles

- **Scalability:** vertical & horizontal
- **Disposable Resources:** servers should be disposable & easily configured
- **Automation:** Serverless, Infrastructure as a Service, Auto Scaling...
- **Loose Coupling:**
  - Monolith are applications that do more and more over time, become bigger
  - Break it down into smaller, loosely coupled components
  - A change or a failure in one component should not cascade to other components
- **Services, not Servers:**
  - Don't use just EC2
  - Use managed services, databases, serverless, etc !

# Well Architected Framework

## 6 Pillars

- 1) Operational Excellence
  - 2) Security
  - 3) Reliability
  - 4) Performance Efficiency
  - 5) Cost Optimization
  - 6) Sustainability
- 
- They are not something to balance, or trade-offs, they're a synergy

# I) Operational Excellence

- Includes the ability to run and monitor systems to deliver business value and to continually improve supporting processes and procedures
- Design Principles
  - Perform operations as code - Infrastructure as code
  - Make frequent, small, reversible changes - So that in case of any failure, you can reverse it
  - Refine operations procedures frequently - And ensure that team members are familiar with it
  - **Anticipate failure**
  - Learn from all operational failures
  - **Use managed services - to reduce operational burden**
  - Implement observability for actionable insights - performance, reliability, cost...

# Operational Excellence

## AWS Services

- Prepare



AWS CloudFormation



AWS Config


- Operate



AWS CloudFormation




AWS Config



AWS CloudTrail



Amazon CloudWatch



AWS X-Ray

- Evolve



AWS CloudFormation



AWS CodeBuild



AWS CodeCommit



AWS CodeDeploy



AWS CodePipeline

## 2) Security

- Includes the ability to protect information, systems, and assets while delivering business value through risk assessments and mitigation strategies
- Design Principles
  - **Implement a strong identity foundation** - Centralize privilege management and reduce (or even eliminate) reliance on long-term credentials - Principle of least privilege - IAM
  - **Enable traceability** - Integrate logs and metrics with systems to automatically respond and take action
  - **Apply security at all layers** - Like edge network, VPC, subnet, load balancer, every instance, operating system, and application
  - **Automate security best practices**
  - **Protect data in transit and at rest** - Encryption, tokenization, and access control
  - **Keep people away from data** - Reduce or eliminate the need for direct access or manual processing of data
  - **Prepare for security events** - Run incident response simulations and use tools with automation to increase your speed for detection, investigation, and recovery
  - **Shared Responsibility Model**

# Security AWS Services

- Identity and Access Management



IAM



AWS STS



MFA token



AWS Organizations

- Detective Controls



AWS Config



AWS CloudTrail



Amazon CloudWatch

- Infrastructure Protection



Amazon CloudFront



Amazon VPC



AWS Shield



AWS WAF



Amazon Inspector

- Data Protection:



KMS



S3



Elastic Load Balancing (ELB)



Amazon EBS



Amazon RDS

- Incident Response



IAM



AWS CloudFormation



Amazon CloudWatch Events

# 3) Reliability

- Ability of a system to recover from infrastructure or service disruptions, dynamically acquire computing resources to meet demand, and mitigate disruptions such as misconfigurations or transient network issues
- Design Principles
  - **Test recovery procedures** - Use automation to simulate different failures or to recreate scenarios that led to failures before
  - **Automatically recover from failure** - Anticipate and remediate failures before they occur
  - **Scale horizontally to increase aggregate system availability** - Distribute requests across multiple, smaller resources to ensure that they don't share a common point of failure
  - **Stop guessing capacity** - Maintain the optimal level to satisfy demand without over or under provisioning - Use Auto Scaling
  - **Manage change in automation** - Use automation to make changes to infrastructure

# Reliability AWS Services

- Foundations



IAM



Amazon VPC



Service Quotas



AWS Trusted Advisor


- Change Management



AWS Auto Scaling



Amazon CloudWatch



AWS CloudTrail



AWS Config

- Failure Management



Backups



AWS CloudFormation



Amazon S3



Amazon S3 Glacier



Amazon Route 53

# 4) Performance Efficiency

- Includes the ability to use computing resources efficiently to meet system requirements, and to maintain that efficiency as demand changes and technologies evolve
- Design Principles
  - **Democratize advanced technologies** - Advance technologies become services and hence you can focus more on product development
  - **Go global in minutes** - Easy deployment in multiple regions
  - **Use serverless architectures** - Avoid burden of managing servers
  - **Experiment more often** - Easy to carry out comparative testing
  - **Mechanical sympathy** - Be aware of all AWS services

# Performance Efficiency AWS Services

- Selection



AWS Auto Scaling



AWS Lambda



Amazon Elastic Block Store  
(EBS)



Amazon Simple Storage  
Service (S3)



Amazon RDS

- Review



AWS CloudFormation



AWS Lambda

- Monitoring



Amazon CloudWatch



AWS Lambda

- Tradeoffs




Amazon RDS



Amazon ElastiCache



AWS Snowball



Amazon CloudFront

## AWS News Blog

# 5) Cost Optimization


- Includes the ability to run systems to deliver business value at the lowest price point
- Design Principles
  - Adopt a consumption mode - Pay only for what you use
  - Measure overall efficiency - Use CloudWatch
  - Stop spending money on data center operations - AWS does the infrastructure part and enables customer to focus on organization projects
  - Analyze and attribute expenditure - Accurate identification of system usage and costs, helps measure return on investment (ROI) - Make sure to use tags
  - Use managed and application level services to reduce cost of ownership - As managed services operate at cloud scale, they can offer a lower cost per transaction or service

# Cost Optimization AWS Services

- Expenditure Awareness



AWS Budgets



AWS Cost and Usage Report



AWS Cost Explorer



Reserved Instance Reporting

- Cost-Effective Resources



Spot instance



Reserved instance



Amazon S3 Glacier

- Matching supply and demand



AWS Auto Scaling



AWS Lambda

- Optimizing Over Time



AWS Trusted Advisor



AWS Cost and Usage Report

**AWS News Blog**

# 6) Sustainability

- The sustainability pillar focuses on minimizing the environmental impacts of running cloud workloads.
- Design Principles
  - **Understand your impact** – establish performance indicators, evaluate improvements
  - **Establish sustainability goals** – Set long-term goals for each workload, model return on investment (ROI)
  - **Maximize utilization** – Right size each workload to maximize the energy efficiency of the underlying hardware and minimize idle resources.
  - **Anticipate and adopt new, more efficient hardware and software offerings** – and design for flexibility to adopt new technologies over time.
  - **Use managed services** – Shared services reduce the amount of infrastructure; Managed services help automate sustainability best practices as moving infrequent accessed data to cold storage and adjusting compute capacity.
  - **Reduce the downstream impact of your cloud workloads** – Reduce the amount of energy or resources required to use your services and reduce the need for your customers to upgrade their devices

# Sustainability AWS Services

- EC2 Auto Scaling, Serverless Offering (Lambda, Fargate)
- Cost Explorer, AWS Graviton 2, EC2 T instances, @Spot Instances
- EFS-IA, Amazon S3 Glacier, EBS Cold HDD volumes
- S3 Lifecycle Configurations, S3 Intelligent Tiering
- Amazon Data Lifecycle Manager
- Read Local, Write Global: RDS Read Replicas, Aurora Global DB, DynamoDB Global Table, CloudFront

EC2 Auto Scaling



Lambda



Fargate



Cost Explorer



EC2 (Graviton, T)



Spot Instances



EFS-IA



S3 Glacier



EBS Cold HDD



S3 Intelligent Tiering



Data Lifecycle Manager



RDS



Aurora



DynamoDB



CloudFront



# AWS Well-Architected Tool



- Free tool to review your architectures against the 6 pillars Well-Architected Framework and adopt architectural best practices
- How does it work?
  - Select your workload and answer questions
  - Review your answers against the 6 pillars
  - Obtain advice: get videos and documentations, generate a report, see the results in a dashboard
- Let's have a look: <https://console.aws.amazon.com/wellarchitected>


The screenshot shows the 'Workloads' section of the AWS Well-Architected Tool. At the top, there is a search bar labeled 'Search by workload name'. Below the search bar is a table with the following columns: Name, Overall status, High risks, Medium risks, Improvement status, and Last updated. The table contains five rows of data:

Name	Overall status	High risks	Medium risks	Improvement status	Last updated
Internal Employee Portal	Answered	13	2	None	Nov 24, 2018 3:40 PM UTC-8
Mobile app - Android	Answered	9	1	None	Nov 24, 2018 3:43 PM UTC-8
Mobile app - iOS	Answered	0	1	None	Nov 24, 2018 3:49 PM UTC-8
Retail Website- EU	Unanswered	0	0	None	Nov 24, 2018 3:52 PM UTC-8
Retail Website- North America	Unanswered	0	0	None	Nov 24, 2018 3:19 PM UTC-8


<https://aws.amazon.com/blogs/aws/new-aws-well-architected-tool-review-workloads-against-best-practices/>

# AWS Customer Carbon Footprint Tool

- Track, measure, review, and forecast the Carbon emissions generated from your AWS usage
- Helps you meet your own sustainability goals



<https://aws.amazon.com/blogs/aws/new-customer-carbon-footprint-tool/>



# AWS Cloud Adoption Framework (AWS CAF)

- Helps you build and then execute a comprehensive plan for your digital transformation through innovative use of AWS
- Created by AWS Professionals by taking advantage of AWS Best Practices and lessons learned from 1000s of customers
- AWS CAF identifies specific organizational capabilities that underpin successful cloud transformations
- AWS CAF groups its capabilities in six perspectives: Business, People, Governance, Platform, Security, and Operations

Business

People

Governance

Platform

Security

Operations

# CAF Perspectives and Foundational Capabilities

## Business Capabilities



- **Business Perspective** helps ensure that your cloud investments accelerate your digital transformation ambitions and business outcomes.
- **People Perspective** serves as a bridge between technology and business, accelerating the cloud journey to help organizations more rapidly evolve to a culture of continuous growth, learning, and where change becomes business-as-normal, with focus on culture, organizational structure, leadership, and workforce.
- **Governance Perspective** helps you orchestrate your cloud initiatives while maximizing organizational benefits and minimizing transformation-related risks.



# CAF Perspectives and Foundational Capabilities

## Business Capabilities



### Business

- Strategy Management
- Portfolio Management
- Innovation Management
- Product Management
- Strategic Partnership
- Data Monetization
- Business Insight
- Data Science



### People

- Culture Evolution
- Transformational Leadership
- Cloud Fluency
- Workforce Transformation
- Change Acceleration
- Organization Design
- Organizational Alignment



### Governance

- Program and Project Management
- Benefits Management
- Risk Management
- Cloud Financial Management
- Application Portfolio Management
- Data Governance
- Data Curation

# CAF Perspectives and Foundational Capabilities

## Technical Capabilities



- **Platform Perspective** helps you build an enterprise-grade, scalable, hybrid cloud platform; modernize existing workloads; and implement new cloud-native solutions.




- **Security Perspective** helps you achieve the confidentiality, integrity, and availability of your data and cloud workloads.




- **Operations Perspective** helps ensure that your cloud services are delivered at a level that meets the needs of your business.

# CAF Perspectives and Foundational Capabilities

## Technical Capabilities



# Cloud transformation value chain




# AWS CAF – Transformation Domains

- **Technology** - using the cloud to migrate and modernize legacy infrastructure, applications, data and analytics platforms...
- **Process** - digitizing, automating, and optimizing your business operations
  - leveraging new data and analytics platforms to create actionable insights
  - using machine learning (ML) to improve your customer service experience...
- **Organization** - Reimagining your operating model
  - Organizing your teams around products and value streams
  - Leveraging agile methods to rapidly iterate and evolve
- **Product** – reimagining your business model by creating new value propositions (products & services) and revenue models

# AWS CAF – Transformation Phases

- **Envision** – demonstrate how the Cloud will accelerate business outcomes by identifying transformation opportunities and create a foundation for your digital transformation
- **Align** – identify capability gaps across the 6 AWS CAF Perspectives which results in an Action Plan
- **Launch** – build and deliver pilot initiatives in production and demonstrate incremental business value
- **Scale** – expand pilot initiatives to the desired scale while realizing the desired business benefits



# AWS Right Sizing

- EC2 has many instance types, but choosing the most powerful instance type isn't the best choice, because the cloud is **elastic**
- Right sizing is the process of matching instance types and sizes to your workload performance and capacity requirements **at the lowest possible cost**
- Scaling up is easy so always start small
- It's also the process of looking at deployed instances and identifying opportunities to eliminate or downsize without compromising capacity or other requirements, which results in lower costs
- It's important to Right Size...
  - before a Cloud Migration
  - continuously after the cloud onboarding process (requirements change over time)
- CloudWatch, Cost Explorer, Trusted Advisor, 3<sup>rd</sup> party tools can help

# AWS Ecosystem – Free resources

- AWS Blogs: <https://aws.amazon.com/blogs/aws/>
- AWS Forums (community): <https://forums.aws.amazon.com/index.jspa>
- AWS Whitepapers & Guides: <https://aws.amazon.com/whitepapers>
- AWS Solutions Library (formerly Quick Starts):  
<https://aws.amazon.com/solutions/>
  - Vetted Technology Solutions for the AWS Cloud
  - Example: live streaming on AWS  
<https://aws.amazon.com/solutions/implementations/live-streaming-on-aws>

# AWS Ecosystem - AWS Support

<b>DEVELOPER</b>	<ul style="list-style-type: none"><li>• Business hours email access to Cloud Support Associates</li><li>• General guidance: &lt; 24 business hours</li><li>• System impaired: &lt; 12 business hours</li></ul>
<b>BUSINESS</b>	<ul style="list-style-type: none"><li>• 24x7 phone, email, and chat access to Cloud Support Engineers</li><li>• Production system impaired: &lt; 4 hours</li><li>• Production system down: &lt; 1 hour</li></ul>
<b>ENTERPRISE</b>	<ul style="list-style-type: none"><li>• Access to a Technical Account Manager (TAM)</li><li>• Concierge Support Team (for billing and account best practices)</li><li>• Business-critical system down: &lt; 15 minutes</li></ul>

# AWS Marketplace

provides a new sales channel for independent software vendors (ISVs) and Consulting Partners to sell their solutions to AWS customers. This makes it easy for customers to find, buy, deploy, and manage software solutions, including SaaS, in a matter of minutes.



- Digital catalog with thousands of software listings from independent software vendors (3<sup>rd</sup> party)
- Example:
  - Custom AMI (custom OS, firewalls, technical solutions...)
  - CloudFormation templates
  - Software as a Service
  - Containers
- If you buy through the AWS Marketplace, it goes into your AWS bill
- You can **sell your own solutions** on the AWS Marketplace

# AWS Training

- AWS Digital (online) and Classroom Training (in-person or virtual)
- AWS Private Training (for your organization)
- Training and Certification for the U.S Government
- Training and Certification for the Enterprise
- AWS Academy: helps universities teach AWS
- And your favorite online teacher...  
teaching you all about AWS Certifications and more!

# AWS Professional Services & Pa

- The AWS Professional Services organization is a
- They work alongside your team and a chosen member of the APN
- APN = AWS Partner Network  
S/Ws, IaaS , Saas , PaaS , ...  
People To Consult
- APN Technology Partners:** providing hardware, connectivity, and software
- APN Consulting Partners:** professional services firm to help build on AWS
- APN Training Partners: find who can train you
- AWS Competency Program:** AWS Partners who have demonstrated technical customer success in specialized solution areas
- AWS Navigate Program:** help Partners

A company is planning to launch a new system in AWS but they do not have an employee who has AWS-related expertise. Which of the following AWS channels can instead help the company design, architect, build, migrate, and manage their workloads and applications on AWS?

Technical Account Management

AWS Partner Network Consulting Partners **(Correct)**

AWS Marketplace

AWS Partner Network Technology Partners



# AWS IQ

Which of the following channels shares a collection of offerings to help you achieve specific business outcomes related to enterprise cloud adoption through paid engagements in several specialty practice areas?



- AWS Enterprise Support
- AWS Technical Account Manager
- Concierge Support
- AWS Professional Services (Correct)**

- Quickly find professional help for your AWS projects
- Engage and pay AWS Certified 3<sup>rd</sup> party experts for on-demand project work
- Video-conferencing, contract management, secure collaboration, integrated billing
- **For Customers**



# AWS re:Post



- AWS-managed Q&A service offering crowd-sourced, expert-reviewed answers to your technical questions about AWS that replaces the original AWS Forums
- Part of the AWS Free Tier
- Community members can earn reputation points to build up their community expert status by providing accepted answers and reviewing answers from other users
- Questions from AWS Premium Support customers that do not receive a response from the community are passed on to AWS Support engineers
- AWS re:Post is not intended to be used for questions that are time-sensitive or involve any proprietary information

The screenshot shows a question titled 'Import a self-signed Root CA in ACM PCA'. The question has 0 answers and 0 comments. It includes a link to documentation: <https://docs.aws.amazon.com/acm-pca/latest/userguide/PcImportCaCert.html> and <https://docs.aws.amazon.com/cli/latest/reference/acm-pca/import-certificate-authority-certificate.html>. Below the question is a section titled '1 Answers' with one accepted answer. The accepted answer is from a user named 'AWS Employee EXPERT' who answered a year ago. The answer discusses three scenarios for installing a CA certificate and states that it is not possible to import an external ROOT CA in ACM-PCA.

# AWS re:Post – Knowledge Center

- Contains the most frequent & common questions and requests

**What AWS service can we help with?**



Popular Services



Analytics



Application Integration



Account and Billing Management



Business Applications



Compute



Customer Engagement



Database



Developer Tools



Front-End Web & Mobile



Internet of Things



Management and Governance



Migration & Transfer



Networking & Content Delivery



Security, Identity & Compliance


<https://repost.aws/knowledge-center>

# AWS Managed Services (AMS)



- Provides infrastructure and application support on AWS.
- **AMS offers a team of AWS experts** who manage and operate your infrastructure for security, reliability, and availability
- Helps organizations offload routine management tasks and focus on their business objectives.
- Fully managed service, so AWS handles common activities such as change requests, monitoring, patch management, security, and backup services
- Implements best practices and maintains your AWS infrastructure to reduce your operational overhead and risk
- AMS business hours are 24/365

# AWS Managed Services (AMS)



# Exam Preparation Section

# Quick note on Distractors

- There are many services you will find in questions that are **distractors**
- There are **over 200 AWS services**, and we can't cover them all
  - Quicksight, Cognito, AppStreams, Server Migration Service, etc...
- I have covered all services that from my research and experience, people get questions for at the exam.
- If you see a service not covered by my course, but in someone else's practice exam, don't panic, I must have intentionally left it out
- If you see a service that is an answer at the exam but not covered in my course, please let me know!

# State of learning checkpoint

- Let's look how far we've gone on our learning journey
- <https://aws.amazon.com/certification/certified-cloud-practitioner/>

# Practice makes perfect

- If you're new to AWS, take a bit of AWS practice thanks to this course before rushing to the exam
  - The exam recommends you have 6 months or more of hands-on experience on AWS
  - Practice makes perfect!
- 
- If you feel overwhelmed by the amount of knowledge you just learned, just go through it one more time

# Exam content

- Two types of questions:
  - **Multiple choice:** has one correct answer and three incorrect responses
  - **Multiple response:** has two or more correct responses out of five or more options – CAREFUL: the exam software does not tell you if you selected the right number of answers (but the required number is mentioned)
- **Always try to answer the question**
  - Unanswered questions are considered as incorrect
  - No penalty for a wrong answer → guess!
- If you need to review a question for later (when you're done answering all questions), you can **flag it**

## MULTIPLE CHOICE QUESTION

Which AWS service does rock...?

- Option 1
- Option 2
- Option 3
- Option 4

## MULTI REONSE QUESTION

Blabla question...? (SELECT TWO)

- Option 1
- Option 2
- Option 3
- Option 4
- Option 5

# Proceed by elimination

- Most questions are going to be high-level “pick-a-service” questions
  - For all the questions, rule out answers that you know for sure are wrong
  - For the remaining answers, understand which one makes the most sense
- 
- There are very few trick questions
  - Don’t over-think it
  - If a solution seems feasible but highly complicated, it’s probably wrong

# Read each service's Overview

- Example: <https://aws.amazon.com/s3/>
- Overviews cover a lot of the questions asked at the exam
- They help confirm your understanding of a service

# Get into the AWS Community

- Help and discuss with other people in the course Q&A
- Review questions asked by other people in the Q&A
- Do the practice test in this section
- Do extra practice exams (for example from my practice exam course)
  
- Read forums online
- Read online blogs
- Attend local meetups and discuss with other AWS engineers
- Watch re-invent videos on YouTube (AWS Conference)

# How will the exam work?

- You'll have to register online at <https://www.aws.training/>
- Fee for the exam is 100 USD
- Provide two identity documents (ID, Credit Card, details are in emails sent to you)
- No notes are allowed, no pen is allowed, no speaking
- 65 questions will be asked in 90 minutes
- At the end you can optionally review all the questions / answers
  
- You would know right away if you passed / failed the exams
- You will not know which answers were right / wrong
- You will know the overall score a few days later (email notification)
- To pass you need a score of **at least 700 out of 1000**
- If you fail, you can retake the exam again 14 days later

# Your AWS Certification journey

## Foundational

Knowledge-based certification for foundational understanding of AWS Cloud.

**No prior experience needed.**



## Associate

Role-based certifications that showcase your knowledge and skills on AWS and build your credibility as an AWS Cloud professional.

**Prior cloud and/or strong on-premises IT experience recommended.**



## Professional

Role-based certifications that validate advanced skills and knowledge required to design secure, optimized, and modernized applications and to automate processes on AWS.

**2 years of prior AWS Cloud experience recommended.**



## Specialty

Dive deeper and position yourself as a trusted advisor to your stakeholders and/or customers in these strategic areas.

**Refer to the exam guides on the exam pages for recommended experience.**




# AWS Certification Paths – Architecture

## Architecture

### Solutions Architect

Design, develop, and manage cloud infrastructure and assets, work with DevOps to migrate applications to the cloud




Dive Deep

## Architecture

### Application Architect

Design significant aspects of application architecture including user interface, middleware, and infrastructure, and ensure enterprise-wide scalable, reliable, and manageable systems



Dive Deep

[https://d1.awsstatic.com/training-and-certification/docs/AWS\\_certification\\_paths.pdf](https://d1.awsstatic.com/training-and-certification/docs/AWS_certification_paths.pdf)

# AWS Certification Paths – Operations

## Operations

### Systems Administrator

Install, upgrade, and maintain computer components and software, and integrate automation processes



## Operations

### Cloud Engineer

Implement and operate an organization's networked computing infrastructure and Implement security systems to maintain data safety




# AWS Certification Paths – DevOps

## DevOps

### Test Engineer

Embed testing and quality best practices for software development from design to release, throughout the product life cycle



## DevOps

### Cloud DevOps Engineer

Design, deployment, and operations of large-scale global hybrid cloud computing environment, advocating for end-to-end automated CI/CD DevOps pipelines

## DevOps

### DevSecOps Engineer

Accelerate enterprise cloud adoption while enabling rapid and stable delivery of capabilities using CI/CD principles, methodologies, and technologies

# AWS Certification Paths – Security

## Security Cloud Security Engineer

Design computer security architecture and develop detailed cyber security designs.  
Develop, execute, and track performance of security measures to protect information



## Security Cloud Security Architect

Design and implement enterprise cloud solutions applying governance to identify, communicate, and minimize business and technical risks




# AWS Certification Paths – Development & Networking

## Development

### Software Development Engineer


Develop, construct, and maintain software across platforms and devices



## Networking

### Network Engineer

Design and implement computer and information networks, such as local area networks (LAN), wide area networks (WAN), intranets, extranets, etc.



# AWS Certification Paths – Data Analytics & AI/ML

## Data Analytics

### Cloud Data Engineer

Automate collection and processing of structured/semi-structured data and monitor data pipeline performance



optional for IT/  
cloud professionals



recommended for IT/cloud  
professionals working on  
AI/ML projects

Dive Deep

## AI/ML

### Machine Learning Engineer

Research, build, and design artificial intelligence (AI) systems to automate predictive models, and design machine learning systems, models, and schemes



optional for IT/  
cloud professionals

optional for AI/ML  
professionals



Dive Deep

# AWS Certification Paths – AI/ML

## AI/ML

### Prompt Engineer

Design, test, and refine text prompts to optimize the performance of AI language models



optional for IT/  
cloud professionals



Dive Deep

## AI/ML

### Machine Learning Ops Engineer

Build and maintain AI and ML platforms and infrastructure. Design, implement, and operationally support AI/ML model activity and deployment infrastructure



optional for IT/  
cloud professionals

optional for AI/ML  
professionals



## AI/ML

### Data Scientist

Develop and maintain AI/ML models to solve business problems. Train and fine tune models and evaluate their performance



optional for IT/  
cloud professionals

optional for AI/ML  
professionals

# Congratulations!

# Congratulations!

- Congrats on finishing the course!
- I hope you will pass the exam without a hitch ☺
- If you haven't done so yet, I'd love a review from you!
- If you passed, I'll be more than happy to know I've helped
  - Post it in the Q&A to help & motivate other students. Share your tips!
  - Post it on LinkedIn and tag me!
- Overall, I hope you learned how to use AWS and that you will be a tremendously good AWS Cloud Practitioner