

Pulse Digital Twin

Automation Test Report

ALL TESTS PASSED — 716 / 716

Facilities: DIC & STRIVE · Browsers: Chrome, Edge, Firefox, Brave
Report date: 2026-06-10 · Framework: Playwright + axe-core

Pulse Digital Twin — Consolidated Test Report

Application: Pulse Digital Twin (<https://digital-twin.alt-pulse.com>) **Facilities tested:** DIC + STRIVE **Report date:** 2026-06-10 **Test framework:** Playwright + axe-core (TypeScript)

This is the **all-in-one summary**. For the full per-spec detail, see [TEST-REPORT.md](#).

1. Verdict at a glance

[PASS] ALL TESTS PASSED

Total test executions	716
Passed	716 (100%)
Failed (final)	0
Browsers covered	Chrome, Edge, Firefox, Brave
Testing types covered	8 (functional, UI/UX, cross-browser, resolution, security, performance, accessibility, smoke/auth)

6 tests showed a *transient* first-pass hiccup (network/GPU pressure while running hundreds of heavy 3D tests back-to-back). **Every one passed on a clean re-run** — none were app or test defects.

2. Totals by suite

#	Test suite	What it checks	Tests	Browsers	Result
1	Core suite	Smoke, login/auth, facility load, dashboard modules	256	4	[PASS] 100%
2	DIC deep-dive	Every DIC module + UI/UX + security + performance	212	4	[PASS] 100%
3	STRIVE deep-dive	Every STRIVE module + UI/UX + security + performance	216	4	[PASS] 100%
4	Resolution	Layout across 9 screen sizes (4K mobile)	27	Chromium*	[PASS] 100%
5	Accessibility	WCAG 2.1 A/AA scan of all 4 screens	5	Chromium*	[PASS] 100%
	TOTAL		716		[PASS] 100%

* Resolution and accessibility are driven by layout / DOM semantics, which are identical across browser engines, so they run on one engine. Cross-browser *rendering* parity is already proven by the visual suites in #1–#3.

3. What kind of testing was done (plain language)

Testing type	Covered?	How
[PASS] Functional (features work)	Yes	Positive, negative & edge cases on every module of both facilities
[PASS] UI / UX (looks right)	Yes	Fonts, dark-theme colours, alignment, layout, no clipping/overflow
[PASS] Cross-browser	Yes	Chrome, Edge, Firefox, Brave
[PASS] Resolution / responsive	Yes	9 resolutions from 4K (3840×2160) down to mobile (390×844)
[PASS] Security	Yes	HTTPS, token storage, password leakage, auth redirects, safe links
[PASS] Performance	Yes	Load time, FPS, polygon budget, console errors, DOM size
[PASS] Accessibility	Yes	WCAG 2.1 A/AA via axe-core — zero violations
[PASS] Smoke / Auth	Yes	App reachability, login success/failure, session handling
Load / stress	No (gap)	Concurrent-user simulation not in scope — see §7

4. Browser coverage

Browser	Engine	Core	DIC	STRIVE	Status
Chrome	Chromium	[PASS] 64	[PASS] 53	[PASS] 54	[PASS] Pass
Edge	Chromium	[PASS] 64	[PASS] 53	[PASS] 54	[PASS] Pass
Firefox	Gecko	[PASS] 64	[PASS] 53	[PASS] 54	[PASS] Pass
Brave	Chromium	[PASS] 64	[PASS] 53	[PASS] 54	[PASS] Pass

5. Feature coverage by facility

DIC (53 tests/browser)

Zone navigation (Main / WS / LWA) · floor & room drill-down · room search (filter + no-results) · sensors (HVAC / Lights / Presence) · levels & visualisation modes (FCU / Occupancy / Plan) · Building Analyser · alarm filters · rewind + forensic calendar · Building Performance & Intelligence Briefing · stat cards · consumption / weather / critical alarms.

STRIVE (54 tests/browser)

STRIVE Tent zone · floor & room drill-down (7 rooms) · room search (filter + no-results) · ENV sensor telemetry · levels & visualisation modes (Temp / Occupancy / Humidity / CCTV) · Building Analyser · alarm filters · rewind + AI panel + forensic calendar · Battery & Genset command overlays · CCTV Control Room · Sensor Grid · stat cards · weather · critical alarms.

6. Resolution & accessibility highlights

Resolution (27 checks): zero horizontal/vertical page overflow at every size — 4K UHD, QHD, Full HD, HD+ laptop, HD laptop, WXGA, tablet (landscape + portrait), and mobile. Login, facility selection, DIC and STRIVE all verified.

Accessibility (5 checks): zero WCAG 2.1 A/AA violations on the login form, facility selection, DIC dashboard and STRIVE dashboard. Covers colour contrast, form labels, alt text, ARIA roles, landmarks, heading order, link/button names, document language and tab order.

7. Known issues & honest gaps

Defects found: none. Three minor *test-harness* adjustments were made during validation (alarm dropdowns, Intelligence Briefing modal, Battery/Genset overlays) — these were test-assertion fixes, **not application bugs**.

Transient flakes: 6 first-pass hiccups (DNS blips / browser launch under load), all green on retry. CI already enables `retries: 2`.

Not covered (out of scope):

- **Load / stress testing** — no concurrent-user / soak simulation.
- **Manual accessibility** — axe-core automates ~30–50% of WCAG; manual screen-reader / keyboard-only passes were not performed.
- **API / backend testing** — scope is the web UI against live staging.

8. How to run everything

```
# Core suite – all four browsers
npx playwright test --project=chrome --project=edge --project=firefox --project=brave --workers=1

# DIC deep-dive – all four browsers
npx playwright test `
  tests/dic-navigation.spec.ts tests/dic-levels-analyser.spec.ts `
  tests/dic-alarm-rewind.spec.ts tests/dic-intelligence-widgets.spec.ts `
  tests/dic-visual.spec.ts tests/dic-security.spec.ts tests/dic-performance.spec.ts `
  --project=chrome --project=edge --project=firefox --project=brave --workers=1

# STRIVE deep-dive – all four browsers
npx playwright test `
  tests/strive-navigation.spec.ts tests/strive-levels-analyser.spec.ts `
  tests/strive-alarm-rewind.spec.ts tests/strive-widgets.spec.ts `
  tests/strive-visual.spec.ts tests/strive-security.spec.ts tests/strive-performance.spec.ts `
  --project=chrome --project=edge --project=firefox --project=brave --workers=1

# Resolution + accessibility (single engine)
npx playwright test tests/resolution.spec.ts --project=chromium --workers=1
npx playwright test tests/accessibility.spec.ts --project=chromium --workers=1

# Re-run only failures (absorbs transient flakes)
npx playwright test --last-failed --workers=1

# Open the interactive HTML report
npx playwright show-report
```

Note: `--workers=1` is required — the heavy WebGL 3D scenes starve the GPU at higher concurrency.

9. Artifacts

- **Interactive HTML report:** `playwright-report/index.html` (`npx playwright show-report`)

- **Failure evidence:** screenshots, video and error context auto-captured under `test-results/<test>/` on any failure.
- **Detailed report:** [TEST-REPORT.md](#)

Pulse Digital Twin — Automation Test Report (Multi-Browser)

Run date: 2026-06-09 (core suite) · 2026-06-10 (DIC + STRIVE deep-dive expansions · resolution testing · accessibility testing)
Browsers / projects: Chrome, Edge, Firefox, Brave **Workers:** 1 (required — heavy WebGL scenes starve the GPU at higher concurrency)

DIC deep-dive expansion (2026-06-10)

A dedicated, comprehensive DIC facility suite was added on top of the core suite, covering positive / negative / edge cases across every DIC module plus UI/UX, security and performance. It runs across all four browsers.

DIC summary

Result	Count
[PASS] Passed	212
[FAIL] Failed	0
[FLAKY] Flaky	0
[SKIP] Skipped	0
Total	212

Overall status: PASSED — all 212 DIC tests (53 per browser × 4 browsers) pass on the first pass with zero flakes. Wall-clock run time: **35.8 min** (workers = 1).

DIC per-browser breakdown

Browser	Tests	First pass	Status
Chrome	53	53 [PASS]	[PASS] Pass
Edge	53	53 [PASS]	[PASS] Pass
Firefox	53	53 [PASS]	[PASS] Pass
Brave	53	53 [PASS]	[PASS] Pass

DIC coverage by spec (53 tests / browser)

Spec file	Tests	What it verifies
tests/dic-navigation.spec.ts	11	Zone Navigator tabs (Main / WS / LWA), active-tab state, entering a zone reveals the floor pager (Ground + Mezzanine), selecting a floor opens its room list, room-pager BACK, room search filter (positive), no-results state (negative/edge), clearing search restores the full list, opening a room reveals the HVAC / Lights / Presence sensor panel, HVAC opens room telemetry, exit back to dashboard
tests/dic-levels-analyser.spec.ts	8	Levels panel All / Ground / First options, Ground Floor reveals FCU / Occupancy / Plan visualisation modes, switching between the three viz modes, EXIT leaves the floor view, Building Analyser node/mesh/category summary counts, the eight building categories, category toggle highlight, Wireframe toggle while analysing

Spec file	Tests	What it verifies
tests/dic-alarm-rewind.spec.ts	7	Alarm view severity / acknowledgement / type filters, severity-filter toggle state, ack-filter toggle state, Rewind per-severity alarm counts, Rewind timeline from/to range + playback controls, forensic calendar month navigation, calendar disables navigation into the future (edge)
tests/dic-intelligence-widgets.spec.ts	8	Building Performance panel + scored building cards, opening the Intelligence Briefing modal, mark-as-read + close, Cost / Energy / CO ₂ e stat cards, stat-card reporting-month navigation, consumption + weather panels, critical-alarms refresh, HVAC FCU-status carousel pagination
tests/dic-visual.spec.ts	7	Plus Jakarta Sans brand font, dashboard title text, dark-theme palette (body bg/colour + title colour), toolbar buttons aligned on a single horizontal row, toolbar kept within the viewport, no horizontal page overflow, top bar / zone navigator / side panels render without clipping
tests/dic-security.spec.ts	7	Served over HTTPS, no mixed (non-secure) content, session token kept in <code>sessionStorage</code> (not <code>localStorage</code>), password never exposed in storage / DOM / URL, external links carry <code>rel="noopener"</code> , unauthenticated DIC deep-link redirects to login, clearing the session token re-locks the dashboard on reload
tests/dic-performance.spec.ts	5	Becomes interactive within the load budget, renders a live FPS counter (> 0), reports a polygon/draw budget, loads without a flood of console errors (< 15), keeps the DOM node count within budget ($< 8\,000$)

DIC fixes applied during validation

Two issues were found and fixed during chromium validation (both confirmed passing before the cross-browser run, and green on all four browsers):

- 1. **Alarm type/device-type filter dropdowns** (`#ah-devtype-dropdown` , `#ah-type-dropdown`) are rendered up front but stay **collapsed/hidden** until alarms are present assertion changed from `toBeVisible()` to `toBeAttached()` .
- 2. **Intelligence Briefing "mark as read"** auto-dismisses the modal, so the follow-up close click failed mark-read is now force-clicked and the close button is only clicked conditionally (`if (await intelClose.isVisible())`).

Reproduce the DIC suite

```
npx playwright test `
tests/dic-navigation.spec.ts tests/dic-levels-analyser.spec.ts `
tests/dic-alarm-rewind.spec.ts tests/dic-intelligence-widgets.spec.ts `
tests/dic-visual.spec.ts tests/dic-security.spec.ts tests/dic-performance.spec.ts `
--project=chrome --project=edge --project=firefox --project=brave --workers=1
```

STRIVE deep-dive expansion (2026-06-10)

A dedicated, comprehensive STRIVE facility suite was added, mirroring the DIC expansion: positive / negative / edge cases across every STRIVE module plus UI/UX, security and performance. It runs across all four browsers.

STRIVE summary

Result	Count
[PASS] Passed	216
[FAIL] Failed	0
[FLAKY] Flaky	1

Result	Count
[SKIP] Skipped	0
Total	216

Overall status: PASSED — all 216 STRIVE tests (54 per browser × 4 browsers) pass. The first cross-browser pass was 215/216; the single failure was one transient Brave timeout in `strive-navigation.spec.ts` (heavy WebGL scene not ready in time) which passed cleanly on an isolated re-run (23.1 s). Wall-clock run time: **44.9 min** (workers = 1).

STRIVE per-browser breakdown

Browser	Tests	First pass	After retry	Status
Chrome	54	54 [PASS]	54 [PASS]	[PASS] Pass
Edge	54	54 [PASS]	54 [PASS]	[PASS] Pass
Firefox	54	54 [PASS]	54 [PASS]	[PASS] Pass
Brave	54	53 [PASS] / 1 [FLAKY]	54 [PASS]	[PASS] Pass

STRIVE coverage by spec (54 tests / browser)

Spec file	Tests	What it verifies
tests/strive-navigation.spec.ts	11	Single STRIVE Tent zone, entering the zone reveals the floor pager (Ground Floor), selecting Ground Floor opens its room list (7 rooms), room-pager BACK, room search filter (positive), no-results state (negative/edge), clearing search restores the full list, opening a room reveals the ENV sensor + Exit, ENV opens room telemetry, exit back to dashboard
tests/strive-levels-analyser.spec.ts	8	Levels panel All / Ground options, Ground Floor reveals Temp / Occupancy / Humidity / CCTV visualisation modes, switching between viz modes, EXIT leaves the floor view, Building Analyser node/mesh/category summary counts, the six building categories, category toggle highlight, Wireframe toggle while analysing
tests/strive-alarm-rewind.spec.ts	8	Alarm view severity / acknowledgement / device-type / type filters, severity-filter toggle state, ack-filter toggle state, Rewind per-severity alarm counts + timeline from/to range + playback controls, Rewind AI panel, forensic calendar month navigation, calendar disables navigation into the future (edge)
tests/strive-widgets.spec.ts	8	Battery Box command overlay open/close, Genset command overlay open/close, Cost / Humidity / Breaches stat cards, CCTV Control Room carousel with camera tiles, Sensor Grid Temperature/Humidity tabs, switching the Sensor Grid tabs, weather panel, critical-alarms refresh
tests/strive-visual.spec.ts	7	Plus Jakarta Sans brand font, dashboard title text (STRIVE), dark-theme palette (body bg/colour + title colour), toolbar buttons aligned on a single horizontal row, toolbar kept within the viewport, no horizontal page overflow, top bar / zone navigator / side panels render without clipping
tests/strive-security.spec.ts	7	Served over HTTPS, no mixed (non-secure) content, session token kept in <code>sessionStorage</code> (not <code>localStorage</code>), password never exposed in storage / DOM / URL, external links carry <code>rel="noopener"</code> , unauthenticated STRIVE deep-link redirects to login, clearing the session token re-locks the dashboard on reload
tests/strive-performance.spec.ts	5	Becomes interactive within the load budget, renders a live FPS counter (> 0), reports a polygon/draw budget, loads without a flood of console errors (< 15), keeps the DOM node count within budget (< 8 000)

STRIVE fixes applied during validation

One issue was found and fixed during chromium validation (confirmed passing before the cross-browser run, and green on all four browsers):

- 1. **Battery Box & Genset command overlays** (`#battery-overlay` , `#genset-overlay`) are always present in the DOM (`display:flex` , `visibility:visible`) and toggle open/closed purely via an `.active` class that flips `opacity` and `pointer-events` . Playwright's visibility checks ignore opacity, so `toBeVisible()` / `toBeHidden()` on the close button could never reflect the real state the open/close assertions now key off the overlay's `.active` class (`toHaveClass(/active/)` open, `not.toHaveClass(/active/)` close).

Reproduce the STRIVE suite

```
npx playwright test `
tests/strive-navigation.spec.ts tests/strive-levels-analyser.spec.ts `
tests/strive-alarm-rewind.spec.ts tests/strive-widgets.spec.ts `
tests/strive-visual.spec.ts tests/strive-security.spec.ts tests/strive-performance.spec.ts `
--project=chrome --project=edge --project=firefox --project=brave --workers=1
```

Resolution / responsive testing (2026-06-10)

A dedicated resolution suite (`tests/resolution.spec.ts`) verifies that the **entire application** — the login form, the facility-selection screen and both 3D dashboards (DIC + STRIVE) — renders without horizontal layout overflow and keeps its primary chrome usable across a matrix of nine viewport resolutions, from a 4K desktop down to a mobile phone.

Resolution behaviour is driven by the viewport (CSS / layout), which is engine independent, so this suite runs on a single Chromium project. Cross-browser rendering parity across Chrome / Edge / Firefox / Brave is already covered by the per-facility `*-visual.spec.ts` suites.

Resolution summary

Result	Count
[PASS] Passed	27
[FAIL] Failed	0
[FLAKY] Flaky	0
[SKIP] Skipped	0
Total	27

Overall status: PASSED — all 27 resolution checks (9 resolutions × 3 screens) pass on the first run with zero flakes. Wall-clock run time: **8.4 min** (workers = 1). The app shell uses an overflow-hidden layout, so there is **zero horizontal and vertical page overflow at every tested resolution**, including the 390 px mobile viewport.

Resolutions covered

Resolution	Size	Class	Login + facility	DIC	STRIVE
4K UHD	3840 × 2160	Desktop	[PASS]	[PASS]	[PASS]
QHD	2560 × 1440	Desktop	[PASS]	[PASS]	[PASS]
Full HD	1920 × 1080	Desktop	[PASS]	[PASS]	[PASS]
HD+ laptop	1536 × 864	Laptop	[PASS]	[PASS]	[PASS]

Resolution	Size	Class	Login + facility	DIC	STRIVE
HD laptop	1366 × 768	Laptop	[PASS]	[PASS]	[PASS]
WXGA	1280 × 800	Laptop	[PASS]	[PASS]	[PASS]
XGA / tablet landscape	1024 × 768	Tablet	[PASS]	[PASS]	[PASS]
Tablet portrait	768 × 1024	Tablet	[PASS]	[PASS]	[PASS]
Mobile	390 × 844	Mobile	[PASS]	[PASS]	[PASS]

What each resolution verifies

- **Login + facility selection** — email / password / submit controls are visible, the login form stays within the viewport, the two facility cards are visible, and there is no horizontal page overflow.
- **DIC dashboard** — loads to interactive (3D scene + zone nav), no horizontal page overflow, the top bar and zone navigator have real layout boxes, and the bottom toolbar fits fully inside the viewport (asserted at ≥ 768 px wide).
- **STRIVE dashboard** — same set of layout-integrity checks as DIC.

Note on mobile (< 768 px): the digital-twin control toolbar has a fixed minimum width (~560 px) and is centred, so on a 390 px phone it intentionally extends beyond the screen edges (the canvas remains pannable). The page itself still does **not** scroll horizontally. Toolbar-within-viewport is therefore asserted only for tablet-and-up widths, while no-overflow and load-integrity are asserted at every resolution including mobile.

Reproduce the resolution suite

```
npx playwright test tests/resolution.spec.ts --project=chromium --workers=1
```

Accessibility testing (2026-06-10)

A dedicated accessibility suite (tests/accessibility.spec.ts) scans the **entire application** — the login form, the facility-selection screen and both 3D dashboards (DIC + STRIVE) — with **axe-core** against the WCAG 2.0 / 2.1 **Level A and AA** rule sets (wcag2a , wcag2aa , wcag21a , wcag21aa).

Accessibility is a function of DOM / ARIA semantics, which is engine independent, so this suite runs on a single Chromium project (same rationale as the resolution suite). The WebGL <canvas> is a decorative visualisation layer behind the accessible HUD controls and raises no axe violations.

Accessibility summary

Result	Count
[PASS] Passed	5
[FAIL] Failed	0
[FLAKY] Flaky	0
[SKIP] Skipped	0
Total	5

Overall status: PASSED — the application reports **zero** WCAG 2.1 A/AA violations on every scanned surface. Wall-clock run time: **33 s**.

Accessibility coverage

Screen	Rule sets	Violations	Status
Login form	WCAG 2.1 A + AA	0	[PASS]
Facility selection	WCAG 2.1 A + AA	0	[PASS]
DIC dashboard	WCAG 2.1 A + AA	0	[PASS]
STRIVE dashboard	WCAG 2.1 A + AA	0	[PASS]
Login flow (serious/critical impact only)	WCAG 2.1 A + AA	0	[PASS]

The checks cover the common WCAG failure categories axe automates: colour contrast, form-control labels, image alt text, ARIA roles/attributes, landmark structure, heading order, link/button names, document language and tab order.

Scope note: automated tooling (axe-core) catches roughly 30–50 % of WCAG issues. A clean axe pass is a strong baseline but is not a substitute for manual screen-reader / keyboard-only verification, which is out of scope for this automated suite.

Reproduce the accessibility suite

```
npx playwright test tests/accessibility.spec.ts --project=chromium --workers=1
```

Core suite summary

Result	Count
[PASS] Passed	256
[FAIL] Failed	0
[FLAKY] Flaky	5*
[SKIP] Skipped	0
Total	256

Overall status: PASSED — all 256 tests (64 per browser × 4 browsers) pass.

* On the first pass, 5 tests failed due to **transient environment issues** (not test or app bugs) and **all 5 passed on a clean re-run** (`--last-failed` 5 expected, 0 unexpected). See "First-pass flakes" below.

Per-browser breakdown

Browser	Tests	First pass	After retry	Status
Chrome	64	64 [PASS]	—	[PASS] Pass
Edge	64	64 [PASS]	—	[PASS] Pass
Firefox	64	60 [PASS] / 4 [FAIL]	4 [PASS]	[PASS] Pass
Brave	64	63 [PASS] / 1 [FAIL]	1 [PASS]	[PASS] Pass

Each browser runs the same 64 tests: `smoke` (4), `login` (17), `facility` (14), `dashboard-modules` (29 = 15 DIC + 14 STRIVE).

First-pass flakes (all passed on retry)

Test	Browser	First-pass error	Cause
login wrong password	Firefox	page.goto: NS_ERROR_UNKNOWN_HOST	Transient DNS/network blip
login non-existent username	Firefox	page.goto: NS_ERROR_UNKNOWN_HOST	Transient DNS/network blip
login wrong credentials	Firefox	browserType.launch: Timeout 18000ms	Browser launch starved under load
login password visibility toggle	Firefox	Context teardown exceeded timeout	Resource exhaustion under load
dashboard-modules opens/closes Levels panel	Brave	#facility-select hidden (login timing)	Transient session timing

These are infrastructure flakes from running 256 heavy WebGL tests back-to-back across four browsers (DNS hiccup, browser launch/teardown under GPU/CPU pressure). The standard mitigation is retries — the project already enables `retries: 2` on CI.

Browser configuration

Added dedicated projects in `playwright.config.ts`:

- **chrome** — `channel: 'chrome'`
- **edge** — `channel: 'msedge'`
- **firefox** — bundled Playwright Firefox
- **brave** — Chromium engine via installed executable: `C:\Program Files\BraveSoftware\Brave-Browser\Application\brave.exe`

Coverage

- **Smoke** — app reachability, base page load, core assets.
- **Login** — credential validation, auth success/failure, password toggle, session token, facility selection.
- **Facility** — DIC & STRIVE dashboard load, navigation, top-bar controls, logout, zone presence.
- **Dashboard modules** — control toolbar, camera modes (Rotate/Move), Alarm panel + severity/ack filters, Rewind playback + calendar, Analyse, Wireframe, Levels/floor-reel + level selection (DIC), Reset, HUD panels, and zone navigation for both facilities.

Artifacts

- **HTML report:** `playwright-report/index.html` — open with `npx playwright show-report` for an interactive view (per-test timing, steps, traces).
- **Failure screenshots:** captured automatically on failure under `test-results/<test>/ ( test-failed-*.png , video.webm , error-context.md )` per the `screenshot: 'only-on-failure'` config. The first-pass failure artifacts for the 5 flaky tests are retained there.

How to reproduce

```
# All four browsers
npx playwright test --project=chrome --project=edge --project=firefox --project=brave --workers=1
```

```
# Re-run only failures (absorbs transient flakes)
npx playwright test --last-failed --workers=1

npx playwright show-report
```

Appendix A — Complete Test Case Inventory

Every individual automated test case, grouped by suite and spec file, auto-extracted from the test sources. Suites #1–#4 run on 4 browsers (Chrome, Edge, Firefox, Brave); resolution and accessibility run on a single engine. The counts below are **unique test titles per file** (multiply suites #1–#7 by 4 for total executions, and note the resolution file is parameterised across 9 viewports).

Unique test cases catalogued: 165.

Smoke

tests/smoke.spec.ts — 4 tests

1	home page loads successfully
2	home page has a non-empty title
3	page responds with a successful status
4	no critical console errors on load

Login & Authentication

tests/login.spec.ts — 17 tests

1	logs in successfully with valid credentials
2	stores a session token after successful login
3	shows both facility cards (DIC and STRIVE) after login
4	password visibility toggle reveals and hides the password
5	shows error for valid username with wrong password
6	shows error for non-existent username
7	does not authenticate with wrong credentials
8	re-enables the submit button after a failed attempt
9	blocks submission when both fields are empty (required validation)
10	blocks submission when password is empty
11	blocks submission when username is empty
12	rejects a malformed email via native validation
13	trims surrounding whitespace around a valid email and logs in
14	treats password as case-sensitive (wrong case fails)
15	handles SQL-injection style input without crashing
16	handles an excessively long input without breaking the page
17	keeps facility selection hidden before any login attempt

Facility Selection & Dashboard Shell

tests/facility.spec.ts — 14 tests

1	shows DIC and STRIVE facility cards after login
2	opens the DIC dashboard from its card

3	opens the STRIVE dashboard from its card
4	loads the dashboard shell with 3D canvas and top bar
5	shows the three DIC zone buttons
6	toggles the side drawer
7	opens the account menu and reveals logout
8	returns to facility selection via the FACILITIES button
9	logs out from the dashboard back to the login screen
10	loads the dashboard shell with 3D canvas and top bar
11	shows the STRIVE Tent zone button
12	logs out from the dashboard back to the login screen
13	DIC deep-link without auth redirects to the login screen
14	STRIVE deep-link without auth redirects to the login screen

Dashboard Modules (shared toolbar / HUD)

`tests/dashboard-modules.spec.ts` — 15 tests

1	shows the full control toolbar
2	starts in Rotate (orbit) mode by default
3	switches between Move (pan) and Rotate (orbit) modes
4	opens and closes the Alarm panel
5	exposes alarm severity and acknowledgement filters
6	opens and closes the Rewind panel
7	exposes rewind playback and calendar controls
8	opens Analyse which reveals the Wire control
9	toggles Wire on and off while analysing
10	opens and closes the Levels (floor reel) panel
11	selects ground / upper / all levels
12	resets the camera without error
13	hides and shows the HUD panels
14	shows ... zone navigation button(s)
15	navigates to the first zone

DIC facility deep-dive

`tests/dic-navigation.spec.ts` — 11 tests

1	shows the three DIC zone tabs in the Zone Navigator
2	entering DIC Main reveals its floor pager with Ground + Mezzanine floors
3	marks the active zone tab when selected
4	selecting a floor opens its room list
5	room pager BACK returns to the floor pager
6	filters the room list by search term
7	shows a no-results state for a non-matching search

8	clearing the search restores the full room list
9	opening a room reveals the HVAC / Lights / Presence sensor panel
10	selecting HVAC opens the room telemetry panel
11	exits the room view back to the dashboard

tests/dic-levels-analyser.spec.ts — 8 tests

1	Levels panel exposes All / Ground / First level options
2	selecting Ground Floor reveals FCU / Occupancy / Plan visualisation modes
3	switches between FCU, Occupancy and Plan visualisations
4	EXIT leaves the floor visualisation view
5	Analyser shows node / mesh / category summary counts
6	Analyser lists the eight building categories
7	toggling a category highlights it
8	Wire control is available while analysing and toggles

tests/dic-alarm-rewind.spec.ts — 7 tests

1	Alarm view exposes severity, acknowledgement and type filters
2	toggling a severity filter updates its active state
3	toggling an acknowledgement filter updates its active state
4	Rewind shows per-severity alarm counts
5	Rewind exposes a timeline with from / to range and playback controls
6	opening the forensic calendar lets you navigate months
7	forensic calendar disables navigation into the future

tests/dic-intelligence-widgets.spec.ts — 8 tests

1	shows the Building Performance panel with scored building cards
2	opens the Intelligence Briefing modal from a building card
3	marks a briefing as read and closes the modal
4	shows the Cost / Energy / CO ₂ e stat cards
5	navigates the stat-card reporting month
6	shows the consumption and weather panels
7	refreshes the critical alarms panel
8	paginates the HVAC FCU-status carousel

tests/dic-visual.spec.ts — 7 tests

1	uses the Plus Jakarta Sans brand font
2	renders the dashboard title text
3	applies the dark theme palette
4	aligns all toolbar buttons on a single horizontal row
5	keeps the toolbar within the viewport
6	does not overflow the page horizontally
7	renders the top bar, zone navigator and side panels without clipping

tests/dic-security.spec.ts — 7 tests

1	is served over HTTPS
2	loads all resources over secure (non-mixed) connections
3	keeps the session token in sessionStorage, not localStorage
4	does not expose the password in storage, DOM or URL
5	external links open safely with rel="noopener"
6	DIC deep-link without a session redirects to the login screen
7	clearing the session token locks the DIC dashboard on reload

tests/dic-performance.spec.ts — 5 tests

1	becomes interactive within the load budget
2	renders a live FPS counter
3	reports a polygon/draw budget
4	loads without a flood of console errors
5	keeps the DOM node count within budget

STRIVE facility deep-dive

tests/strive-navigation.spec.ts — 11 tests

1	shows the single STRIVE Tent zone in the Zone Navigator
2	entering STRIVE Tent reveals its floor pager with the Ground Floor
3	marks the active zone tab when selected
4	selecting the Ground Floor opens its room list
5	room pager BACK returns to the floor pager
6	filters the room list by search term
7	shows a no-results state for a non-matching search
8	clearing the search restores the full room list
9	opening a room reveals the ENV sensor panel
10	selecting ENV opens the room telemetry panel
11	exits the room view back to the dashboard

tests/strive-levels-analyser.spec.ts — 8 tests

1	Levels panel exposes All / Ground Floor level options
2	selecting Ground Floor reveals Temp / Occupancy / Humidity / CCTV modes
3	switches between Temp, Occupancy and Humidity visualisations
4	EXIT leaves the floor visualisation view
5	Analyser shows node / mesh / category summary counts
6	Analyser lists the six building categories
7	toggling a category highlights it
8	Wire control is available while analysing and toggles

tests/strive-alarm-rewind.spec.ts — 8 tests

1	Alarm view exposes severity, acknowledgement and type filters
2	toggling a severity filter updates its active state
3	toggling an acknowledgement filter updates its active state
4	Rewind shows per-severity alarm counts
5	Rewind exposes a timeline with from / to range and playback controls
6	Rewind surfaces an AI narrative panel
7	opening the forensic calendar lets you navigate months
8	forensic calendar disables navigation into the future

tests/strive-widgets.spec.ts — 8 tests

1	opens and closes the Battery Box command overlay
2	opens and closes the Genset command overlay
3	shows the Cost / Humidity / Breaches stat cards
4	shows the CCTV Control Room carousel with camera tiles
5	shows the Sensor Grid with Temperature and Humidity tabs
6	switches the Sensor Grid between Temperature and Humidity
7	shows the weather panel
8	refreshes the critical alarms panel

tests/strive-visual.spec.ts — 7 tests

1	uses the Plus Jakarta Sans brand font
2	renders the dashboard title text
3	applies the dark theme palette
4	aligns all toolbar buttons on a single horizontal row
5	keeps the toolbar within the viewport
6	does not overflow the page horizontally
7	renders the top bar, zone navigator and side panels without clipping

tests/strive-security.spec.ts — 7 tests

1	is served over HTTPS
2	loads all resources over secure (non-mixed) connections
3	keeps the session token in sessionStorage, not localStorage
4	does not expose the password in storage, DOM or URL
5	external links open safely with rel="noopener"
6	STRIVE deep-link without a session redirects to the login screen
7	clearing the session token locks the STRIVE dashboard on reload

tests/strive-performance.spec.ts — 5 tests

1	becomes interactive within the load budget
2	renders a live FPS counter
3	reports a polygon/draw budget
4	loads without a flood of console errors

5	keeps the DOM node count within budget
---	--

Resolution / Responsive

tests/resolution.spec.ts — 3 tests

1	login screen and facility selection fit the viewport
2	DIC dashboard renders without layout overflow
3	STRIVE dashboard renders without layout overflow

Accessibility (WCAG 2.1 A/AA)

tests/accessibility.spec.ts — 5 tests

1	login screen has no accessibility violations
2	facility-selection screen has no accessibility violations
3	DIC dashboard has no accessibility violations
4	STRIVE dashboard has no accessibility violations
5	no serious or critical impact violations anywhere in the login flow