

Ben Ghorbel Ahmed Aziz – L2-DSI-EAD

Captures d'écran pour la phase 1

The screenshot shows the Oracle SQL Developer interface. The Connections pane on the left lists the SYSDBA_LOCAL connection. The main window displays a SQL query in the Worksheet:

```
// Projet final SGBD Oracle - Phase 1

//Audit des composants de la SGA

SELECT name, bytes
FROM v$sgainfo;
```

The Query Results pane shows the execution results:

	NAME	BYTES
1	Fixed SGA Size	2260048
2	Redo Buffers	5517312
3	Buffer Cache Size	243269632
4	Shared Pool Size	377487360
5	Large Pool Size	4194304
6	Java Pool Size	4194304
7	Streams Pool Size	0
8	Shared IO Pool Size	0
9	Granule Size	4194304
10	Maximum SGA Size	1068937216
11	Startup overhead in Shared Pool	96468992
12	Free SGA Memory Available	432013312

The screenshot shows the Oracle SQL Developer interface with a second query executed. The SQL query in the Worksheet is:

```
// Projet final SGBD Oracle - Phase 1

//Audit des composants de la SGA

SELECT name, bytes
FROM v$sgainfo;

//Affichage détaillé des zones de la SGA

SELECT pool, name, bytes
FROM v$sgastat
ORDER BY pool, name;
```

The Query Results pane shows the execution results:

	POOL	NAME	BYTES
1	java pool	free memory	4194304
2	large pool	FX msg pool	3894304
3	large pool	free memory	3000000
4	shared pool	l:knlgsla	32104
5	shared pool	ADR_CONTROL	1504
6	shared pool	ADR_INVALIDATION	664
7	shared pool	AG Propagation Scheduling	16000
8	shared pool	ASM buffers	18874848
9	shared pool	ASM KFD SO	2648
10	shared pool	ASM generic network state	2584
11	shared pool	ASM kfk state object	2776
12	shared pool	ASM map operations	2904
13	shared pool	ASM rollback operations	2648
14	shared pool	ASM scan context	3544
15	shared pool	AW SGA	40
16	shared pool	AWX Table Info (KFW Layer	1216

Oracle SQL Developer: SYSDBA_LOCAL

File Edit View Navigate Run Source Tools Window Help

Connections

- Oracle Connections
 - Administrateur
 - Byrsa
 - hr
 - SCOTT
 - SOUS_SCOTT
 - SYSDBA_LOCAL
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Worksheet: Query Builder

```
// Projet final SGSD Oracle - Phase 1

//Audit des composants de la SGA
SELECT name, bytes
FROM v$sgainfo;

//Affichage detaille des zones de la SGA
SELECT pool, name, bytes
FROM v$sgastat
ORDER BY pool, name;

// Liste des processus d'arriere-plan actifs
SELECT name, description
FROM v$bgprocess
WHERE paddr <> '00'
ORDER BY name;
```

Query Result: All Rows Fetched: 20 in 0.006 seconds

NAME	DESCRIPTION
1 CJQ0	Job Queue Coordinator
2 CKPT	checkpoint
3 DBRM	Database Resource Manager
4 DBW0	db writer process 0
5 DBW1	db writer process 1
6 DIA0	diagnosticity process 0
7 DIA1	diagnosticity process
8 GEN0	genetic0
9 LGWR	Redo etc.
10 MMON	Memory Manager
11 MMON2	Manageability Monitor Process 2
12 MMON3	Manageability Monitor Process
13 PMON	process cleanup
14 PSP0	process spawner 0
15 QMNC	AG Coordinator
16 RSMON	distributed recovery

Messages - Log

Messages: Logging Page | Statements

SQL History

Line 16 Column 15 | Insert | Modified | Windows

Oracle SQL Developer: SYSDBA_LOCAL

File Edit View Navigate Run Source Tools Window Help

Connections

- Oracle Connections
 - Administrateur
 - Byrsa
 - hr
 - SCOTT
 - SOUS_SCOTT
 - SYSDBA_LOCAL
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Worksheet: Query Builder

```
FROM v$sgainfo;

//Affichage detaille des zones de la SGA
SELECT pool, name, bytes
FROM v$sgastat
ORDER BY pool, name;

// Liste des processus d'arriere-plan actifs
SELECT name, description
FROM v$bgprocess
WHERE paddr <> '00'
ORDER BY name;

//Verification des parametres d'initialisation
SHOW PARAMETER sfilio;
SHOW PARAMETER shared_pool_size;
SHOW PARAMETER sga_target;
```

Query Result: Task completed in 0.035 seconds

NAME	TYPE	VALUE
sga_target	big integer	0

Messages - Log

Messages: Logging Page | Statements

SQL History

Line 21 Column 27 | Insert | Modified | Windows

Oracle SQL Developer - SYSDBA_LOCAL

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Oracle Connections
 - Administrateur
 - Byrsa
 - hr
 - SCOTT
 - SOUS_SCOTT
 - SYSDBA_LOCAL
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links

Worksheet - Query Builder

```

FROM v$sgastat
ORDER BY pool, name;

// Liste des processus d'arriere-plan actifs
SELECT name, description
FROM v$bgprocess
WHERE paddr <> '00'
ORDER BY name;

//Verification des parametres d'initialisation
SHOW PARAMETER spfile;
SHOW PARAMETER shared_pool_size;
SHOW PARAMETER sga_target;

SELECT name, value, issys_modifiable
FROM v$parameter
WHERE name IN ('spfile', 'shared_pool_size', 'sga_target');

```

Script Output x Query Result x

All Rows Fetched: 3 in 0.003 seconds

NAME	VALUE	ISSYS_MODIFIABLE
1 shared_pool_size	0	IMMEDIATE
2 spfile	C:\ORACLE\AF\ORACLE\PRODUCT\11.2.0\SERVER\DBS\SPFILEX.ORA	IMMEDIATE
3 sga_target	0	IMMEDIATE

Messages - Log

Messages Logging Page Statements

SQL History

Oracle SQL Developer - SYSDBA_LOCAL

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Oracle Connections
 - Administrateur
 - Byrsa
 - hr
 - SCOTT
 - SOUS_SCOTT
 - SYSDBA_LOCAL
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links

Worksheet - Query Builder

```

SELECT name, description
FROM v$bgprocess
WHERE paddr <> '00'
ORDER BY name;

//Verification des parametres d'initialisation
SHOW PARAMETER spfile;
SHOW PARAMETER shared_pool_size;
SHOW PARAMETER sga_target;

SELECT name, value, issys_modifiable
FROM v$parameter
WHERE name IN ('spfile', 'shared_pool_size', 'sga_target');

//Generation du fichier PFILE a partir du SPFILE actif
CREATE PFILE='C:\Users\ahmed\Oracle sql\init_eduocorp.ora'
FROM SPFILE;

```

Script Output x Query Result x

Task completed in 0.041 seconds

NAME	TYPE	VALUE
sga_target	big integer	0

Pfile='c:\users\ahmed\oracle sql\init_eduocorp.ora' FROM created.

Messages - Log

Messages Logging Page Statements

SQL History

Oracle SQL Developer: C:\Users\ahmed\Oracle SQL\init_educorp.ora

File Edit View Navigate Run Source Tools Window Help

Connections

Calculator: $377487360 \times 1.15 = 434,110,464$

Worksheet: Query Builder

```

xe._db_cache_size=243269632
xe._java_pool_size=4194304
xe._large_pool_size=4194304
xe._oracle_base='C:\oracle\app\oracle'FORACLE_BASE set from environment
xe._pga_aggregate_target=432013312
xe._sga_target=441728512
xe._shared_sga_pool_size=0
xe._shared_pool_size=434110464
xe._streams_pool_size=0
*.audit_file_dest='C:\oracle\app\oracle\admin\XE\adump'
*.compatible='11.2.0.0.0'
*.control_files='C:\oracle\app\oracle\oradata\XE\control.dbf'
*.db_name='XE'
*.db_recovery_file_dest_size=100
*.db_recovery_file_dest='C:\oracle\app\oracle\fast_recovery_area'
*.diagnostic_dest='C:\oracle\app\oracle\'
*.dispatchers='(PROTOCOL=TCP) (SERVICE=XEEDB)'
*.job_queue_processes=4
*.memory_target=1024M
*.open_cursors=300
*.remote_login_passwordfile='EXCLUSIVE'
*.sessions=20
*.shared_servers=4
*.undo_management='AUTO'
*.undo_tablespace='UNDOTBS1'

```

Messages - Log

Messages: Logging Page | Statements

SQL History: Click on an identifier with the Control key down to perform 'Go to Declaration'

Line 8 Column 26 | Insert | Modified | Windows

Oracle SQL Developer: SYSDBA_LOCAL

File Edit View Navigate Run Source Tools Window Help

Connections

Oracle Connections

- Administrateur
- Byrsa
- Yr
- SCOTT
- SOUS_SCOTT
- SYSDBA_LOCAL
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Worksheet: Query Builder

```

ORDER BY name;

//Verification des parametres d'initialisation
SHOW PARAMETER sfile;
SHOW PARAMETER shared_pool_size;
SHOW PARAMETER sga_target;

SELECT name, value, isys_modifiable
FROM v$parameter
WHERE name IN ('sfile', 'shared_pool_size', 'sga_target');

//Generation du fichier PFILE a partir du SFILE actif
CREATE PFILE='C:\Users\ahmed\Oracle SQL\init_educorp.ora'
FROM SFILE;

//Arret propre de la base
SHUTDOWN IMMEDIATE;

```

Script Output: Task completed in 0.032 seconds

NAME	TYPE	VALUE
sga_target	big integer	0

Pfile='C:\Users\ahmed\Oracle sql\init_educorp.ora' FROM created.

Messages - Log

Messages: Logging Page | Statements

SQL History: Click on an identifier with the Control key down to perform 'Go to Declaration'

Line 32 Column 30 | Insert | Modified | Windows

Oracle SQL Developer: SYSDBA_LOCAL

File Edit View Navigate Run Source Team Tools Window Help

Connections

Oracle Connections

Administrateur

Byrsa

hr

SCOTT

SOUS_SCOTT

SYSDBA_LOCAL

Tables (Filtered)

Views

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

Materialized Views

Materialized View Logs

Synonyms

Public Synonyms

Database Links

Reports

All Reports

About Your Database

All Objects

Analytic View Reports

Application Express

ASH and AWR

Database Administration

Data Dictionary

Data Dictionary Reports

Data Modeler Reports

CLUP Reports

PLSQL

Security

Streams

Table

TimesTen Reports

User Defined Reports

XML

Worksheet Query Builder

```

SHOW PARAMETER spfile;
SHOW PARAMETER shared_pool_size;
SHOW PARAMETER sga_target;

SELECT name, value, issys_modifiable
FROM v2parameter
WHERE name IN ('spfile', 'shared_pool_size', 'sga_target');

//Generation du fichier PFILE a partir du SPFILE actif
CREATE PFILE='C:\Users\ahmed\Oracle SQL\init_educorp.ora'
FROM SPFILE;

//Arret propre de la base
SHUTDOWN IMMEDIATE;

//Demarrage avec le nouveau PFILE en mode NOMOUNT
STARTUP NOMOUNT PFILE='C:\Users\ahmed\Oracle SQL\init_educorp.ora';

```

Script Output: Task completed in 0.031 seconds

NAME	TYPE	VALUE
sga_target	big integer	0

Pfile='c:\users\ahmed\oracle sql\init_educorp.ora' FROM created.

Messages - Log

Messages Logging Page Statements

SQL History Click on an identifier with the Control key down to perform "Go to Declaration"

Line 35 Column 68 Insert Modified Windows

Oracle SQL Developer: SYSDBA_LOCAL

File Edit View Navigate Run Source Team Tools Window Help

Connections

Oracle Connections

Administrateur

Byrsa

hr

SCOTT

SOUS_SCOTT

SYSDBA_LOCAL

Tables (Filtered)

Views

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

Materialized Views

Materialized View Logs

Synonyms

Public Synonyms

Database Links

Reports

All Reports

About Your Database

All Objects

Analytic View Reports

Application Express

ASH and AWR

Database Administration

Data Dictionary

Data Dictionary Reports

Data Modeler Reports

CLUP Reports

PLSQL

Security

Streams

Table

TimesTen Reports

User Defined Reports

XML

Worksheet Query Builder

```

//Generation du fichier PFILE a partir du SPFILE actif
CREATE PFILE='C:\Users\ahmed\Oracle SQL\init_educorp.ora'
FROM SPFILE;

//Arret propre de la base
SHUTDOWN IMMEDIATE;

//Demarrage avec le nouveau PFILE en mode NOMOUNT
STARTUP NOMOUNT PFILE='C:\Users\ahmed\Oracle SQL\init_educorp.ora';

--A ce niveau :
- Oracle lit le fichier PFILE.
- Oracle alloue la memoire SGA.
- Oracle demarre les processus d'arriere-plan.
- La base n'est pas encore montee.*/

//Passage de NOMOUNT vers MOUNT
ALTER DATABASE MOUNT;

```

Script Output: Task completed in 0.042 seconds

*Cause: A database is already mounted in this instance.

Messages - Log

Messages Logging Page Statements

SQL History Click on an identifier with the Control key down to perform "Go to Declaration"

Line 45 Column 23 Insert Modified Windows