







Ben Ghorbel Ahmed Aziz – L2-DSI-EAD

Captures d'écran pour la phase 3







Oracle SQL Developer - SYSDBA_LOCAL-2

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Oracle Connections
 - Administrateur
 - Byrsa
 - hr
 - SCOTT
 - SOUS_SCOTT
 - SYSDBA_LOCAL
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links

Reports

- All Reports
 - About Your Database
 - All Objects
 - Analytic View Reports
 - Application Express
 - ASH and AWR
 - Database Administration
 - Data Dictionary
 - Data Dictionary Reports
 - Data Modeler Reports
 - CLAP Reports
 - PLSQL
 - Security
 - Streams
 - Table
 - TimesTen Reports
 - User Defined Reports
 - XML

Worksheet - Query Builder

```

LIMIT
SESSIONS_PER_USER 2
PASSWORD_LIFE_TIME 60
FAILED_LOGIN_ATTEMPTS 3
IDLE_TIME 15;

//Creation du role applicatif
CREATE ROLE ROLE_ARMED_AZII;

//Attribution des privileges systeme necessaires au role
GRANT CREATE SESSION, CREATE TABLE, CREATE VIEW, CREATE SEQUENCE
TO ROLE_ARMED_AZII;

//Creation de l'utilisateur applicatif principal
CREATE USER DEV_ARMED_AZII
IDENTIFIED BY dev_ahmed
DEFAULT TABLESPACE ARMED_AZII_DATA
TEMPORARY TABLESPACE ARMED_AZII_TEMP
QUOTA 10M ON ARMED_AZII_DATA
PROFILE PROFIL_ARMED_AZII;

//Attribution du role a l'utilisateur
GRANT ROLE_ARMED_AZII TO DEV_ARMED_AZII;

//Verification du profil
SELECT profile, resource_name, limit
FROM dba_profiles
WHERE profile = 'PROFIL_ARMED_AZII'
ORDER BY resource_name;
  
```

Script Output x Query Result x

SQL All Rows Fetched: 16 in 0.006 seconds

PROFILE	RESOURCE_NAME	LIMIT
12 PROFIL_ARMED_AZII	PASSWORD_REUSE_MAX	DEFAULT
13 PROFIL_ARMED_AZII	PASSWORD_REUSE_TIME	DEFAULT
14 PROFIL_ARMED_AZII	PASSWORD_VERIFY_FUNCTION	DEFAULT
15 PROFIL_ARMED_AZII	PRIVATE_SGA	DEFAULT
16 PROFIL_ARMED_AZII	SESSIONS_PER_USER	2

Messages - Log

SQL History Click on an identifier with the Control key down to perform "Go to Declaration"

Line 36 Column 24 | Insert | Modified | Windows

Oracle SQL Developer - SYSDBA_LOCAL-2

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Oracle Connections
 - Administrateur
 - Byrsa
 - hr
 - SCOTT
 - SOUS_SCOTT
 - SYSDBA_LOCAL
 - Tables (Filtered)
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links

Reports

- All Reports
 - About Your Database
 - All Objects
 - Analytic View Reports
 - Application Express
 - ASH and AWR
 - Database Administration
 - Data Dictionary
 - Data Dictionary Reports
 - Data Modeler Reports
 - CLAP Reports
 - PLSQL
 - Security
 - Streams
 - Table
 - TimesTen Reports
 - User Defined Reports
 - XML

Worksheet - Query Builder

```

//Creation du role applicatif
CREATE ROLE ROLE_ARMED_AZII;

//Attribution des privileges systeme necessaires au role
GRANT CREATE SESSION, CREATE TABLE, CREATE VIEW, CREATE SEQUENCE
TO ROLE_ARMED_AZII;

//Creation de l'utilisateur applicatif principal
CREATE USER DEV_ARMED_AZII
IDENTIFIED BY dev_ahmed
DEFAULT TABLESPACE ARMED_AZII_DATA
TEMPORARY TABLESPACE ARMED_AZII_TEMP
QUOTA 10M ON ARMED_AZII_DATA
PROFILE PROFIL_ARMED_AZII;

//Attribution du role a l'utilisateur
GRANT ROLE_ARMED_AZII TO DEV_ARMED_AZII;

//Verification du profil
SELECT profile, resource_name, limit
FROM dba_profiles
WHERE profile = 'PROFIL_ARMED_AZII'
ORDER BY resource_name;

//Verification du role et de ses privileges
SELECT role
FROM dba_roles
WHERE role = 'ROLE_ARMED_AZII';
  
```

Script Output x Query Result x

SQL All Rows Fetched: 1 in 0.003 seconds

ROLE
1 ROLE_ARMED_AZII

Messages - Log

SQL History Click on an identifier with the Control key down to perform "Go to Declaration"

Line 41 Column 32 | Insert | Modified | Windows

Oracle SQL Developer: SYSDBA_LOCAL-2

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Oracle Connections
- Administrateur
- sys
- hr
- SCOTT
- SQUS_SCOTT
- SYSDBA_LOCAL
- Tables (Filtered)
- Views
- Indexes
- Packages
- Procedures
- Functions
- Operators
- Queues Tables
- Triggers
- Types
- Sequences
- Materialized Views
- Materialized View Logs
- Synonyms
- Public Synonyms
- Databases Links

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ADP and ADP
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Worksheet - Query Builder

```
GRANT CREATE SESSION, CREATE TABLE, CREATE VIEW, CREATE SEQUENCE
TO ROLE_ARMED_AZII2;

//Creation de l'utilisateur applicatif principal
CREATE USER DEV_ARMED_AZII2
IDENTIFIED BY dev_armed
DEFAULT TABLESPACE ARMED_AZII2_DATA
TEMPORARY TABLESPACE ARMED_AZII2_TEMP
QUOTA 10M ON ARMED_AZII2_DATA
PROFILE PROFIL_ARMED_AZII2;

//Attribution du role a l'utilisateur
GRANT ROLE_ARMED_AZII2 TO DEV_ARMED_AZII2;

//Verification du profil
SELECT profile, resource_name, limit
FROM dba_profiles
WHERE profile = 'PROFIL_ARMED_AZII2'
ORDER BY resource_name;

//Verification du role et de ses privileges
SELECT role
FROM dba_roles
WHERE role = 'ROLE_ARMED_AZII2';

SELECT grantee, privilege
FROM dba_sys_privs
WHERE grantee = 'ROLE_ARMED_AZII2'
ORDER BY privilege;
```

Script Output x Query Result x

SQL All Rows Fetched: 4 in 0.005 seconds

GRANTEE	PRIVILEGE
1 ROLE_ARMED_AZII2	CREATE SEQUENCE
2 ROLE_ARMED_AZII2	CREATE SESSION
3 ROLE_ARMED_AZII2	CREATE TABLE
4 ROLE_ARMED_AZII2	CREATE VIEW

Messages - Log

Click on an identifier with the Control key down to perform "Go to Declaration"

Line 46 Column 20 Insert Modified Windows

Oracle SQL Developer: SYSDBA_LOCAL-2

File Edit View Navigate Run Source Tools Window Help

Connections

- Oracle Connections
- Administrateur
- Byras
- hr
- SCOTT
- SOLUS_SCOTT
- SYSDBA_LOCAL
- SYSDBA_LOCAL (Filtered)
- Tables (Filtered)
- Views
- Indexes
- Packages
- Procedures
- Functions
- Operators
- Queues
- Queues Tables
- Triggers
- Types
- Sequences
- Materialized Views
- Materialized View Logs
- Synonyms
- Public Synonyms
- Databases Links

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ADN and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- CLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Worksheet Query Builder

```

IDENTIFIED BY dev_ahmed
DEFAULT TABLESPACE AHMED_AZIZ_DATA
TEMPORARY TABLESPACE AHMED_AZIZ_TEMP
QUOTA 10M ON AHMED_AZIZ_DATA
PROFILE PROFIL_AHMED_AZIZ;

//Attribution du role a l'utilisateur
GRANT ROLE_AHMED_AZIZ TO DEV_AHMED_AZIZ;

//Verification du profil
SELECT profile, resource_name, limit
FROM dba_profiles
WHERE profile = 'PROFIL_AHMED_AZIZ'
ORDER BY resource_name;

//Verification du role et de ses privileges
SELECT role
FROM dba_roles
WHERE role = 'ROLE_AHMED_AZIZ';

SELECT grantee, privilege
FROM dba_sys_privs
WHERE grantee = 'ROLE_AHMED_AZIZ'
ORDER BY privilege;

//Verification de l'utilisateur
SELECT username, account_status, default_tablespace, temporary_tablespace, profile
FROM dba_users
WHERE username = 'DEV_AHMED_AZIZ';

```

Script Output x Query Result x

SQL All Rows Fetched: 1 in 0.008 seconds

USERNAME	ACCOUNT_STATUS	DEFAULT_TABLESPACE	TEMPORARY_TABLESPACE	PROFILE
DEV_AHMED_AZIZ	OPEN	AHMED_AZIZ_DATA	AHMED_AZIZ_TEMP	PROFIL_AHMED_AZIZ

Messages - Log

SQL History Click on an identifier with the Control key down to perform "Go to Declaration"

Oracle SQL Developer: SYSDBA_LOCAL-2

File Edit View Navigate Run Source Tools Window Help

Connections

- Oracle Connections
- Administrateur
- Byras
- hr
- SCOTT
- SOLUS_SCOTT
- SYSDBA_LOCAL
- SYSDBA_LOCAL (Filtered)
- Tables (Filtered)
- Views
- Indexes
- Packages
- Procedures
- Functions
- Operators
- Queues
- Queues Tables
- Triggers
- Types
- Sequences
- Materialized Views
- Materialized View Logs
- Synonyms
- Public Synonyms
- Databases Links

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ADN and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- CLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Worksheet Query Builder

```

//Attribution du role a l'utilisateur
GRANT ROLE_AHMED_AZIZ TO DEV_AHMED_AZIZ;

//Verification du profil
SELECT profile, resource_name, limit
FROM dba_profiles
WHERE profile = 'PROFIL_AHMED_AZIZ'
ORDER BY resource_name;

//Verification du role et de ses privileges
SELECT role
FROM dba_roles
WHERE role = 'ROLE_AHMED_AZIZ';

SELECT grantee, privilege
FROM dba_sys_privs
WHERE grantee = 'ROLE_AHMED_AZIZ'
ORDER BY privilege;

//Verification de l'utilisateur
SELECT username, account_status, default_tablespace, temporary_tablespace, profile
FROM dba_users
WHERE username = 'DEV_AHMED_AZIZ';

//Verification du quota
SELECT username, tablespace_name, bytes/1024/1024 AS utilise_mo,
max_bytes/1024/1024 AS quota_mo
FROM dba_ts_quotas
WHERE username = 'DEV_AHMED_AZIZ';

```

Script Output x Query Result x

SQL All Rows Fetched: 1 in 0.007 seconds

USERNAME	TABLESPACE_NAME	UTILISE_MO	QUOTA_MO
DEV_AHMED_AZIZ	AHMED_AZIZ_DATA	0	30

Messages - Log

SQL History Click on an identifier with the Control key down to perform "Go to Declaration"